VITAL STATISTICS ANNUAL REPORT 1986

The Honorable Edward D. DiPrete, Governor

Division of Vital Records

RHODE ISLAND DEPARTMENT OF HEALTH

H. Denman Scott, M.D., Director

STATE

OF

RHODE ISLAND AND PROVIDENCE PLANTATIONS

DEPARTMENT OF HEALTH

VITAL STATISTICS

ANNUAL REPORT

1986

The Honorable Edward D. DiPrete, Governor

H. Denman Scott, M.D.
Director of Health

Edward J. Martin, State Registrar

Roberta A. Chevoya, Assistant Registrar

Joseph Aldorisio, Senior Research Technician

P R E F A C E

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Records, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Records, with partial support from federal contract HRA 282-85-2021. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program. This report is intended primarily for reference, so there is a minimum of analysis and interpretation of the data. Where space permits, 1986 data are accompanied by figures for the previous year or years so comparisons may be made. Only information of general interest is published here; however, in most cases, more detailed data are available. Inquiries should be addressed to the Division of Vital Records, 101 Cannon Bldg., 75 Davis Street, Providence, Rhode Island 02908.

H. Denman Scott, M.D.
DIRECTOR OF HEALTH

April 1988

A C K N O W L E D G E M E N T S

This report is the product of the efforts of many individuals. Special thanks are extended to the following employees of the Division of Vital Records: Karen Johnson, who was responsible for word processing, Geri Lambie, who produced the graphs, and Bette McHugh for her assistance with Multiplan. Additional thanks are extended to Wayne Aldrich and his staff, of the Division of Management Services, for printing the report.

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1982-1986 and 1972-1976	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1957-1986	6
Table B	Rhode Island Occurrence Births at Home, 1977-1986	7
Figure 2A	Natural Increase - Number of Persons Added to Rhode Island Population (Births Minus Deaths), 1972-1986	8
Figure 3	Rates for First Live Births, Rhode Island Residents, by Age of Mother, 1970, 1975, 1980, and 1986	10
Figure 3A	Birth Out-of-Wedlock Ratios Per 1,000 Live Births, by Age of Mother: Rhode Island Residents, 1977-1986	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1962-1986	16
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1986	20
Figure 5A	Rates from the Five Leading Causes of Death in 1986 with Comparable Rates for 1977-1985, Rhode Island Residents	21
Figure 5B	Rates from the Sixth to Tenth Leading Causes of Death in 1986, with Comparable Rates for 1977-1985, Rhode Island Residents	22
Figure 6	Leading Causes of Death by Sex: Rhode Island Residents, 1986	23
Table D	Five Leading Cancer Sites by Sex, Rhode Island Residents 1986	24
Figure 7	Five Leading Primary Sites, Malignant Neoplasms, by Sex, 1986	25

TABLE OF CONTENTS

Page

Figure 8 Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1986 26

Figure 9 Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1986 27

Figure 10 Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1986 28

Table E Resident Accidental Deaths by Type by Sex: Rhode Island, 1986 29

Figure 11 Leading Causes of Death from Accidents: Rhode Island, 1986 . 30

Table F Deaths from Motor Vehicle Accidents, Rhode Island Residents 1977-1986 31

Table G Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1986, with Provisional U.S. Rates 33

Table H Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1986 34

Figure 12 Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1977-1986 35

Figure 13 Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1977-1986 38

Table 1 United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980 40

Table 2 Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1986 Estimate 41

Table 3 Number of Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 1986 42

Table 4 Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1957-1986 . . 43

Table 5 Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates, Rhode Island Residents, 1957-1986 44

Table 6 Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1986 45

Table 7 Deaths and Death Rates for Leading Causes in 1986 and for Comparable Causes in 1977-1985 51

TABLE OF CONTENTS

		Page
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1982-1986	52
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1963-1986 (Rhode Island Residents)	55
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1977-1986	55
Table 11	Resident Live Births by Sex and Race of Child and Age of Mother and Live Birth Order, Rhode Island, 1986	56
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island 1986	60
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1986	64
Table 14	Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1986	67
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1986	70
Table 16	Births by City or Town of Residence by Selected Characteristics, Rhode Island, 1986	73
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1986	74
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1986	75
Table 18A	Births and Births Out of Wedlock, 1986: All Ages and Under Age 20, by City or Town of Residence	83
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1986	84
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1986	84

TABLE OF CONTENTS

		Page
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery, by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1986	85
Table 21	Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences, 1986	93
Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1986	98
Table 22B	Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1986	99
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1986	100
Table 24	Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1986	101
Table 25	Resident Deaths from 72 Selected Causes by Race, Age, and Sex: Rhode Island, 1986	102
Table 26	Resident Deaths by City or Town by Month, Rhode Island, 1986	115
Table 27	Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1986	116
Table 28	Resident Accidental Deaths, with Non-Motor Vehicle Accidents Shown, by New England Standard Location by Sex and Age: Rhode Island, 1986	117
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1986	119
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1986	127
Table 30	Resident Accident Deaths by Type and Age: Rhode Island, 1986	135

TABLE OF CONTENTS

		Page
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1986	136
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1986	137
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island 1986 (Rhode Island Occurrences)	139
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1986	140
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1986	141
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1986 (Rhode Island Occurrences)	142
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1986	142
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1986	143
Table 39	Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1986	144
Table 40	Divorces by Number of Times Married before this Divorce, by Sex: Rhode Island, 1986 (Rhode Island Occurrences)	144
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1986 (Rhode Island Occurrences)	145
Table 42	Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1986 (Rhode Island Occurrences).	145
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1986 (Rhode Island Occurrences)	146
Table 44	Divorces According to Last Grade of School Completed, by Sex: Rhode Island, 1986 (Rhode Island Occurrences)	147

INTRODUCTION

This report includes data from all 1986 vital records received by 15 May 1987. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Records recorded 14,084 births which occurred in Rhode Island in 1986, of which 1,151 were to non-residents; 391 births occurred outside the state to Rhode Island residents, yielding a total of 13,324 resident live births in 1986. The resident rate was 13.7 per 1,000 population. In 1986, the number of deaths recorded in the state was 9,931; non-residents accounted for 650, and 431 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 9,712, yielding a rate of 10.0 deaths per 1,000 population.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1982-1986 with average rates for the years 1972-1976. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1982-1986 and 1972-1976

(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

Item	Five-Year Average 1982-1986 Number	Rate	1972-1976 Number	Rate	Per Cent Change In Rate
Live Births#	12,808	13.3	11,682	12.4	+ 7.3
Deaths#	9,406	9.8	9,224	9.8	+ 0.0
Infant Mortality*	125	9.8	190	16.3	- 39.9
Neonatal Mortality*	93	7.3	145	12.4	- 41.1
Perinatal Mortality**	134	10.5	210	17.9	- 41.3
Maternal Mortality***	1	0.6	1	0.7	- 14.3
Fetal Deaths (of 28 weeks or more Uterogestation)*	56	4.4	80	6.8	- 35.3
Marriages#	8,005	8.3	7,286	7.7	+ 7.8
Divorces#	3,634	3.8	2,577	2.7	+ 40.7
Population Est. (1984 and 1974)	961,881		940,300		+ 2.3

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



The average birth rate over the past five years (13.3 per 1,000 population) was seven per cent higher than the five-year average rate of 12.4 observed a decade ago. The average death rate over the past five years (9.8) was the same as the five-year average rate of a decade ago. The most recent five-year average infant mortality rate (death within the first year of life) was 9.8 per 1,000 live births -- 40 per cent lower than the five-year average of 16.3 a decade ago. The 1982-1986 neonatal mortality rate of 7.3, including infants who died before the 28th day of life, was 41 per cent lower than the rate of 12.4 observed for the period 1972-1976. Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 10.5 per 1,000 live births combined with late fetal deaths, 41 per cent lower than the five-year average a decade ago (17.9).

The average marriage rate for the five-year period 1982-1986 (8.3 per 1,000 population) was eight per cent higher than the average rate of a decade ago (7.7).

The average divorce rate for the period 1982-1986 increased 41 per cent over the five-year period 1972-1976. Caution should be observed when analyzing marriage and divorce rates for two reasons. First, it is difficult to compare marriage and divorce rates because the divorce rate for a specified period refers to any persons divorced during that period of time, regardless of the length of the marriage. Since the great majority of persons obtaining a divorce have been married for more than one year, the divorce rate for that year has no direct relationship to the marriage rate in that same year. Second, because there is no complete exchange of marriage and divorce records among the states, marriages and divorces of Rhode Island residents occurring outside the state are not included in Rhode Island rates.

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 census population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined three per cent between 1970 and 1980, (464,291 to 451,251); the female population increased by three per cent (482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two per cent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1986, as well as county and city/town estimates, shown in Table 2, were obtained from the Division of Statewide Planning.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



Figure 2 - Crude Birth and Death Rates Per 1,000 Population Rhode Island 1957-1986



Natural Increase

Natural increase (the excess of resident births over resident deaths) resulted in the net addition of 3,612 persons to the Rhode Island population in 1986. This is the second consecutive increase in the rate of change after two previous consecutive years of decrease. For the six-year period 1977-1982, the natural increase had been higher from year to year. (See Figure 2A for annual variations over the last 15 years).

L I V E B I R T H S

There were 13,324 resident live births recorded for Rhode Island in 1986, yielding a resident rate of 13.7 per 1,000 population. In Rhode Island, the birth rate had decreased steadily from 1959 until 1975, reaching the all-time low rate of 11.6 in both 1975 and 1976. From 1976-1981, the birth rate showed a slow but steady increase for all years; from 1981-1984 the rate stabilized with rates of 13.1, 13.0, 13.2, and 13.1. The 1986 rate of 13.7 represents an increase of two per cent over the 1985 rate of 13.4. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years).

Home Births

There continues to be a great deal of interest focused on midwifery and home births, both nationally and locally. Until 1978, when the Rhode Island Department of Health promulgated regulations for the licensing of midwives, there was only one licensed midwife practicing in Rhode Island. The current number of licensed midwives is twenty-two.

During the last ten years, the percentage of home births occurring in Rhode Island ranged from a low of 0.3 in 1977 to a high of 0.6, first recorded in 1979; during that same period, the number of home births ranged from a low of 36 in 1977 to a high of 82 in 1982.

Table B - Rhode Island Occurrence Births at Home, 1977-1986

	Occurrence Births	Home Births	
Year	Total Number	Number	Per Cent
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6
1982	13,032	82	0.6
1983	13,092	81	0.6
1984	13,290	66	0.5
1985	13,674	52	0.4
1986	14,084	66	0.5

Fertility Rates

The fertility rate is calculated by dividing the total number of resident births by the female population aged 15-44, multiplied by 1,000. The fertility rate is a more precise measure of reproduction than the crude birth rate, but it can be determined accurately only in census years. The fertility rate for 1980 was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females

Figure 2a - Natural Increase
Number of Persons Added to RI Population
(Births Minus Deaths) 1972-1986



in this age group to the total female population is the same as in 1980, the estimated fertility rate for 1986 was 59.9, a decrease of less than one per cent from 1985.

The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group, for which the fertility rate dropped by 68 per cent.

Fertility Rates by Age of Mother: 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL(15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Five-Year Average Rates by Residence

Average annual rates of birth for the past five years may be seen in Table 8 for the state as a whole and for each city or town and census tract of residence. Because census tract population estimates are not available, birth rates were computed using the 1980 census population. The average birth rate for the state for 1982 to 1986 was 13.5 per 1,000 population in 1980.

Daily Average

Rhode Island mothers delivered an average of 36.5 babies per day in 1986, compared with 35.6 in 1985, 34.6 in 1984, 34.5 in 1983, and 34.2 in 1982. The highest daily average for 1986 occurred in July, with slightly more than 38.9 births per day. The lowest daily average, 33.9 per day, occurred in November.

Sex Ratio

In 1986, there were 6,803 male children and 6,521 female children born to Rhode Island residents. The ratio of males to females was 1,043 males per 1,000 females.

Births by Race

In 1986, there were 11,816 resident white births and 1,456 resident non-white births (89 and 11 per cent, respectively, of those births where race was reported). In 1984 and 1985, the proportion was 90 and 10 per cent, respectively. Prior to 1984, there had been a gradual but steady increase over the years in the percentage of non-white resident births: 1963, four per cent; 1973, seven per cent; and 1983, 11 per cent.

Figure 3 - Rates for First Live Births Rhode Island Residents by Age of Mother 1970, 1975, 1980, and 1986



First Births

In 1986, first births accounted for 45 per cent of all deliveries where birth order was known, the same percentage as reported in 1985. Similar percentages have been experienced in the last several years; first births accounted for 44 per cent of all deliveries for 1974-1975, for 45 per cent for 1976-1979, and for 46 per cent for 1980-1982.

Recently, there has been increasing interest in the age at which Rhode Island women have their first child. The rate of first live births per the female population in specified five-year age groups for the years 1970, 1975, 1980, and 1986 is shown in Figure 3. Census population figures were used to compute rates for 1970 and 1980. The 1975 population figures were computed by interpolating between the 1970 and 1980 censuses. The 1986 population figures were computed using the statewide population estimate for 1986 obtained from the the Division of Statewide Planning, and extrapolating from the proportions of females in the 1980 census in each specified age group being studied.

Figure 3 shows that the age at which Rhode Island women have chosen to start their families has increased over the past fifteen years. A steady decrease is observed in the rate of first births among women aged 15-19 over the years studied. A large drop in the rate of first births among women aged 20-24 occurred between 1970 and 1975. This was followed by a steady increase from 1975 through 1986 in the rate of first births among women aged 25-29 and 30-34. Although the numbers are small, the rate of first births to women aged 35-39 has increased since 1975, following a decrease from 1970 to 1975.

Second or Higher in Birth Order

The percentage of second births to Rhode Island residents has remained fairly constant during the last several years, ranging from 32 to 36 per cent. In 1986, 34 per cent of births were second births. A gradual downturn seemed evident in the last few years in the percentage of births third or higher in birth order: from 23 per cent in 1974 and 1975, to 22 per cent in 1976, dropping again to 21 per cent from 1977 to 1981 and to 20 per cent in 1982. In 1983, the rate increased to 23 per cent, but in 1984, 1985, and 1986 it decreased to 21 per cent, 20 per cent, and 21 per cent respectively.

Low Birth Weight Infants

The rate of low birth weight infants (those weighing five pounds, eight ounces or less) averaged 62.8 per 1,000 live births over the past five years. In 1986, there were 862 low birth weight infants delivered to Rhode Island residents (64.7 per 1,000 live births). The non-white ratio (101.0) was 67 per cent higher than the white ratio of 60.3. Low birth weight infants by race may be seen in Table 16 by city or town of mother's residence. Low birth weight infants by age of mother may be seen in Table 13; low birth weight infants by plural birth may be seen in Table 14.

Table 16 shows low birth weight infants, the number of infants born in hospitals and the number born out of wedlock, by race and by city or town of residence. Table 18 shows all births, births out of wedlock, low-weight births, births with malformations, and births by the month prenatal care began, all distributed by city or town and census tract of mother's residence.

Figure 3a - Births Out of Wedlock Ratios Per 1,000 Live Births by Age of Mother Rhode Island Residents 1977-1986



Births Out of Wedlock

Births out of wedlock accounted for 20 per cent of all resident births in 1986 (a ratio of 198.1 per 1,000 live births). The non-white ratio (454.6) was nearly three times the white ratio (166.7). The average birth out of wedlock ratio for the past five years (182.0) was 24 per cent above the five-year average of 147.2 for 1977-1981. The ratio has increased steadily each year since 1964; the ratios for 1963-1986 may be seen in Table 9. Although the U.S. birth out of wedlock ratio for 1986 is not yet available, the U.S. ratio in the past years has been consistently above that observed in Rhode Island.

Birth out of wedlock ratios by age of mother are shown in Figure 3 and Table 10 for 1977-1986. In 1986, women under 20 years of age had considerably higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years. The ratio of mothers aged 20-24 has also increased steadily since 1977, when a ratio of 147.4 was observed; the birth out of wedlock ratio for this age group reached a high of 267.6 in 1986. Although the birth out of wedlock ratios for women aged 25-29 and 30-34 have increased overall since 1975, some fluctuation has been observed from year to year. There was no clear trend in birth out of wedlock ratios for women aged 35 and over during the ten-year period; they ranged from a low of 61.5 in 1984 to a high of 96.9 in 1985.

Births out of wedlock to teenagers by city or town of residence are shown in Table 18A. Births out of wedlock to teenagers accounted for 68 per cent of all births to teenagers in 1986, an increase of two per cent over 1985.

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers (i.e. women under age 20), it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to these women by city or town of residence for 1986. There were 1,375 resident births to teenagers in 1986, along with 72 spontaneous fetal deaths and 1,843 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,290 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1986 was 71.0, a decrease of seven per cent from 1985.

F E T A L D E A T H S

Definition

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles."

Background Information

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Following that decision, the Rhode Island Department of Health adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the provisions of these Rules and Regulations made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this requirement was also mandated by legislation passed in 1976 by the Rhode Island legislature. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more uterogestation (from date of mother's last normal menstrual period to date of delivery). As a result, interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required.

1986 Data

The number of fetal deaths occurring in Rhode Island, rather than resident data, is shown in most tables since there is not a complete exchange of fetal death certificates among the states. Twenty-two per cent of the fetal deaths in Rhode Island in 1986 occurred to non-residents, while the number of fetal deaths to Rhode Island residents reported from other states was insignificant.

There were 8,299 occurrence fetal deaths recorded in Rhode Island in 1986, a decrease of three per cent from the 8,535 recorded in 1985. The majority of the fetal deaths (90 per cent) were induced terminations (Table 19A). The number of induced terminations decreased by four per cent in 1986, when compared with 1985. The vast majority of fetal deaths (99 per cent) were under twenty weeks uterogestation. Only three of the induced terminations were known to be twenty weeks or more gestation; whereas, 108 of the spontaneous fetal deaths (14 per cent) were known to be twenty weeks or more gestation. Table 19B displays the number of fetal deaths occurring in Rhode Island by month of delivery and weeks of gestation. The highest daily average (25.8) occurred in February; the lowest daily average (19.4) occurred in December. The daily average for 1986 was 22.7 fetal deaths per day.

Resident fetal deaths by mother's marital status and census tract of mother's residence may be seen in Table 20. In those cases where marital status was stated, seventy-two per cent of the resident fetal deaths occurred to unmarried women. Only 23 per cent of the spontaneous fetal deaths occurred to unmarried women, whereas 78 per cent of the induced terminations occurred to unmarried women. Caution should be exercised in utilizing data by census tract; wide variations, attributable to random fluctuations, can occur where the numbers are small.

All induced terminations occurring in Rhode Island in 1986 may be seen in Table 21 by age, marital status, and previous delivery history of mother. The statistics on marital status represent only those cases where marital status was known. Of the 7,502 cases where age was known, teenagers accounted for 25 per cent of all induced terminations; almost all of these teenagers (96 per cent) were unmarried. Of the 2,701 induced terminations to women aged 20-24 (36 per cent of the total), the great majority of this group (83 per cent) were unmarried. Of the 2,407 women in the age group 25-34 (32 per cent of the total), 61 per cent were unmarried. Seven per cent of all induced terminations were to women aged 35 and older; of this group, 50 per cent were unmarried.

In 1986, 43 per cent of all induced terminations (Table 21) were to women who had no previous deliveries. Twenty-three per cent of women having an induced termination in 1986 had had one previous delivery; in 56 per cent of these cases the previous delivery was an induced termination, in 39 per cent a live birth, and in five per cent a spontaneous fetal death. Twenty-five per cent of the women had had two or three previous deliveries, while only nine per cent had had four or more previous deliveries. In 81 cases, previous delivery history was unknown.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; Table 22B shows all spontaneous fetal deaths, regardless of gestation, by the same parameters. The majority of the mothers were under age 30, accounting for 70 per cent of spontaneous fetal deaths of 20 weeks or more gestation and for 60 per cent of all spontaneous fetal deaths.

Table 23 illustrates the number of spontaneous fetal deaths of 20 weeks or more uterogestation for 1986 by age of the mother and fetal weight. In those cases where weight was reported, 78 per cent of the fetuses were of low weight (less than 5 lbs. 8 oz.).

Cause of death and weeks of uterogestation for all fetal deaths are shown for 1986 in Table 24.

PERINATAL MORTALITY

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1986 perinatal mortality rate, 9.6 per 1,000 live births combined with late fetal deaths, increased four per cent above the rate of 9.2 observed in 1985. The 1985 rate was the lowest rate experienced in the past thirty years (Table 5). The five-year average perinatal mortality rate (1982-86) of 10.5, shown in Table A, was 41 per cent lower than the five-year average of 17.9 a decade ago (1972-76).

MATERNAL DEATHS

The International Classification of Diseases, 9th Revision, defines maternal death as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

In 1986, there was one maternal death which occurred to a Rhode Island resident. (See Table 5 for annual variations in maternal deaths and maternal death rates for the past thirty years).

Figure 4 - Infant and Neonatal Mortality Rates Rhode Island and the United States 1962-1986



INFANT DEATHS

Definition

Infant death is defined as a death occurring within the first year of life.

1986 Data and Average Rates

There were 125 resident infant deaths in 1986, yielding a rate of 9.4 per 1,000 live births. The rate represents an increase of 15 per cent from the rate of 8.2 observed in 1985. (The 1985 rate was the lowest ever recorded in Rhode Island.) The average infant mortality rate for the last five years (9.8) was 40 per cent lower than the average rate (16.3) for 1972-76 (Table A). Average rates for the past five years are shown in Table 8 by city or town and neighborhood of residence. The provisional national infant death rate for 1986 was 10.4 per cent; the Rhode Island rate was 10 per cent lower.

Infant Deaths By Race

Of the 125 infant deaths in 1986, 20 were non-white infants. The 1986 non-white infant death rate was 13.7 per 1,000 non-white births and was 54 per cent above the white rate of 8.9. The non-white infant mortality rate has been higher than the white rate for many years. The table below shows the numbers and rates for each group for the last ten years. Since 1979 there has been a general decrease in the rate for both groups with some fluctuation. The fluctuation in rates has been much more prevalent in the non-white group because of the relatively small number of infant deaths which occur each year to that group. By looking at the figures in the five-year groups, a general decrease in the differential is seen between the two groups when comparing 1977-1981 to 1982-1986: during the earlier period, the non-white rate was 87 per cent higher than the white rate; during the later period, it was 49.5 per cent higher.

INFANT MORTALITY BY RACE, R.I. RESIDENTS, 1977-1986

	Non-White		White	
	Infant Deaths	Rate per 1,000 Live Births	Infant Deaths	Rate per 1,000 Live Births
1977	20	23.0	118	11.0
1978	28	29.9	126	12.0
1979	31	32.1	132	12.3
1980	13	11.9	118	10.7
1981	18	14.4	126	11.3
1982	20	15.7	105	9.4
1983	23	17.3	122	10.9
1984	18	13.7	107	9.5
1985	12	9.0	94	8.1
1986	20	13.7	105	8.9

Infant Deaths by Cause and by Residence

Infant deaths are shown as a subset of all deaths by 72 selected causes of death in Table 25 and by 61 selected causes of infant deaths by the age at death in Table 27. Infant deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

NEONATAL DEATHS

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 87 deaths (70 per cent of all infant deaths) in 1986. Eighty-two per cent of all neonatal deaths occurred before the seventh day of life; fifty-five per cent of all neonatal deaths occurred before the end of the first day (Table 27).

The average neonatal death rate for the past five years, 7.3 per 1,000 live births, was 41 per cent lower than the five-year average rate of 12.4 observed a decade ago (Table A).

Neonatal deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

DEATHS

There were 9,712 Rhode Island resident deaths recorded in 1986, yielding a crude rate of 10.0 deaths per 1,000 estimated population. The 1986 rate was the same as the rate for 1985 which was the highest rate since 1970. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during the past thirty years.

The 1986 state rate was 15 per cent higher than the provisional U.S. rate of 8.7. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

The number of deaths by city or town of occurrence and by city or town of residence, along with resident rates, is shown in Table 3.

Distributions of Rhode Island deaths by age, race, and sex are shown in Tables 6 and 25: 97 per cent white vs. three per cent non-white and 49 per cent male vs. 51 per cent female.

Resident deaths for each city or town by age, race, and sex are shown for the entire year in Table 6 and by month in Table 26. The daily average was 26.6 deaths per day in 1986. The highest daily average was in February, with 30.2 deaths per day; the lowest, in June, with 23.9 per day. All deaths and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census.

The median age for all deaths was 75.7 years. For all females, the median age at death was 79.4; for white females, 79.6; and for non-white females, 67.4. The male median was 72.2; for white males, 72.5; for non-white males, 60.9. (See Table C). The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the white median ages, both on a national and state level.

Deaths By Cause

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause-of-death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death category, as defined by the Ninth Revision, is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February 1980.)

Table 7 shows the 20 leading causes of death for 1986, with the numbers and rates for the same causes for 1979 to 1985, and for the comparable cause categories for 1977 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 89 per cent of all deaths in 1986. For many years, the four leading causes had been Diseases of the Heart, Malignant Neoplasms, Cerebrovascular Diseases, and Accidents. However, since 1983 the number of deaths from Chronic Obstructive Pulmonary Diseases were greater than those from Accidents. This phenomenon continued in 1986: the number of Chronic Obstructive Pulmonary Diseases (354, yielding a rate of 36.3) surpassed the number of Accidents (285, yielding a rate of 29.2). The ten leading causes accounted for 85 per cent of all deaths; rates for the ten leading causes may be seen in Figures 5A and 5B for the past ten years. The five leading causes of death for each sex are illustrated in Figure 6.

Table 31 shows the ten leading causes of death by sex, with rates for 1986 and 1985, and the per cent change in rates. The number of deaths for the five leading causes of death in each age group are shown in Table 32, along with age-specific death rates in 1986 and 1985 and the per cent change in rates. Median ages for all causes of death and for the ten leading causes of death, by sex, are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1986

Causes		Male	Female	Total
ALL CAUSES		72.2	79.4	75.7
1.	Diseases of the Heart	73.2	82.5	78.0
2.	Malignant Neoplasms	70.4	71.6	70.9
3.	Cerebrovascular Diseases	78.6	83.4	81.7
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions	75.6	75.3	75.5
5.	Accidents and Adverse Effects	39.6	69.6	44.9
6.	Pneumonia and Influenza	82.8	88.5	85.1
7.	Diabetes Mellitus	70.7	77.3	74.6
8.	Septicemia	74.0	83.8	80.6
9.	Chronic Liver Disease and Cirrhosis	65.0	67.9	66.9
10.	Suicide	32.7	40.8	34.1
10.	Nephritis, Nephrotic Syndrome	78.0	82.3	80.0

Cardiovascular Diseases is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: Diseases of the Heart (rank 1); Cerebrovascular Diseases (rank 3); Atherosclerosis (rank 12); Hypertension with or without Renal Disease (rank 18); and Other Diseases of Arteries, Arterioles, and Capillaries, which is not ranked. There were 4,684 deaths from Cardiovascular Diseases in 1986 (Table 25), representing 48 per cent of all deaths (45 per cent for males and 51 per cent for females). The provisional national rate was 399.9 per 100,000 estimated population. The state rate of 480.4 was 20 per cent higher than the U.S. rate.

Diseases of the Heart has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and was 390.3 per 100,000 estimated population in 1986 (Figure 5A). Of all deaths in 1986, 38 per cent of males and 40 per cent of females died from heart disease. It appears as one of the five leading causes in all age groups over age four, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons 65 years of age and over (43 per cent of deaths in this age group). The provisional national rate was 317.2 in 1986; the state rate was 23 per cent higher than the U.S. rate.

Malignant Neoplasms, including Neoplasms of Lymphatic and Hematopoietic Tissues with 24 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States, in 1986. The state rate was 241.3 per 100,000 estimated population; the provisional national rate was 193.4. The state rate was 25 per cent higher than the U.S. rate. Malignant Neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6), accounting for 25 per cent of male deaths and 23 per cent of female deaths.

Figure 5a - Rates from Five Leading Causes Of Death in 1986 with Comparable Rates For 1977-1985 Rhode Island Residents



Figure 5b - Rates from the 6-10th Leading Causes Of Death in 1986 With Comparable Rates For 1977-1985, Rhode Island Residents



Figure 6 - Leading Causes of Death by Sex
Rhode Island Residents, 1986



*Chronic Obstructive Pulmonary Disease
Each slice represents a percentage of the total
Number of deaths, by sex, for the year

Malignant Neoplasms appears as one of the five leading causes of death in all age groups, as shown in Table 32 and Figures 8, 9, and 10). It was the leading cause of death among persons 45-64 (39 per cent of deaths among this age group).

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, age, and sex.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1986

MALE			FEMALE		
Site	Number	Per Cent	Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	414	34	1. Digestive Organs and Peritoneum	303	27
2. Digestive Organs and Peritoneum	326	27	2. Breast	232	20
3. Genital Organs	145	12	3. Respiratory and Intrathoracic Organs	202	18
4. Urinary Organs	62	5	4. Genital Organs	125	11
5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	59	5	5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	62	5

Cerebrovascular Diseases, with 637 resident deaths and a rate of 65.3 per 100,000 population, was the third leading cause of death in 1986. Eight per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate, 77.6 was 50 per cent above the male rate of 51.9. The provisional national rate was 61.2, the state rate was seven per cent higher than the U.S. rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 81.7, eight per cent higher than for all deaths in 1986 (Table C). Less than one per cent of these decedents were under 45 years of age, and just six per cent were younger than 60 years old. In contrast, for all decedents, seven per cent were less than 45 years old, and 16 per cent were less than 60 years old.

Chronic Obstructive Pulmonary Diseases and Allied Conditions was the fourth leading cause of death in 1986. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this group of diseases was not ranked as one of the ten leading causes before 1979. The comparability ratio between the Eighth and the Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eight Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema" (ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction Not Elsewhere Classified" (ICD No. 496). In Figure 5 and Table 7 for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been

Figure 7 - Five Leading Primary Sites Malignant Neoplasms, by Sex, 1986



*Lymphatic and Hematopoietic Tissue (Other than Leukemia)

Figure 8 - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1986



*Certain Conditions/Perinatal Period
**Acute Bronchitis and Bronchiolitis
***Sudden Infant Death Syndrome

Figure 9 - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1986



*Chronic Obstructive Pulmonary Disease

Figure 10 - Leading Causes of Death By Specified Age Group: Rhode Island Residents 1986



*Chronic Obstructive Pulmonary Disease

included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No. 490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures are not available nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 354 deaths to Rhode Island residents from this cause of death in 1986, accounting for a rate of 36.3 per 100,000 estimated population. The provisional national rate was 31.3; the state rate was 16 per cent higher than the U.S. rate.

Although chronic obstructive pulmonary diseases dropped from the third leading cause of death for males in 1985 to the fourth leading cause in 1986, males still accounted for 61 per cent of the deaths from this cause. It was the fourth leading cause for decedents aged 45 years and older (Tables 31 and 32). The median age (75.5) was less than one per cent lower than the median age for all causes (75.7).

Accidents ranked fifth among the leading causes in 1986, accounting for 285 deaths and a rate of 29.2 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1986 state rate was 25 per cent lower than the provisional U.S. rate of 39.1.

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1986

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	285	194	91
Motor Vehicles(E810-E825)	138	103	35
Water Transport (E830-E838)	4	4	0
Air and Space Transport(E840-E845)	3	3	0
Poisoning(E850-E869)	26	19	7
Falls(E880-E888)	52	25	27
Fires and Flames(E890-E899)	12	9	3
Drowning(E910)	8	7	1
Food/Object Inhalation(E911-E912)	19	5	14
Electric Current (E925)	1	1	0
All Other (Residual)	22	18	4

* For complete titles, see Table 30.

Accidents were a major factor in deaths among both males and young people. Males accounted for 68 per cent of all accidental deaths, and 50 per cent of the decedents were under 45 years of age. Thirty-eight per cent of all accidental deaths occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (41.8 per 100,000 estimated population) was more than double that for females (17.8).

Except for persons 65 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause for ages 5 to 44 years. This information is shown in Figures 8, 9, and 10. The median age at death for all accidents was 44.9 years, 39.6 years for males and 69.6 for females). (See Table C). Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

Figure 11 - Leading Causes of Deaths From Accidents: Rhode Island Residents, 1986



Motor Vehicle Accidents were responsible for the death of 138 Rhode Island residents, 48 per cent of all resident accidental deaths in 1986, accounting for a rate of 14.2 per 100,000 estimated population, the highest rate since 1980. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1977-1986.

Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1977-1986
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1977	158	16.9	1982	121	12.6
1978	124	13.3	1983	99	10.4
1979	140	15.1	1984	110	11.4
1980	140	14.8	1985	113	11.7
1981	116	12.2	1986	138	14.2

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1986 death rate was 27 per cent lower than the provisional national rate of 19.5.

Males accounted for 75 per cent of the deaths from motor vehicle accidents in 1986. The 103 male deaths in this category also represented 53 per cent of all accidental deaths to males. The median age at death was 35.0 for all motor vehicle accidents (34.8 for males and 38.0 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Of all deaths from motor vehicle accidents to Rhode Island residents during 1986, highway collisions accounted for 115 (83 per cent).

Non-motor Vehicle Accidents accounted for 147 of the 285 accidental deaths (52 per cent) to Rhode Island residents in 1986. These non-motor vehicle accidents were distributed as follows: falls, 35 per cent; poisoning, 18 per cent; inhalation of food or other objects, 13 per cent; fires and flames, 8 per cent; drowning and submersion, 5 per cent; water transport accidents, 3 per cent; air and space transport accidents, 2 per cent; electric current, less than one per cent. (See Table 30).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Forty-four per cent of these accidents occurred at home; 14 per cent, in resident institutions; four per cent, in places of industry; and three per cent, at places of recreation.

Pneumonia and influenza accounted for 257 deaths and ranked as the sixth leading cause in 1986, yielding a rate of 26.4 per 100,000 estimated population. Of the 257 deaths in this category, 250 were classified to pneumonia and seven to influenza. The state rate for pneumonia and influenza was eight per cent lower than the national provisional rate of 28.8 for 1986.

Pneumonia and influenza constituted the fifth leading cause of death for females and the sixth leading cause for males (Table 31). These deaths occurred predominantly among older persons: the median age was 85.1 years and only 20 decedents (eight per cent) were less than 65 years old (Tables C and 25).

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death, i.e., as the disease initiating the chain of events leading to death. Furthermore, in Rhode Island, when pneumonia is initially classified as the underlying cause of death, the Division of Vital Records routinely queries the physician to confirm whether the pneumonia initiated the chain of events leading to death or whether it was a terminal event secondary to another disease or condition. If the pneumonia was secondary to another disease or condition, the death is classified to the disease or condition which led to the pneumonia. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

Diabetes Mellitus, with 171 deaths and a rate of 17.5 per 100,000 estimated population, was the seventh leading cause of death in 1986. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1986 rate was 16 per cent higher than the provisional national rate of 15.1. It was the sixth leading cause for females and the seventh leading cause for males (Table 31). The median ages for females (77.3) and for males (70.7) were close to the median ages for all female and male deaths (79.4 and 72.2, respectively). The median age for all diabetes deaths was 74.6.

Septicemia, with 106 deaths and a rate of 10.9 was the eighth leading cause of death in 1986. It was the tenth leading cause for males and the ninth leading cause for females. The state rate of 10.9 was 42 per cent higher than the provisional U.S. rate of 7.7. The median age at death was 80.6.

Chronic Liver Disease and Cirrhosis was the ninth leading cause in 1986, with 104 deaths and a rate of 10.7 per 100,000 estimated population. It ranked as the ninth leading cause of death for males and the eleventh for females. The state rate was two per cent lower than the provisonal national rate of 10.9.

In 1986, chronic liver disease and cirrhosis was not one of the five leading causes in any age group. The median age for this cause has been generally increasing over the past several years and is now 66.9.

Nephritis, nephrotic syndrome and nephrosis was tied with suicide for the tenth leading cause in 1986, with 100 deaths in each category and a rate of 10.3 per 100,000 estimated population. The former category entered the top ten causes for the first time in 1985 after being 11th or 12th since 1979. The state rate of 10.3 was 14 per cent higher than the U.S. provisional rate of 9.0. The median age of death was 80.0.

Suicide returned to one of the ten leading causes in 1986, after dropping to eleventh place in 1985. It was the tenth leading cause in both 1983 and 1984. Suicide was ranked as one of the ten leading causes of death to Rhode Island residents for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1986 (10.3) was 18 per cent lower than the provisional U.S. rate of 12.6. There were more than four

times the number of suicides for males than for females; suicide ranked seventh among males and only sixteenth among females. It was the second leading cause for decedents aged 5-19 and the fourth leading cause for decedents aged 20-44 years. The median age at death for all suicides was 34.1; the median age for females (40.8) was 20 per cent higher than for males (32.7).

Atherosclerosis and Hypertension ranked twelfth and eighteenth, respectively, in 1986. There were 98 deaths classified to Atherosclerosis (a rate of 10.1) and 26 to Hypertension (a rate of 2.7) (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules require deaths from atherosclerosis or hypertension to be assigned to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1986 were 9.2 for atherosclerosis and 3.1 for hypertension.

Other Leading Causes, ranking 13th through 20th, accounted for 243 deaths, three per cent of all deaths to Rhode Island residents in 1986. The number of deaths in each category was relatively small, ranging from 52 for "Certain Conditions Originating in the Perinatal Period" to 19 for "Benign Neoplasms". For this reason, comparisons of the death rates for these categories should be made with caution. Table G below lists causes 12-20 with the state rate and the provisional national rate per 100,000 estimated population for 1986.

Table G - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1986 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

1986 Rank	Cause of Death (ICD) 1975	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
12.	Atherosclerosis (440)	98	10.1	9.2
13.	Certain Conditions Originating in the Perinatal Period(760-779)	52	5.3	7.4
14.	Congenital Anomalies(740-759)	51	5.2	5.0
15.	Homicide and Legal Intervention (E960-E978)	41	4.2	8.7
16.	Hernia and Intestinal Obstruction* (550-553,560)	31	3.2	2.2
17.	Ulcer of Stomach and Duodenum (531-533)	28	2.9	2.5
18.	Hypertension with or without Renal Disease(401,403)	26	2.7	3.1
19.	Anemias(280-285)	21	2.2	1.5
20.	Benign Neoplasms*(210-239)	19	1.9	3.0

* For complete category title, see Ninth Revision International Classification of Diseases, 1975.

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

Years of Potential Life Lost (YPLL)

Recently, attention has focused on the potential years of life lost for persons under age 65 who have reached their first birthday. In general, the younger the person, the greater the number of potential years of life yet available to that person.

Potential years of life lost for persons under 65 years of age at the time of death are derived by multiplying the number of deaths in each age category, (except under 1 year) by the difference between 65 years of age and the age at the midpoint or median of each category, and totalling the results.

Table H below compares the five leading causes of death for 1986 to the five causes of death which contributed the greatest number of years of potential life lost (YPLL).

Table H - Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1986

Cause of Death	Number	Cause of Death	YPLL
1. Diseases of the Heart	3,805	1. Malignant Neoplasms	8,164.0
2. Malignant Neoplasms	2,353	2. Diseases of the Heart	6,323.0
3. Cerebrovascular Diseases	637	3. Accidents	5,867.0
4. COPD	354	4. Suicide	2,733.5
5. Accidents	285	5. Homicide	1,140.5

Although the categories of Accidents, Suicides, and Homicides are ranked separately, those three external causes combined were the leading contributors to premature death for Rhode Island residents in 1986.

MARRIAGE AND DIVORCE

Marriage and divorce statistics in this publication relate only to those events which occurred within the state. No data has been included for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 8,103 marriages and 3,684 divorces filed in Rhode Island in 1986, yielding rates of 8.3 and 3.8, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only four of the 1986 divorces were granted to persons who were married less than a year, and 285 divorces were of persons who had been married 25 years of more).

Figure 12 - Marriage Rates Per 1,000 Population
RI and US, Occurrence Data 1977-1986



MARRIAGE

The 1986 rate of 8.3 marriages per 1,000 estimated population was the same as the 1984 and 1985 rates. The 1982-1986 average rate of 8.3 was eight per cent higher than the 1972-1976 rate of 7.7 (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1986 was 17 per cent below the provisional United States rate of 10.0 in 1986.

In 1986, June was the most popular month for marriages, with 1,068 marriages recorded, averaging 35.6 marriages per day. The second highest average occurred in September (33.5). Five months, May, June, and August through October had averages above the year's daily rate of 22.2. The lowest average occurred in January, when only 239 marriages were performed, for a daily average of 7.7. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1986 is shown according to their usual residence in Table 33. Because a marriage usually takes place in either the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1986, 16 per cent of the grooms were non-residents, whereas only 11 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Of the four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly), all except Warwick, had rates above the state average, with Newport, Westerly, and Providence being 15.6, 11.4, and 9.3 respectively. In Warwick the rate was 8.1.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (59.2) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, six had rates one-third or more higher than the state rate (11.1 or more): Newport, 15.6; Scituate, 14.3; Middletown and East Greenwich, 12.1; Westerly, 11.4; and South Kingstown, 11.2. Four towns with greater than 5,000 estimated population had rates one-third or more lower than the state rate (5.5 or less): Richmond, 2.5; Glocester, 5.0; Johnston, 5.1; and Coventry, 5.2.

Table 36 shows the number of times previously married for each party. Sixty-one per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 20 per cent; 12 per cent had both parties marrying for the second time; and in seven per cent of the cases, at least one of the parties was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 22 per cent; marriages between two divorced individuals, 14 per cent; between two widowed parties, one per cent; and where only one of the two parties was widowed, three per cent.

The age distribution of brides and grooms who married in Rhode Island in 1986, including the number of brides and grooms under age 20, is shown in Table 34. The percentage of teenage brides and grooms has decreased over the last several years. In 1986, nine per cent of all the brides and three per cent of all the grooms were under age 20, compared to 10 and 3 per cent respectively in 1985. In two per cent of the marriages, both the bride and groom were under age 20. Thirty-five per cent of all brides and 28 per cent of all grooms were in the age group 20-24 years; another 27 per cent of all brides and 30 per cent of all grooms were between 25-29 years of age.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Twelve per cent of all brides and four per cent of all grooms marrying for the first time in 1986 were under age 20.

The median age at first marriage was 24.2 years for brides and 26.0 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was divorced, it was 34.1 years; for previously divorced grooms, it was 37.1 years. The median age at remarriage for the widowed was 53.9 years for brides and 60.8 years for grooms. The median age in Rhode Island for all marriages was 26.1 years for brides and 28.2 years for grooms.

Educational achievement for brides and grooms is shown in Table 38. Twenty-five per cent of the brides and 27 per cent of the grooms were college graduates (slightly more than the 23 and 26 per cent in 1985). Two per cent of all the brides and three per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (96 per cent) of the 1986 marital partners was white; 96 per cent of marriages were between two white persons; and three per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, less than one-half of one per cent.

D I V O R C E

Reports of 3,684 final divorces were received by the Division of Vital Records in 1986 from the state's Family Courts. The rate of 3.8 per 1,000 estimated population was the same as the 1984 and 1985 rate. The 1982-1986 average rate of 3.8 was 41 per cent higher than the 1972-1976 rate of 2.7 (Table A).

The state rate was 21 per cent lower than the U.S. Provisional rate of 4.8. The provisional national rates for each of the three previous years ranged from 4.9 to 5.0. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten-year intervals, 1970, 1960, 1950, 1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

Figure 13 - Divorce Rates Per 1,000 Population RI and the US, Occurrence Data 1977-1986



The highest daily average for divorces (11.5 per day) occurred in September with 345 divorces. The lowest daily average (8.5 per day) occurred in June, when 256 decrees became final. The daily average for the year was 10.1; the same as observed in 1985.

Rhode Island law does not provide for annulment, but there were seven divorces on grounds of "void marriage" in 1986. The most frequent grounds for obtaining a final decree were "irreconcilable differences", accounting for 90 per cent of all divorces. Nine per cent were granted on the grounds of "living separate and apart three years". The remaining divorces were distributed among the following grounds: "extreme cruelty", "adultery", "negligence", and "other gross misbehavior".

The 1986 data on duration of marriage show that 44 per cent of the marriages had endured ten years or more; 30 per cent, five to nine years; and 26 per cent, one to four years. Only four final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are tabulated for all 1986 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 35.4 years and for all women, 33.0. The median age at time of divorce after a first marriage was 33.5 for husbands and 31.4 for wives. The median age of persons for whom the 1986 divorce terminated a remarriage was 42.4 for men and 38.6 for women. Among those terminating a remarriage, 25 per cent of the husbands and 16 per cent of the wives were 50 years of age or older. On those records where previous marital status was stated, 79 per cent of husbands and 79 per cent of wives were terminating a first marriage. Previous marital status was not stated for less than one per cent of the husbands and wives.

At least 3,486 children under 18 years of age were affected by a 1986 divorce decree. There were 281 records with the information regarding children not stated (eight per cent). Forty per cent of the divorces in 1986 where this information was known involved no children; 28 per cent involved one child; 25 per cent involved two children; six per cent, three children; and one per cent, four or more children. (See Table 43).

Education is one of the most poorly reported items on the divorce record. Education was not stated for six per cent of both husbands and wives divorced in 1986. In those cases where the item was reported, 16 per cent of the husbands and 11 per cent of the wives were college graduates; eight per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1986 was white. Ninety-three per cent of the time both husband and wife were stated to be white; five per cent of both husbands and wives were stated to be non-white. In two per cent of the divorces, one of the partners was white and the other was non-white; in the remaining two per cent of the divorces, the race of one or both partners was unknown.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population* 1980	Total Population* 1970	Total Population* Per Cent Change	Male 1980	Male 1970	Male Per Cent Change	Female 1980	Female 1970	Female Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1986 Estimate

City or Town by County	1970	1980	1986 Estimate*
STATE TOTAL	949,723	947,154	975,000
BRISTOL COUNTY	45,937	46,942	47,700
Barrington	17,554	16,174	16,110
Bristol	17,860	20,128	20,280
Warren	10,523	10,640	11,280
KENT COUNTY	142,382	154,163	159,500
Coventry	22,947	27,065	30,170
East Greenwich	9,577	10,211	10,550
Warwick	83,694	87,123	86,960
West Greenwich	1,841	2,738	3,220
West Warwick	24,323	27,026	28,570
NEWPORT COUNTY	94,228	81,383	84,800
Jamestown	2,911	4,040	4,730
Little Compton	2,385	3,085	3,310
Middletown	29,290	17,216	17,790
Newport	34,562	29,259	29,320
Portsmouth	12,521	14,257	15,450
Tiverton	12,559	13,526	14,240
PROVIDENCE COUNTY	581,470	571,349	581,700
Burrillville	10,087	13,164	15,650
Central Falls	18,716	16,995	17,030
Cranston	74,287	71,992	73,760
Cumberland	26,605	27,069	26,930
East Providence	48,207	50,980	50,440
Foster	2,626	3,370	3,850
Glocester	5,160	7,550	9,200
Johnston	22,037	24,907	25,890
Lincoln	16,182	16,949	17,520
North Providence	24,337	29,188	29,030
North Smithfield	9,349	9,972	10,600
Pawtucket	76,984	71,204	72,640
Providence	179,116	156,804	157,200
Scituate	7,489	8,405	9,020
Smithfield	13,468	16,886	17,950
Woonsocket	46,820	45,914	44,970
WASHINGTON COUNTY	85,706	93,317	101,300
Charlestown	2,863	4,800	6,200
Exeter	3,245	4,453	4,640
Hopkinton	5,392	6,406	6,460
Narragansett	7,138	12,088	13,210
New Shoreham	489	620	760
North Kingstown	29,793	21,938	24,080
Richmond	2,625	4,018	5,110
South Kingstown	16,913	20,414	21,220
Westerly	17,248	18,580	19,600

* Estimates obtained from the Rhode Island Division of Statewide Planning.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1986
(Rates per 1,000 Estimated Population)

CITY OR TOWN	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate		DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate		MARRIAGE Occurrences Number	MARRIAGE Occurrences Rate
STATE TOTAL	14084	13324	13.7		9931	9712	10.0		8103	8.3
BARRINGTON	1	202	12.5		33	117	7.3		132	8.2
BRISTOL	1	259	12.8		101	211	10.4		196	9.7
BURRILLVILLE	1	174	11.1		144	145	9.3		110	7.0
CENTRAL FALLS	1	331	19.4		143	238	14.0		162	9.5
CHARLESTOWN	0	96	15.5		10	44	7.1		47	7.6
COVENTRY	0	404	13.4		98	221	7.3		157	5.2
CRANSTON	1	824	11.2		472	778	10.5		460	6.2
CUMBERLAND	1	283	10.5		108	239	8.9		215	8.0
EAST GREENWICH	0	109	10.3		16	112	10.6		128	12.1
EAST PROVIDENCE	3	640	12.7		290	615	12.2		388	7.7
EXETER	0	79	17.0	*	9	24	5.2	*	20	4.3
FOSTER	0	43	11.2	*	12	30	7.8	*	26	6.8
GLOCESTER	0	101	11.0		12	52	5.7		46	5.0
HOPKINTON	0	88	13.6		12	60	9.3		44	6.8
JAMESTOWN	0	63	13.3	*	9	40	8.5	*	39	8.2
JOHNSTON	1	276	10.7		115	224	8.7		132	5.1
LINCOLN	2	172	9.8		68	189	10.8		108	6.2
LITTLE COMPTON	0	47	14.2	*	11	42	12.7	*	64	19.3
MIDDLETOWN	3	261	14.7		101	113	6.4		216	12.1
NARRAGANSETT	3	168	12.7		19	95	7.2		91	6.9
NEWPORT	928	433	14.8		349	273	9.3		457	15.6
NEW SHOREHAM	0	13	17.1	*	6	12	15.8	*	45	59.2
NORTH KINGSTOWN	2	357	14.8		98	186	7.7		186	7.7
NORTH PROVIDENCE	113	303	10.4		345	332	11.4		174	6.0
NORTH SMITHFIELD	0	89	8.4		243	97	9.2		67	6.3
PAWTUCKET	691	1117	15.4		840	844	11.6		566	7.8
PORTSMOUTH	0	187	12.1		16	103	6.7		116	7.5
PROVIDENCE	8625	2779	17.7		3620	1707	10.9		1469	9.3
RICHMOND	4	61	11.9		6	22	4.3		13	2.5
SCITUATE	1	101	11.2		23	80	8.9		129	14.3
SMITHFIELD	0	195	10.9		95	136	7.6		103	5.7
SOUTH KINGSTOWN	405	266	12.5		260	152	7.2		238	11.2
TIVERTON	1	120	8.4		26	127	8.9		106	7.4
WARREN	0	157	13.9		87	123	10.9		103	9.1
WARWICK	1841	1081	12.4		1083	886	10.2		705	8.1
WESTERLY	660	312	15.9		377	229	11.7		223	11.4
WEST GREENWICH	2	55	17.1	*	6	21	6.5	*	13	4.0
WEST WARWICK	1	416	14.6		78	241	8.4		244	8.5
WOONSOCKET	792	662	14.7		590	552	12.3		365	8.1

(*) Rate based on less than 5,000 population

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1957-1986

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8
1986	975,000	13,324	13.7	9,712	10.0	8,103	8.3	3,684	3.8

Table 5 - Number of Infant, Neonatal and Perinatal and Maternal Deaths with Rates
Rhode Island Residents, 1957 - 1986

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	0.0
1986	125	9.4	87	6.5	71	5.3	57	4.3	128	9.6	1	0.8

* Rate per 1,000 Live Births

** Rate per 1,000 Live Births Combined with Late Fetal Deaths

\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	9712	125	16	8	11	42	59	198	233	432	458	761	1041	1268	1422	1342	2237	57
BARRINGTON	117	1	0	0	0	0	2	5	3	6	6	9	15	16	17	12	25	0
BRISTOL	211	0	0	0	0	0	0	2	4	6	13	12	27	24	39	29	54	1
BURRILLVILLE	145	3	0	0	0	1	3	2	2	11	5	13	10	18	20	23	31	3
CENTRAL FALLS	238	5	0	0	2	0	2	4	3	11	10	16	19	26	47	35	55	3
CHARLESTOWN	44	0	1	0	0	0	0	1	1	0	4	2	7	8	8	2	10	0
COVENTRY	221	2	0	0	0	1	3	3	10	13	12	19	24	34	39	29	32	0
CRANSTON	778	6	2	1	1	1	3	13	21	29	33	65	80	123	127	108	161	4
CUMBERLAND	239	4	0	0	0	1	2	2	3	16	9	19	34	33	37	35	42	2
EAST GREENWICH	112	1	0	0	0	1	0	0	1	4	5	17	20	7	14	13	29	0
EAST PROVIDENCE	615	6	0	0	2	1	2	14	5	19	32	42	71	85	91	94	149	2
EXETER	24	1	0	0	0	0	1	1	2	3	1	0	2	3	5	2	3	0
FOSTER	30	1	0	0	0	1	0	1	0	1	4	5	1	2	4	4	6	0
GLOCESTER	52	0	1	0	0	1	0	2	2	4	3	4	1	3	12	7	12	0
HOPKINTON	60	0	0	0	0	0	2	1	1	2	3	9	4	8	7	8	15	0
JAMESTOWN	40	0	0	0	0	1	0	0	1	1	3	1	6	10	6	4	6	1
JOHNSTON	224	3	0	0	0	1	2	7	6	8	17	19	31	29	28	29	44	0
LINCOLN	189	1	0	0	0	0	0	2	5	4	9	13	26	31	20	23	53	2
LITTLE COMPTON	42	0	0	0	0	0	0	0	0	2	2	2	1	5	7	11	12	0
MIDDLETOWN	113	3	0	0	0	1	1	1	1	5	10	5	15	13	21	16	21	0
NARRAGANSETT	95	3	0	0	0	0	0	1	2	3	5	5	8	14	20	12	22	0
NEWPORT	273	7	0	0	0	2	1	3	5	15	15	18	22	39	39	41	64	2
NEW SHOREHAM	12	2	0	0	0	0	0	2	0	0	0	0	0	1	3	1	3	0
NORTH KINGSTOWN	186	4	0	0	0	0	3	3	6	10	8	20	23	20	31	19	35	4
NORTH PROVIDENCE	332	2	0	0	1	1	1	10	9	8	12	30	30	48	55	42	80	3
NORTH SMITHFIELD	97	1	0	1	0	1	1	3	2	5	2	2	6	14	16	12	30	1
PAWTUCKET	844	11	1	0	0	3	3	13	13	42	30	62	84	96	133	118	212	5
PORTSMOUTH	103	0	0	0	0	1	2	1	5	7	5	10	13	23	14	12	10	0
PROVIDENCE	1707	30	6	2	2	4	8	45	55	76	62	126	161	197	219	236	463	13
RICHMOND	22	0	0	0	0	0	2	2	1	3	2	1	2	2	3	2	2	0
SCITUATE	80	0	0	0	0	1	2	1	0	5	4	2	15	12	7	9	22	0
SMITHFIELD	136	1	0	0	0	2	0	3	4	9	7	14	11	16	17	19	33	0
SOUTH KINGSTOWN	152	5	0	0	0	3	1	2	3	5	8	12	19	15	18	22	38	1
TIVERTON	127	1	0	0	0	2	2	4	5	6	7	12	17	18	18	13	21	1
WARREN	123	2	1	0	0	1	1	5	3	4	5	11	10	19	13	23	25	0
WARWICK	886	9	2	3	1	7	4	18	15	43	45	68	100	126	129	122	189	5
WESTERLY	229	1	0	0	0	1	2	3	5	10	14	24	21	26	34	27	58	3
WEST GREENWICH	21	0	0	1	0	0	0	1	1	1	3	1	5	1	2	2	3	0
WEST WARWICK	241	2	0	0	2	0	2	7	8	12	19	28	23	28	30	40	40	0
WOONSOCKET	552	7	2	0	0	2	1	10	14	23	24	43	67	73	72	86	127	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES
RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	4631	59	7	2	4	30	42	132	145	245	278	439	572	732	700	565	670	7
BARRINGTON	60	0	0	0	0	0	2	3	2	5	4	3	9	9	9	6	8	0
BRISTOL	116	0	0	0	0	0	0	2	2	1	10	9	16	16	24	12	24	0
BURRILLVILLE	76	1	0	0	0	0	1	1	1	8	4	10	6	6	9	12	15	0
CENTRAL FALLS	112	1	0	0	1	0	1	1	2	7	7	9	11	16	24	15	17	0
CHARLESTOWN	28	0	0	0	0	0	0	0	1	0	2	1	7	5	6	0	6	0
COVENTRY	115	1	0	0	0	1	2	2	4	9	5	12	18	22	18	13	8	0
CRANSTON	384	5	1	1	1	0	2	8	14	13	17	44	37	72	65	51	53	0
CUMBERLAND	112	1	0	0	0	0	2	1	2	8	8	12	18	15	13	16	13	0
EAST GREENWICH	51	1	0	0	0	0	0	0	0	3	3	11	10	3	7	5	8	0
EAST PROVIDENCE	272	4	0	0	1	1	2	10	5	7	20	17	38	46	40	47	34	0
EXETER	16	0	0	0	0	0	1	1	2	3	1	0	1	3	3	0	1	0
FOSTER	18	1	0	0	0	1	0	1	0	0	3	3	1	2	3	0	3	0
GLOCESTER	31	0	1	0	0	0	1	2	2	2	1	4	1	2	6	3	6	0
HOPKINTON	32	0	0	0	0	0	1	1	0	1	1	7	3	7	3	4	4	0
JAMESTOWN	22	0	0	0	0	1	0	0	0	0	2	1	4	7	2	3	2	0
JOHNSTON	110	1	0	0	0	1	1	6	3	2	12	15	19	13	14	8	9	0
LINCOLN	89	0	0	0	0	0-	0	1	3	2	6	6	10	22	13	12	14	0
LITTLE COMPTON	20	0	0	0	0	0	0	0	0	1	2	2	1	3	3	4	4	0
MIDDLETOWN	62	2	0	0	0	0	1	1	1	2	3	3	11	7	13	9	5	0
NARRAGANSETT	44	3	0	0	0	0	0	1	1	4	5	1	6	6	11	3	7	0
NEWPORT	125	4	0	0	0	0	2	2	1	2	3	7	12	25	17	15	16	0
NEW SHOREHAM	6	1	0	0	0	0	0	1	2	5	11	5	0	1	2	0	1	0
NORTH KINGSTOWN	90	2	0	0	0	0	1	1	0	0	0	5	7	16	10	17	6	1
NORTH PROVIDENCE	154	2	0	0	0	1	0	3	2	2	10	7	24	15	27	23	13	1
NORTH SMITHFIELD	44	1	0	0	0	1	2	1	2	2	2	0	1	3	3	8	4	1
PAWTUCKET	388	4	0	0	0	1	2	7	7	2	7	24	41	53	54	60	45	0
PORTSMOUTH	61	0	0	0	0	2	2	3	15	25	24	3	6	6	15	10	6	1
PROVIDENCE	721	11	0	0	0	0	2	2	4	4	3	6	6	12	10	6	3	0
RICHMOND	14	0	0	0	0	1	2	1	20	27	37	33	65	80	106	106	55	2
SCITUATE	34	0	0	0	0	2	0	2	1	1	2	0	1	1	3	1	1	0
SMITHFIELD	76	0	0	0	0	3	1	2	2	0	1	2	0	10	7	2	2	6	0
SOUTH KINGSTOWN	78	2	0	0	0	2	2	2	4	2	2	4	7	5	6	12	3	11	0
TIVERTON	69	1	0	0	0	1	0	4	2	2	4	5	8	12	10	7	5	10	1
WARREN	58	0	1	0	0	5	3	14	8	3	7	7	13	10	12	14	4	9	0
WARWICK	414	3	2	0	0	1	2	3	3	1	1	3	0	4	8	12	14	6	0
WESTERLY	107	0	0	0	0	0	0	1	1	1	3	0	16	15	17	14	11	6	0
WEST GREENWICH	17	0	0	1	0	0	0	1	5	6	8	10	26	37	44	33	48	63	0
WEST WARWICK	129	2	0	0	0	1	0	1	6	8	15	11	26	37	44	33	39	37	0
WOONSOCKET	276	5	2	0	0	1	1	10	9	15	11	26	37	44	33	39	37	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	4780	46	7	4	3	11	12	41	67	157	163	231	423	511	699	755	1535	49
BARRINGTON	56	1	0	0	0	0	0	2	1	0	2	6	6	7	8	6	17	0
BRISTOL	94	0	0	0	0	0	0	0	2	4	3	3	11	8	15	17	30	1
BURRILLVILLE	69	2	0	0	0	1	2	1	1	3	1	3	4	10	11	11	16	3
CENTRAL FALLS	123	4	0	0	0	0	0	2	1	4	3	7	8	10	23	20	38	3
CHARLESTOWN	16	0	1	0	0	0	0	1	0	0	2	1	0	3	2	2	4	0
COVENTRY	106	1	0	0	0	0	1	1	6	4	7	7	6	12	21	16	24	0
CRANSTON	387	1	1	0	0	1	1	4	5	15	16	21	42	51	62	56	107	4
CUMBERLAND	127	3	0	0	0	1	0	1	1	8	1	7	16	15	24	19	29	2
EAST GREENWICH	60	0	0	0	0	1	0	0	1	1	2	6	10	3	7	8	21	0
EAST PROVIDENCE	316	2	0	0	1	0	0	3	0	2	7	21	26	30	48	40	112	2
EXETER	7	1	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	0
FOSTER	12	0	0	0	0	0	0	0	0	1	1	2	0	0	1	4	3	0
GLOCESTER	21	0	0	0	0	0	0	0	0	2	2	0	0	1	6	4	6	0
HOPKINTON	25	0	0	0	0	0	1	0	1	1	2	2	1	1	4	4	11	0
JAMESTOWN	18	0	0	0	0	0	0	0	1	1	1	0	2	3	4	1	4	1
JOHNSTON	113	2	0	0	0	0	1	1	3	6	5	4	12	10	14	21	34	0
LINCOLN	100	1	0	0	0	0	0	1	2	2	3	7	16	9	7	11	33	2
LITTLE COMPTON	22	0	0	0	0	0	0	0	0	1	0	0	0	2	4	7	8	0
MIDDLETOWN	51	1	0	0	0	1	0	0	0	1	5	2	4	6	8	7	16	0
NARRAGANSETT	50	0	0	0	0	0	0	0	0	1	2	4	2	8	9	9	15	0
NEWPORT	127	2	0	0	0	0	0	1	0	4	7	8	8	9	18	23	45	2
NEW SHOREHAM	6	1	0	0	0	0	0	1	0	0	0	0	0	0	1	1	2	0
NORTH KINGSTOWN	96	2	0	0	0	0	0	1	4	0	3	13	7	10	14	13	26	3
NORTH PROVIDENCE	178	0	0	0	1	0	0	3	2	6	5	6	15	21	32	29	56	2
NORTH SMITHFIELD	53	0	0	1	0	0	0	1	0	3	2	1	3	5	8	8	20	1
PAWTUCKET	448	4	1	0	0	2	1	2	4	17	6	20	41	44	73	71	158	4
PORTSMOUTH	38	0	0	0	0	0	0	0	0	3	2	2	6	3	4	5	7	0
PROVIDENCE	787	4	4	1	0	1	2	7	12	16	22	42	56	72	98	128	312	10
RICHMOND	8	0	0	0	0	0	0	0	1	2	0	1	1	1	0	1	1	0
SCITUATE	46	0	0	0	0	0	0	0	0	4	2	2	5	5	5	7	16	0
SMITHFIELD	60	1	0	0	0	0	0	1	0	2	1	4	4	10	5	10	22	0
SOUTH KINGSTOWN	66	2	0	0	0	0	0	0	2	0	0	4	5	4	11	14	24	0
TIVERTON	56	0	0	0	0	0	0	2	1	3	3	6	3	6	4	9	12	1
WARREN	64	2	0	0	0	0	1	1	1	1	1	4	5	10	7	12	19	0
WARWICK	468	6	0	2	1	2	1	2	7	16	17	35	49	55	70	74	126	5
WESTERLY	120	1	0	0	0	0	0	0	2	2	7	11	11	16	20	13	35	2
WEST GREENWICH	4	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0
WEST WARWICK	111	0	0	0	0	0	1	2	2	4	9	12	8	11	16	18	28	0
WOONSOCKET	268	2	0	0	0	1	0	0	4	7	11	16	25	28	33	47	90	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	165	13	1	2	2	1	3	14	15	18	10	20	20	12	12	11	11	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	5	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0
CUMBERLAND	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
EAST GREENWICH	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	14	0	0	0	0	0	0	0	0	0	3	3	3	1	2	1	1	0
EXETER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	7	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	1	2	1	0	2	0	1	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	6	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0
PROVIDENCE	109	9	1	1	2	1	3	11	10	15	4	11	14	8	7	6	6	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	2	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0	2	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WARWICK	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	6	0	0	0	0	0	0	0	1	1	2	1	0	1	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	131	7	1	0	1	0	2	11	6	10	7	11	20	13	11	10	20	1
BARRINGTON	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	12	0	0	0	0	0	0	1	0	0	2	1	4	2	1	0	1	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	13	1	0	0	0	0	0	0	0	0	2	1	1	2	2	2	2	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
PORTSMOUTH	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
PROVIDENCE	90	5	1	0	0	0	1	7	5	8	3	8	11	3	8	7	14	1
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RACE AND/OR SEX UNKNOWN RHODE ISLAND, 1986

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	5	0	0	0	1	0	0	0	0	2	0	0	0	0	0	1	1	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1986, with Comparability Ratios* and for Comparable Causes in 1977-1985
(Rhode Island Residents, Rates per 100,000 Population)

Cause of Death (ICDA)	1986		1985		1984		1983		1982		1981		1980		1979		1978		1977		Comparability Ratio
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1. Diseases of the Heart (390-398,402,404-429)	3805	390.3	3684	380.5	3718	386.5	3720	389.5	3712	387.5	3813	400.5	3831	404.5	3798	408.7	3754	401.5	3757	401.8	1.0655
2. Malignant Neoplasms# (140-208)	2353	241.3	2365	244.3	2324	241.6	2303	241.0	2214	231.1	2152	226.1	2127	224.6	2124	228.6	2159	230.9	2237	239.3	1.0026
3. Cerebrovascular Diseases (430-438)	637	65.3	645	66.6	629	65.4	640	67.0	595	62.1	622	65.3	723	76.3	708	76.2	698	74.7	769	82.2	1.0049
4. Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	354	36.3	353	36.5	327	34.0	309	32.4	270	28.2	275	28.9	279	29.5	239	25.7	211	22.6	169	18.1	NA
5. Accidents and Adverse Effects (E800-E949)	285	29.2	264	27.3	260	27.0	234	24.5	271	28.1	293	30.8	328	34.6	309	33.3	262	28.0	335	35.8	0.9970
6. Pneumonia and Influenza (480-487)	257	26.4	263	27.2	187	19.4	228	23.9	151	15.8	235	24.7	206	21.7	149	16.0	171	18.3	130	13.9	0.9264
7. Diabetes Mellitus (250)	171	17.5	221	22.8	217	22.6	208	21.8	252	26.3	181	19.0	199	21.0	198	21.3	205	21.9	185	19.8	0.9991
8. Septicemia (038)	106	10.9	91	9.4	74	7.7	54	5.7	44	4.6	63	6.5	37	3.9	37	4.0	26	2.8	19	2.0	0.8500
9. Chronic Liver Disease and Cirrhosis (571)	104	10.7	109	11.3	128	13.3	121	12.7	126	13.2	135	14.2	148	16.6	139	15.0	136	14.5	163	17.4	1.0110
10. Suicide (E950-E959)	100	10.3	96	9.9	96	10.0	101	10.6	110	11.5	105	11.0	108	11.4	115	12.4	110	11.8	142	15.2	1.0032
10. Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	100	10.3	116	12.0	87	9.0	72	7.5	74	7.7	85	8.9	81	8.6	80	8.6	32	3.4	43	4.6	1.7397
12. Atherosclerosis (440)	98	10.1	145	15.0	126	13.1	138	14.5	107	11.2	124	13.0	135	14.3	166	17.9	132	14.1	129	13.8	1.0649
13. Certain Conditions Originating in the Perinatal Period (760-779)	52	5.3	45	4.6	57	5.9	73	7.6	65	6.8	77	8.1	69	7.3	93	10.0	81	8.7	62	6.6	1.0765
14. Congenital Anomalies (740-759)	51	5.2	47	4.9	54	5.6	51	5.3	55	5.7	63	6.6	58	6.1	60	6.5	65	7.0	59	6.3	0.9984
15. Homicide and Legal Intervention (E960-E978)	41	4.2	39	4.0	42	4.4	38	4.0	37	3.9	48	5.0	55	5.8	37	4.0	41	4.4	41	4.4	1.0057
16. Hernia and Intestinal Obstruction (550-553,560)	31	3.2	24	2.5	30	3.1	24	2.5	33	3.4	27	2.8	33	3.5	21	2.3	16	1.7	31	3.3	0.9432
17. Ulcer of the Stomach and Duodenum (531-533)	28	2.9	32	3.3	33	3.4	28	2.9	48	5.0	25	2.6	38	4.0	27	2.9	26	2.8	30	3.2	1.1192
18. Hypertension with or without Renal Disease (401,403)	26	2.7	34	3.5	35	3.6	52	5.4	38	3.9	35	3.7	32	3.4	37	4.0	33	3.5	21	2.2	1.2703
19. Anemias (280-285)	21	2.2	22	2.3	16	1.7	15	1.6	25	2.6	13	1.4	5	0.5	16	1.7	13	1.4	6	0.6	0.9296
20. Benign Neoplasms# (210-239)	19	1.9	36	3.7	25	2.6	34	3.6	31	2.1	25	2.6	31	3.3	24	2.6	22	2.4	29	3.1	1.2085

* Caution should be observed in comparing 1979-1986 causes with previous years because of major changes resulting from the adoption of the Ninth Revision of the International Classification of diseases in 1979. See the Introduction for a discussion of comparability ratios for all causes.

For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

NA Comparability ratio not available for categories 490-496. See discussion of this category group in the Introduction.

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1982-1986

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
RHODE ISLAND	ALL	947154	47031	9.9	626	9.8	64042	13.5	11653	182.0	4022	62.8
BARRINGTON	301-304	16174	588	7.3	4	4.9	810	10.0	31	38.3	31	38.3
BRISTOL	307-309	20128	983	9.8	11	8.9	1238	12.3	106	85.6	87	70.3
BURRILLVILLE	129,130	13164	659	10.0	9	9.8	919	14.0	114	124.0	46	50.1
CENTRAL FALLS	108-111	16995	1129	13.3	16	10.3	1548	18.2	439	283.6	124	80.1
CHARLESTOWN	511	4800	200	8.3 (C)	4	10.1 (C)	397	16.5 (C)	48	120.9 (C)	27	68.0 (C)
COVENTRY	206,207	27065	1028	7.6	16	8.5	1878	13.9	202	107.6	99	52.7
CRANSTON	134-148	71992	3786	10.5	31	8.2	3786	10.5	378	99.8	228	60.2
EDGEWOOD-PAWTUXET	134-136	13382	648	9.7	10	12.2	817	12.2	131	160.3	63	77.1
AUBURN	137,138,140	18402	1108	12.0	8	7.5	1073	11.7	74	69.0	74	69.0
GARDEN CITY-DEAN ESTATES	139,143,144	12077	650	10.8	5	12.3 (C)	408	6.8	17	41.7 (C)	15	36.8 (C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	703	12.8	5	7.2	692	12.6	102	147.4	41	59.2
WEST CRANSTON	145,146,148	13165	534	8.1	3	4.2	719	10.9	42	58.4	34	47.3
STATE INSTITUTIONS-PETTACONSETT	142	3949	129	6.5 (C)	0	0.0 (C)	71	3.6 (C)	11	154.9 (C)	1	14.1 (C)
CUMBERLAND	112-114	27069	1156	8.5	19	14.2	1340	9.9	128	95.5	79	59.0
NORTH	114	14290	575	8.0	7	11.4	616	8.6	50	81.2	35	56.8
SOUTH	112,113	12779	580	9.1	12	16.6	721	11.3	77	106.8	44	61.0
EAST GREENWICH	209	10211	461	9.0	5	9.9	503	9.9	66	131.2	21	41.7
EAST PROVIDENCE	101-107	50980	2819	11.1	32	10.4	3086	12.1	381	123.5	200	64.8
NORTH	101	7463	436	11.7	1	2.5 (C)	394	10.6	29	73.6 (C)	21	53.3 (C)
NORTH CENTER	102,103	11694	689	11.8	6	7.4	809	13.8	104	128.6	50	61.8
SOUTH CENTER	104,105	17076	970	11.4	8	7.9	1013	11.9	114	112.5	67	66.1
SOUTH	106,107	14747	717	9.7	17	19.6	868	11.8	134	154.4	62	71.4
EXETER	505	4453	127	134.0 (C)	2	6.0 (C)	333	15.0 (C)	50	150.2 (C)	19	57.1 (C)
FOSTER	133	3370	145	141.0 (C)	2	9.2 (C)	218	12.9 (C)	16	73.4 (C)	10	45.9 (C)
GLOCESTER	131	7550	263	253.0	1	1.9	516	13.7	48	93.0	26	50.4
HOPKINTON	507	6406	242	233.0	5	9.9	504	15.7	74	146.8	23	45.6
JAMESTOWN	413	4040	212	218.0 (C)	6	19.8 (C)	303	15.0 (C)	26	85.8 (C)	22	72.6 (C)
JOHNSTON	122-125	24907	1102	1094.0	11	8.0	1367	11.0	136	99.5	77	56.3
LINCOLN	115-117	16949	907	892.0	4	4.4	902	10.6	71	78.7	47	52.1
NORTH	115	4717	283	266.0 (C)	1	3.5 (C)	288	12.2 (C)	29	100.7 (C)	8	27.8 (C)
SOUTH	116,117	12232	618	621.0	3	4.9	613	10.0	42	68.5	39	63.6
LITTLE COMPTON	414	3085	158	10.2 (C)	0	0.0 (C)	217	14.1 (C)	20	92.2 (C)	15	69.1 (C)
MIDDLETOWN	402-404	17186	582	6.8	10	7.9	1271	14.8	110	86.5	64	50.4
NARRAGANSETT	515	12088	444	7.3	7	8.5	826	13.7	107	129.5	42	50.8

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1982-1986

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
NEWPORT	405-412	29259	1419	9.7	28	13.4	2096	14.3	457	218.0	120	57.3
NORTH	405,406						0					
	410-412	16421	788	9.6	20	14.6	1366	16.6	330	241.6	92	67.3
SOUTH	407-409	12838	620	9.7	6	8.3	722	11.2	126	174.5	28	38.8
NEW SHOREHAM	415	620	48	15.5 (C)	3	44.1 (C)	68	21.9 (C)	3	44.1 (C)	2	29.4 (C)
NORTH KINGSTOWN	501-504	21938	815	7.4	9	5.5	1651	15.1	163	98.7	81	49.1
NORTH PROVIDENCE	118-121	29188	1447	9.9	13	8.7	1494	10.2	127	85.0	77	51.5
NORTH SMITHFIELD	128	9972	466	9.3	4	8.9 (C)	451	9.0	36	79.8 (C)	31	68.7 (C)
PAWTUCKET	149-171	71204	4233	11.9	45	8.3	5404	15.2	1172	216.9	347	64.2
FAIRLAWN	150,163	7139	392	11.0	7	15.5 (C)	451	12.6	51	113.1 (C)	23	51.0 (C)
WOODLAWN-DOWNTOWN	149,151,152											
	161,162,164	16254	1163	14.3	16	10.3	1549	19.1	507	327.3	105	67.8
OAKHILL	165,166	5658	339	12.0	1	2.7 (C)	367	13.0	49	133.5 (C)	22	59.9 (C)
PLEASANT VIEW-	153,154,160											
EAST SIDE	167,171	14874	781	10.5	16	11.5	1394	18.7	358	256.8	109	78.2
NORTH DARLINGTON	155-159	17638	962	10.9	3	2.6	1147	13.0	155	135.1	65	56.7
SOUTH DARLINGTON	168-170	9641	591	12.3	2	4.1 (C)	491	10.2	50	101.8 (C)	23	46.8 (C)
PORTSMOUTH	401	14257	539	7.6	7	6.6	1063	14.9	70	65.9	35	32.9
PROVIDENCE	001-037	156804	8883	11.3	157	11.8	13258	16.9	4659	351.4	1114	84.0
WASHINGTON PARK	001	7763	325	8.4	15	19.2	780	20.1	250	320.5	69	88.5
ELMWOOD	002,003	14219	709	10.0	30	14.1	2122	29.8	968	456.2	201	94.7
SO. PROVIDENCE(D)	004-007	9271	497	10.7	17	14.2	1193	25.7	677	567.5	124	103.9
FEDERAL HILL-												
OLNEYVILLE	008-011,019	14041	1286	18.3	7	6.9	1017	14.5	429	421.8	84	82.6
WEST END	012-015	13968	782	11.2	31	16.5	1877	26.9	720	383.6	179	95.4
ANNEX-MANTON	016-018,020	17630	1016	11.5	16	9.8	1640	18.6	623	379.9	138	84.1
ELMHURST-												
UPPER MT. PLEASANT	021,023,024	20755	1162	11.2	13	13.1	991	9.5	118	119.1	60	60.5
SMITH HILL-												
LOWER MT. PLEASANT	022,025,026	9404	558	11.9	10	10.9	915	19.5	292	319.1	70	76.5
EAGLE PARK-												
WANSKUCK	027-029	14791	815	11.0	7	7.6	924	12.5	255	276.0	69	74.7
HOPE	030-033	12299	935	15.2	7	7.6	927	15.1	238	256.7	61	65.8
EAST SIDE	034,035	10185	461	9.1	0	0.0 (C)	485	9.5	32	66.0 (C)	30	61.9 (C)
COLLEGE HILL-												
FOX POINT	036,037	12278	313	5.1	3	8.5 (C)	354	5.8	48	135.6 (C)	24	67.8 (C)
INNER CITY (E)	003-007,009											
	014,019,025											
	026,031,037	51637	3167	12.3	83	14.4	5779	22.4	2524	436.8	537	92.9
RICHMOND	506	4018	113	5.6 (C)	7	21.1 (C)	332	16.5 (C)	46	138.6 (C)	13	39.2 (C)
SCITUATE	132	8405	369	8.8	3	6.3 (C)	479	11.4	36	75.2 (C)	20	41.8 (C)

TABLE B SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN

FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1982-1986

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
SMITHFIELD	126,127	16886	638	7.6	3	3.3	916	10.8	54	59.0	48	52.4
SOUTH KINGSTOWN	512-514	20414	695	6.8	11	8.3	1326	13.0	163	122.9	58	43.7
TIVERTON	416,417	13526	525	7.8	3	4.3	701	10.4	71	101.3	29	41.4
WARREN	305,306	10640	639	12.0	9	11.9	759	14.3	68	89.6	29	38.2
WARWICK	210-224	87123	4354	10.0	51	10.2	5024	11.5	597	118.8	287	57.1
LAKEWOOD-SPRING GREEN	210,212,213	17633	1052	11.9	11	11.2	978	11.1	90	92.0	47	48.1
NORWOOD-HILLSGROVE	211,214	14830	732	9.9	8	9.9	809	10.9	81	100.1	56	69.2
GREENWOOD-PONTIAC	221,223	9155	539	11.8	5	12.1 (C)	414	9.0	41	99.0 (C)	23	55.6 (C)
BUTTONWOODS	219	12407	508	8.2	9	12.5	718	11.6	69	96.1	31	43.2
OAKLAND BEACH-WARWICK NECK	215-218	18433	860	9.3	13	9.6	1354	14.7	253	186.9	90	66.5
COWESETT-POTOWAMUT	220,222,224	14395	661	9.2	5	6.7	746	10.4	62	83.1	40	53.6
WESTERLY	508,510	18580	954	10.3	14	9.9	1410	15.2	184	130.5	77	54.6
WEST GREENWICH	208	2738	98	7.2 (C)	3	13.8 (C)	218	15.9 (C)	24	110.1 (C)	11	50.5 (C)
WEST WARWICK	201-205	27026	1218	9.0	15	7.3	2047	15.1	334	163.2	105	51.3
WOONSOCKET	172-185	45914	2587	11.3	46	13.6	3383	14.7	838	247.7	251	74.2
FAIRMOUNT-CENTRAL	172,174,176	8844	447	10.1	9	11.2	806	18.2	293	363.5	74	91.8
GLOBE-NORTH END	173,175	7305	390	10.7	3	6.1 (C)	490	13.4	57	116.3 (C)	36	73.5 (C)
BERNON	177-179	10177	558	11.0	16	20.4	785	15.4	158	201.3	47	59.9
SOCIAL	180-183	8983	688	15.3	10	13.4	749	16.7	228	304.4	56	74.8
EAST WOONSOCKET	184,185	10605	499	9.4	8	14.6	549	10.4	102	185.8	38	69.2

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACTS UNKNOWN

(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS

(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS 1982-1986

(C) RATE BASED ON EITHER A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS OR LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE

(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS 'MODEL CITY AREA'

(E) PROVIDENCE 'INNER CITY' GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1963-1986 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7
1971	1,116	74.9	1983	2,220	176.5
1972	1,064	80.1	1984	2,241	177.2
1973	1,140	92.9	1985	2,543	195.7
1974	1,133	99.9	1986	2,640	198.1

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1977-1986

		AGE OF MOTHER IN YEARS					
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	467.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544.0	191.7	73.4	51.1	68.8
1983	Number	2,220	855	796	376	148	45
	Ratio	176.5	596.2	210.6	86.5	63.1	67.1
1984	Number	2,241	841	883	315	152	50
	Ratio	177.2	648.4	234.6	73.6	60.9	61.5
1985	Number	2,543*	942	910	432	177	82
	Ratio	195.7	667.6	237.7	98.1	70.6	96.9
1986	Number	2,640*	936	960	461	207	76
	Ratio	198.1	680.7	267.6	99.1	74.1	83.3

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	13324	5898	4556	1903	571	175	71	36	27	87
WHITE MALE	6039	2745	2090	843	232	64	23	7	6	29
WHITE FEMALE	5777	2610	2055	793	204	62	19	7	7	20
NON-WHITE MALE	741	272	197	126	81	24	15	9	10	7
NON-WHITE FEMALE	715	259	204	138	51	25	14	13	4	7
UNKNOWN MALE	23	3	5	2	2	0	0	0	0	11
UNKNOWN FEMALE	29	9	5	1	1	0	0	0	0	13
UNDER 15 YEARS										
TOTAL	21	21	0	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0
WHITE FEMALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	59	58	1	0	0	0	0	0	0	0
WHITE MALE	21	21	0	0	0	0	0	0	0	0
WHITE FEMALE	23	23	0	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	5	1	0	0	0	0	0	0	0
16 YEARS										
TOTAL	142	134	7	0	0	0	0	0	0	1
WHITE MALE	62	59	3	0	0	0	0	0	0	0
WHITE FEMALE	44	42	2	0	0	0	0	0	0	0
NON-WHITE MALE	18	18	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	16	14	2	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	0	0	0	0	0	0	1
17 YEARS										
TOTAL	239	205	30	3	0	0	0	0	0	1
WHITE MALE	88	79	8	1	0	0	0	0	0	0
WHITE FEMALE	106	91	14	1	0	0	0	0	0	0
NON-WHITE MALE	26	19	6	1	0	0	0	0	0	0
NON-WHITE FEMALE	17	16	1	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	335	267	50	15	2	0	0	0	1	0
WHITE MALE	139	114	21	4	0	0	0	0	0	0
WHITE FEMALE	123	100	17	5	0	0	0	0	1	0
NON-WHITE MALE	43	30	7	5	1	0	0	0	0	0
NON-WHITE FEMALE	30	23	5	1	1	0	0	0	0	0
19 YEARS										
TOTAL	579	430	123	22	2	0	0	0	0	2
WHITE MALE	242	180	50	9	2	0	0	0	0	1
WHITE FEMALE	256	201	48	7	0	0	0	0	0	0
NON-WHITE MALE	48	28	17	2	0	0	0	0	0	1
NON-WHITE FEMALE	32	20	8	4	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
20 YEARS										
TOTAL	569	338	170	45	12	2	0	0	0	2
WHITE MALE	237	148	65	18	2	2	0	0	0	2
WHITE FEMALE	242	154	73	12	3	0	0	0	0	0
NON-WHITE MALE	42	17	15	6	4	0	0	0	0	0
NON-WHITE FEMALE	47	19	16	9	3	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
21 YEARS										
TOTAL	655	352	208	68	18	4	0	0	0	5
WHITE MALE	288	160	93	21	10	1	0	0	0	3
WHITE FEMALE	267	145	87	31	3	1	0	0	0	0
NON-WHITE MALE	42	18	10	8	2	2	0	0	0	2
NON-WHITE FEMALE	57	28	18	8	3	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
22 YEARS										
TOTAL	758	380	260	78	25	6	3	0	1	5
WHITE MALE	321	172	109	29	3	3	1	0	1	3
WHITE FEMALE	336	169	125	31	10	1	0	0	0	0
NON-WHITE MALE	51	20	15	7	7	0	2	0	0	0
NON-WHITE FEMALE	48	19	10	11	5	2	0	0	0	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS TOTAL	769	386	262	83	24	8	0	0	0	6
WHITE MALE	353	183	117	39	9	0	0	0	0	5
WHITE FEMALE	326	158	124	31	6	6	0	0	0	1
NON-WHITE MALE	49	23	16	5	4	1	0	0	0	0
NON-WHITE FEMALE	39	21	5	8	4	1	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	1	0	0	0	0	0
24 YEARS TOTAL	837	385	292	108	33	12	4	0	0	3
WHITE MALE	397	184	145	47	16	3	0	0	0	2
WHITE FEMALE	358	184	121	38	8	7	0	0	0	0
NON-WHITE MALE	48	13	11	12	7	2	3	0	0	0
NON-WHITE FEMALE	33	4	15	11	1	0	1	0	0	1
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0
25-29 YEARS TOTAL	4654	1880	1771	704	192	53	16	8	2	28
WHITE MALE	2142	897	832	309	72	16	5	2	0	9
WHITE FEMALE	2075	876	794	300	74	18	4	0	0	9
NON-WHITE MALE	204	51	64	45	25	9	2	4	2	2
NON-WHITE FEMALE	221	53	78	50	21	10	5	2	0	2
UNKNOWN MALE	6	2	1	0	0	0	0	0	0	3
UNKNOWN FEMALE	6	1	2	0	0	0	0	0	0	3
30-34 YEARS TOTAL	2793	856	1091	595	148	47	19	10	5	22
WHITE MALE	1313	429	509	278	64	18	6	1	4	4
WHITE FEMALE	1238	377	512	259	57	17	8	2	0	6
NON-WHITE MALE	116	22	30	31	18	6	3	3	1	2
NON-WHITE FEMALE	110	26	38	25	8	6	2	4	0	1
UNKNOWN MALE	7	0	1	1	1	0	0	0	0	4
UNKNOWN FEMALE	9	2	1	1	0	0	0	0	0	5
35-39 YEARS TOTAL	823	193	278	159	101	37	20	14	11	10
WHITE MALE	390	104	131	76	48	19	8	3	1	0
WHITE FEMALE	341	75	132	69	36	9	6	5	5	4
NON-WHITE MALE	34	2	6	4	12	3	2	2	3	0
NON-WHITE FEMALE	48	9	7	9	5	6	4	4	2	2
UNKNOWN MALE	3	0	1	1	0	0	0	0	0	1
UNKNOWN FEMALE	7	3	1	0	0	0	0	0	0	3

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	86	13	13	22	14	6	9	3	5	1
WHITE MALE	38	7	7	12	6	2	3	1	0	0
WHITE FEMALE	33	6	6	9	7	3	1	0	1	0
NON-WHITE MALE	8	0	0	0	1	1	3	0	3	0
NON-WHITE FEMALE	6	0	0	1	0	0	2	2	1	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
45-49 YEARS										
TOTAL	3	0	0	0	0	0	0	1	2	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	1	0
AGE UNKNOWN										
TOTAL	2	0	0	1	0	0	0	0	0	1
NON-WHITE FEMALE	1	0	0	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES TOTAL	2640	1496	615	301	135	49	18	12	8	6
WHITE MALE	984	611	206	100	35	16	7	3	4	2
WHITE FEMALE	986	584	241	96	42	17	2	2	2	0
NON-WHITE MALE	372	169	99	49	35	10	5	3	2	0
NON-WHITE FEMALE	290	130	68	56	21	6	4	4	0	1
UNKNOWN MALE	3	0	1	0	1	0	0	0	0	1
UNKNOWN FEMALE	5	2	0	0	1	0	0	0	0	2
UNDER 15 YEARS TOTAL	20	20	0	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0
WHITE FEMALE	8	8	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS TOTAL	56	55	1	0	0	0	0	0	0	0
WHITE MALE	20	20	0	0	0	0	0	0	0	0
WHITE FEMALE	21	21	0	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	5	1	0	0	0	0	0	0	0
16 YEARS TOTAL	127	120	6	0	0	0	0	0	0	1
WHITE MALE	57	54	3	0	0	0	0	0	0	0
WHITE FEMALE	38	36	2	0	0	0	0	0	0	0
NON-WHITE MALE	17	17	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	13	12	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	0	0	0	0	0	0	1
17 YEARS TOTAL	181	156	23	1	0	0	0	0	0	1
WHITE MALE	62	57	5	0	0	0	0	0	0	0
WHITE FEMALE	76	66	10	0	0	0	0	0	0	0
NON-WHITE MALE	25	18	6	1	0	0	0	0	0	0
NON-WHITE FEMALE	16	15	1	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	242	193	35	12	1	0	0	0	1	0
WHITE MALE	100	83	15	2	0	0	0	0	0	0
WHITE FEMALE	81	65	10	5	0	0	0	0	1	0
NON-WHITE MALE	34	25	5	4	0	0	0	0	0	0
NON-WHITE FEMALE	27	20	5	1	1	0	0	0	0	0
19 YEARS										
TOTAL	310	233	65	10	2	0	0	0	0	0
WHITE MALE	120	93	23	2	2	0	0	0	0	0
WHITE FEMALE	136	109	24	3	0	0	0	0	0	0
NON-WHITE MALE	34	19	14	1	0	0	0	0	0	0
NON-WHITE FEMALE	20	12	4	4	0	0	0	0	0	0
20 YEARS										
TOTAL	249	144	65	30	8	2	0	0	0	0
WHITE MALE	84	54	18	10	0	2	0	0	0	0
WHITE FEMALE	101	67	25	7	2	0	0	0	0	0
NON-WHITE MALE	35	14	13	5	3	0	0	0	0	0
NON-WHITE FEMALE	29	9	9	8	3	0	0	0	0	0
21 YEARS										
TOTAL	220	114	60	31	11	3	0	0	0	1
WHITE MALE	85	47	21	10	5	1	0	0	0	1
WHITE FEMALE	69	36	20	10	2	1	0	0	0	0
NON-WHITE MALE	31	16	6	6	2	1	0	0	0	0
NON-WHITE FEMALE	34	14	13	5	2	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
22 YEARS										
TOTAL	192	87	61	22	17	2	2	0	0	1
WHITE MALE	61	35	17	5	1	2	0	0	0	1
WHITE FEMALE	77	32	32	6	7	0	0	0	0	0
NON-WHITE MALE	35	12	10	4	7	0	2	0	0	0
NON-WHITE FEMALE	19	8	2	7	2	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS TOTAL	155	77	49	20	5	4	0	0	0	0
WHITE MALE	50	26	14	9	1	0	0	0	0	0
WHITE FEMALE	70	33	27	6	1	3	0	0	0	0
NON-WHITE MALE	21	10	6	4	1	0	0	0	0	0
NON-WHITE FEMALE	13	8	2	1	1	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	1	0	0	0	0	0
24 YEARS TOTAL	144	53	42	32	11	4	2	0	0	0
WHITE MALE	63	27	19	10	6	1	0	0	0	0
WHITE FEMALE	47	23	12	9	2	1	0	0	0	0
NON-WHITE MALE	23	2	6	9	3	2	1	0	0	0
NON-WHITE FEMALE	11	1	5	4	0	0	1	0	0	0
25-29 YEARS TOTAL	461	161	146	87	41	16	5	3	2	0
WHITE MALE	164	70	48	30	10	3	2	1	0	0
WHITE FEMALE	167	55	56	34	16	5	1	0	0	0
NON-WHITE MALE	65	21	20	7	8	5	1	1	2	0
NON-WHITE FEMALE	65	15	22	16	7	3	1	1	0	0
30-34 YEARS TOTAL	207	63	57	43	24	7	5	4	3	1
WHITE MALE	78	24	23	17	5	3	3	0	3	0
WHITE FEMALE	68	28	18	10	7	4	0	1	0	0
NON-WHITE MALE	35	4	13	7	8	0	1	2	0	0
NON-WHITE FEMALE	24	7	3	9	3	0	1	1	0	0
UNKNOWN MALE	2	0	0	0	1	0	0	0	0	1
35-39 YEARS TOTAL	63	19	5	11	11	9	2	3	2	1
WHITE MALE	25	12	0	3	4	2	2	1	1	0
WHITE FEMALE	24	5	5	6	3	3	0	1	1	0
NON-WHITE MALE	5	0	0	1	2	2	0	0	0	0
NON-WHITE FEMALE	9	2	0	1	2	2	0	1	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1986

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	13	1	0	2	4	2	2	2	0	0
WHITE MALE	7	1	0	2	1	2	0	1	0	0
WHITE FEMALE	3	0	0	0	2	0	1	0	0	0
NON-WHITE MALE	1	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	1	1	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	13324**	862	95	71	145	551	1975	4783	4064	1341	241	24
WHITE	11816	712	76	56	116	464	1648	4203	3732	1253	225	24
NON-WHITE	1456	147	18	14	28	87	323	561	315	81	16	0
RACE UNKNOWN	52	3	1	1	1	0	4	19	17	7	0	0
UNDER 15 YEARS TOTAL	21	1	0	0	0	1	5	9	5	1	0	0
WHITE	17	1	0	0	0	1	4	7	4	1	0	0
NON-WHITE	4	0	0	0	0	0	1	2	1	0	0	0
15 YEARS TOTAL	53	8	2	1	0	5	14	18	16	1	2	0
WHITE	44	6	2	0	0	4	9	14	12	1	2	0
NON-WHITE	15	2	0	1	0	1	5	4	4	0	0	0
16 YEARS TOTAL	142	14	3	1	5	5	29	47	43	4	4	0
WHITE	106	5	2	0	1	2	21	34	39	4	3	0
NON-WHITE	34	9	1	1	4	3	8	12	4	0	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	0	0	0
17 YEARS TOTAL	239	19	2	0	3	14	39	103	65	12	1	0
WHITE	194	17	0	0	3	14	29	79	57	11	1	0
NON-WHITE	43	2	2	0	0	0	9	24	7	1	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	0	1	0	0	0
18 YEARS TOTAL	335	20	2	3	1	14	67	150	75	19	3	0
WHITE	262	14	2	1	0	11	47	122	62	13	3	0
NON-WHITE	73	6	0	2	1	3	20	28	13	6	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	579	44	3	2	12	27	104	226	156	37	8	2
WHITE	498	31	1	0	10	20	91	200	135	32	6	2
NON-WHITE	80	13	2	2	2	7	13	26	20	5	2	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
20 YEARS TOTAL	569	42	3	3	6	30	110	208	168	33	8	0
WHITE	479	28	2	2	4	20	88	174	151	30	8	0
NON-WHITE	89	13	1	1	1	10	22	34	17	3	0	0
RACE UNKNOWN	1	1	0	0	1	0	0	0	0	0	0	0
21 YEARS TOTAL	655	47	6	5	8	28	94	263	178	65	7	0
WHITE	555	36	4	4	7	21	75	217	157	62	7	0
NON-WHITE	99	11	2	1	1	7	19	46	20	3	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
22 YEARS TOTAL	758	51	6	1	14	30	127	272	226	66	12	1
WHITE	657	42	5	1	10	26	104	235	202	60	11	1
NON-WHITE	99	9	1	0	4	4	23	36	24	5	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	1	0	0
23 YEARS TOTAL	769	44	4	4	6	30	129	286	230	67	9	0
WHITE	679	38	2	4	6	26	105	251	210	62	9	0
NON-WHITE	88	6	2	0	0	4	24	34	19	5	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0
24 YEARS TOTAL	837	55	6	7	7	35	128	300	250	83	14	5
WHITE	755	49	6	6	6	31	93	277	231	79	14	5
NON-WHITE	81	6	0	1	1	4	29	22	19	4	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4654	260	21	22	44	173	641	1639	1483	473	85	6
WHITE	4217	221	18	20	36	147	559	1521	1386	443	78	6
NON-WHITE	425	39	3	2	8	26	81	114	92	28	7	0
RACE UNKNOWN	12	0	0	0	0	0	1	4	5	2	0	0
30-34 YEARS												
TOTAL	2793	188	29	16	25	118	361	908	886	366	67	7
WHITE	2551	166	24	13	21	108	314	820	827	349	63	7
NON-WHITE	226	21	4	3	4	10	45	85	52	15	4	0
RACE UNKNOWN	16	1	1	0	0	0	2	3	7	2	0	0
35-39 YEARS												
TOTAL	823	59	7	6	12	34	114	265	258	102	20	3
WHITE	731	49	7	5	10	27	95	230	239	95	19	3
NON-WHITE	82	9	0	0	2	7	19	28	19	5	1	0
RACE UNKNOWN	10	1	0	1	0	0	0	7	0	2	0	0
40-44 YEARS												
TOTAL	86	10	1	0	2	7	12	26	24	12	1	0
WHITE	71	9	1	0	2	6	8	22	20	11	1	0
NON-WHITE	14	1	0	0	0	1	4	4	3	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
45-49 YEARS												
TOTAL	3	0	0	0	0	0	1	2	0	0	0	0
NON-WHITE	3	0	0	0	0	0	1	2	0	0	0	0
AGE UNKNOWN												
TOTAL	2	0	0	0	0	0	0	1	1	0	0	0
NON-WHITE	1	0	0	0	0	0	0	0	1	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH-WEIGHT	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	269**	135	8	13	28	89	73	45	9	3	0	0
WHITE	236	120	8	13	21	78	62	43	7	3	0	0
NON-WHITE	31	15	0	0	7	11	11	1	1	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0
UNDER 15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
17 YEARS TOTAL	4	1	0	0	1	0	1	2	0	0	0	0
WHITE	4	1	0	0	1	0	1	2	0	0	0	0
18 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS• 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	12	7	0	0	3	4	4	1	0	0	0	0
WHITE	8	3	0	0	2	1	4	1	0	0	0	0
NON-WHITE	4	4	0	0	1	3	0	0	0	0	0	0
20 YEARS												
TOTAL	4	4	0	0	0	4	0	0	0	0	0	0
WHITE	2	2	0	0	0	2	0	0	0	0	0	0
NON-WHITE	2	2	0	0	0	2	0	0	0	0	0	0
21 YEARS												
TOTAL	10	4	0	2	0	2	3	3	0	0	0	0
WHITE	10	4	0	2	0	2	3	3	0	0	0	0
22 YEARS												
TOTAL	14	7	0	0	2	5	5	2	0	0	0	0
WHITE	12	7	0	0	2	5	3	2	0	0	0	0
NON-WHITE	2	0	0	0	0	0	2	0	0	0	0	0
23 YEARS												
TOTAL	12	4	0	0	0	4	4	3	1	0	0	0
WHITE	10	4	0	0	0	4	3	3	0	0	0	0
NON-WHITE	2	0	0	0	0	0	1	0	1	0	0	0
24 YEARS												
TOTAL	12	9	1	1	2	5	0	0	0	2	0	0
WHITE	11	8	1	1	2	4	0	0	0	2	0	0
NON-WHITE	1	1	0	0	0	1	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	89	40	3	5	10	22	23	22	4	0	0	0
WHITE	83	36	3	5	8	20	23	21	3	0	0	0
NON-WHITE	4	4	0	0	2	2	0	0	0	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0
30-34 YEARS												
TOTAL	84	47	4	2	7	34	24	9	4	0	0	0
WHITE	72	43	4	2	4	33	17	8	4	0	0	0
NON-WHITE	12	4	0	0	3	1	7	1	0	0	0	0
35-39 YEARS												
TOTAL	24	12	0	3	2	7	8	3	0	1	0	0
WHITE	22	10	0	3	1	6	8	3	0	1	0	0
NON-WHITE	2	2	0	0	1	1	0	0	0	0	0	0
40-44 YEARS												
TOTAL	4	3	0	0	1	2	1	0	0	0	0	0
WHITE	2	2	0	0	1	1	0	0	0	0	0	0
NON-WHITE	2	1	0	0	0	1	1	0	0	0	0	0
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	2640**	255	24	18	48	165	523	1039	641	147	27	3
WHITE	1970	156	16	6	27	107	368	777	513	129	21	3
NON-WHITE	662	99	8	12	21	58	153	260	126	18	6	0
RACE UNKNOWN	8	0	0	0	0	0	2	2	2	0	0	0
UNDER 15 YEARS TOTAL	20	1	0	0	0	1	5	9	4	1	0	0
WHITE	16	1	0	0	0	1	4	7	3	1	0	0
NON-WHITE	4	0	0	0	0	0	1	2	1	0	0	0
15 YEARS TOTAL	56	8	2	1	0	5	14	15	16	1	2	0
WHITE	41	6	2	0	0	4	3	11	12	1	2	0
NON-WHITE	15	2	0	1	0	1	5	4	4	0	0	0
16 YEARS TOTAL	127	14	3	1	5	5	24	42	39	4	3	0
WHITE	95	5	2	0	1	2	18	30	35	4	3	0
NON-WHITE	30	9	1	1	4	3	6	11	4	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	0	0	0
17 YEARS TOTAL	181	15	2	0	2	11	31	75	49	10	1	0
WHITE	138	13	0	0	2	11	21	53	41	9	1	0
NON-WHITE	41	2	2	0	0	0	9	22	7	1	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	0	1	0	0	0
18 YEARS TOTAL	242	17	2	2	1	12	51	103	52	16	3	0
WHITE	181	11	2	0	0	9	36	80	40	11	3	0
NON-WHITE	61	6	0	2	1	3	15	23	12	5	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	310	27	2	2	8	15	65	120	77	18	3	0
WHITE	256	18	1	0	7	10	55	102	65	14	2	0
NON-WHITE	54	9	1	2	1	5	10	18	12	4	1	0
20 YEARS TOTAL	249	21	2	2	4	13	57	91	70	8	2	0
WHITE	185	11	1	1	3	6	40	70	56	6	2	0
NON-WHITE	64	10	1	1	1	7	17	21	14	2	0	0
21 YEARS TOTAL	220	23	3	2	3	15	43	84	56	14	0	0
WHITE	154	15	3	2	2	8	30	56	41	12	0	0
NON-WHITE	65	8	0	0	1	7	13	28	14	2	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
22 YEARS TOTAL	192	16	2	0	5	9	30	84	46	11	3	1
WHITE	138	8	1	0	1	6	21	60	35	10	2	1
NON-WHITE	54	8	1	0	4	3	9	24	11	1	1	0
23 YEARS TOTAL	155	11	1	2	1	7	31	70	35	6	2	0
WHITE	120	11	1	2	1	7	20	52	29	6	2	0
NON-WHITE	34	0	0	0	0	0	11	17	6	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
24 YEARS TOTAL	144	15	1	1	0	13	29	49	35	11	2	2
WHITE	110	10	1	0	0	9	16	40	28	11	2	2
NON-WHITE	34	5	0	1	0	4	13	9	7	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1986

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS TOTAL	461	52	1	2	12	37	91	187	103	22	6	0
WHITE	331	27	0	0	7	20	67	132	83	20	2	0
NON-WHITE	130	25	1	2	5	17	24	55	20	2	4	0
30-34 YEARS TOTAL	207	22	1	3	5	13	38	79	47	19	0	0
WHITE	146	11	0	1	2	8	22	59	35	18	0	0
NON-WHITE	59	11	1	2	3	5	15	20	12	1	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	0	0	0	0	0
35-39 YEARS TOTAL	63	10	2	0	2	6	11	27	11	4	0	0
WHITE	49	7	2	0	1	4	7	21	10	4	0	0
NON-WHITE	14	3	0	0	1	2	4	6	1	0	0	0
40-44 YEARS TOTAL	13	3	0	0	0	3	3	4	1	2	0	0
WHITE	10	2	0	0	0	2	2	4	0	2	0	0
NON-WHITE	3	1	0	0	0	1	1	0	1	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1986

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	13324	13251	2640	862	11816	11765	1970	712	1456	1435	662	147	52
BARRINGTON	202	201	11	12	199	198	11	12	1	1	0	0	2
BRISTOL	259	257	25	19	255	253	25	19	1	1	0	0	3
BURRILLVILLE	174	173	18	8	173	172	18	8	0	0	0	0	1
CENTRAL FALLS	331	330	106	30	298	298	96	26	33	32	10	4	0
CHARLESTOWN	96	96	11	8	90	90	11	8	6	6	0	0	0
COVENTRY	404	404	37	24	398	398	37	23	6	6	0	1	0
CRANSTON	824	821	85	53	796	793	82	50	26	26	3	2	2
CUMBERLAND	283	282	28	20	281	280	28	20	1	1	0	0	1
EAST GREENWICH	109	109	8	3	108	108	7	3	1	1	1	0	0
EAST PROVIDENCE	640	637	89	35	583	580	65	34	55	55	24	1	2
EXETER	79	79	12	5	78	78	12	5	1	1	0	0	0
FOSTER	43	43	4	4	42	42	4	4	1	1	0	0	0
GLOCESTER	101	101	15	7	99	99	15	7	1	1	0	0	1
HOPKINTON	88	88	13	6	85	85	11	6	3	3	2	0	0
JAMESTOWN	63	63	4	6	61	61	4	6	1	1	0	0	1
JOHNSTON	276	276	32	22	269	269	31	20	7	7	1	2	0
LINCOLN	172	168	15	9	169	165	15	9	3	3	0	0	0
LITTLE COMPTON	47	47	5	3	46	46	5	3	1	1	0	0	0
MIDDLETOWN	261	258	24	13	238	235	19	12	23	23	5	1	0
NARRAGANSETT	168	165	20	12	157	154	18	10	9	9	2	2	2
NEWPORT	433	431	103	22	368	366	71	15	64	64	32	7	1
NEW SHOREHAM	13	13	0	2	12	12	0	2	0	0	0	0	1
NORTH KINGSTOWN	357	355	39	19	343	342	36	18	14	13	3	1	0
NORTH PROVIDENCE	303	302	26	19	292	291	26	19	11	11	0	0	0
NORTH SMITHFIELD	89	89	9	7	89	89	9	7	0	0	0	0	0
PAWTUCKET	1117	1112	265	63	988	984	216	50	125	124	49	12	4
PORTSMOUTH	187	186	16	8	182	181	16	8	5	5	0	0	0
PROVIDENCE	2779	2755	1086	241	1843	1838	585	137	918	900	494	104	18
RICHMOND	61	57	5	2	60	56	5	2	1	1	0	0	0
SCITUATE	101	100	11	3	100	99	11	3	1	1	0	0	0
SMITHFIELD	195	194	13	7	192	191	13	6	1	1	0	0	2
SOUTH KINGSTOWN	266	265	33	15	235	234	29	12	30	30	4	3	1
TIVERTON	120	118	8	1	117	115	8	1	2	2	0	0	1
WARREN	157	156	13	4	153	152	12	4	3	3	1	0	1
WARWICK	1081	1079	157	60	1056	1054	151	59	22	22	6	1	3
WESTERLY	312	312	40	15	303	303	40	15	9	9	0	0	0
WEST GREENWICH	55	52	8	5	55	52	8	5	0	0	0	0	0
WEST WARWICK	416	415	71	23	404	403	69	23	11	11	2	0	1
WOONSOCKET	662	662	175	47	599	599	151	41	59	59	23	6	4

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1986

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	13324	1078	1018	1069	1123	1163	1072	1206	1153	1167	1135	1018	1122
BARRINGTON	202	13	20	14	22	17	20	23	21	14	12	13	13
BRISTOL	259	30	17	17	7	16	20	27	23	30	23	28	21
BURRILLVILLE	174	16	8	10	11	19	18	20	16	17	17	11	11
CENTRAL FALLS	331	18	32	21	32	30	23	35	26	20	32	31	31
CHARLESTOWN	96	9	10	6	6	5	5	7	8	7	13	8	10
COVENTRY	404	35	31	34	33	43	26	37	32	38	45	21	29
CRANSTON	824	67	57	71	69	83	59	81	66	83	71	47	70
CUMBERLAND	283	19	19	24	32	28	21	22	26	21	20	25	26
EAST GREENWICH	109	8	8	14	5	10	11	6	8	13	9	4	13
EAST PROVIDENCE	640	58	54	56	50	57	38	56	62	55	46	60	48
EXETER	79	7	2	8	7	7	6	6	10	7	7	7	5
FOSTER	43	4	3	1	8	3	1	2	6	4	4	4	3
GLOCESTER	101	6	6	5	13	10	11	13	14	10	5	3	5
HOPKINTON	88	6	3	6	9	6	7	8	9	5	7	16	6
JAMESTOWN	63	1	4	8	8	5	4	5	9	2	6	4	7
JOHNSTON	276	13	19	26	25	27	26	15	24	21	33	27	20
LINCOLN	172	9	18	13	17	18	20	20	13	12	12	11	9
LITTLE COMPTON	47	5	3	11	2	5	3	2	5	4	1	1	5
MIDDLETOWN	261	24	23	20	19	21	21	33	24	24	18	18	16
NARRAGANSETT	168	10	11	10	12	15	12	13	11	10	25	19	20
NEWPORT	433	25	44	33	37	40	41	39	29	38	42	35	35
NEW SHOREHAM	13	0	1	1	2	1	2	1	0	3	1	0	1
NORTH KINGSTOWN	357	26	35	29	37	26	24	39	29	37	26	28	21
NORTH PROVIDENCE	303	22	16	29	28	18	19	37	32	25	24	29	24
NORTH SMITHFIELD	89	3	8	4	10	7	10	3	11	9	9	5	10
PAWTUCKET	1117	88	93	93	94	103	95	94	101	100	88	76	92
PORTSMOUTH	187	20	7	14	12	17	20	17	17	17	19	13	14
PROVIDENCE	2779	239	207	221	235	244	246	252	231	263	211	196	234
RICHMOND	61	4	3	5	5	7	4	7	4	5	6	8	3
SCITUATE	101	15	9	4	9	4	8	11	10	6	8	8	9
SMITHFIELD	195	14	12	13	13	26	16	20	17	18	11	17	15
SOUTH KINGSTOWN	266	22	16	15	24	17	24	23	27	20	27	25	26
TIVERTON	120	9	10	18	4	15	7	8	10	9	10	8	12
WARREN	157	12	16	10	16	12	11	14	10	17	15	8	16
WARWICK	1081	86	73	90	94	83	85	99	84	95	104	92	96
WESTERLY	312	29	21	28	25	26	22	25	36	25	24	29	22
WEST GREENWICH	55	9	4	5	5	2	0	3	4	5	1	4	13
WEST WARWICK	416	40	37	26	26	46	35	36	28	30	42	33	37
WOONSOCKET	662	57	58	54	60	44	51	47	60	53	61	46	71

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	13024	2640	862	39	11248	1728	86	92	170
BARRINGTON	202	11	12	0	193	6	0	0	3
301	70	3	5	0	65	4	0	0	1
302	32	2	3	0	30	2	0	0	0
303	59	3	0	0	58	0	0	0	1
304	41	3	4	0	40	0	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
BRISTOL	259	25	19	0	231	20	2	1	5
307	91	7	4	0	79	8	0	1	3
308	53	14	1	0	43	8	0	0	2
309	114	4	14	0	108	4	2	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
BURRILLVILLE	174	18	8	0	160	12	1	1	0
129	86	9	3	0	79	6	0	1	0
130	88	9	5	0	81	6	1	0	0
CENTRAL FALLS	331	106	30	0	252	67	4	5	3
108	79	28	10	0	60	15	1	1	2
109	78	18	9	0	58	17	2	1	0
110	92	29	8	0	70	19	1	1	1
111	82	31	3	0	64	16	0	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	96	11	8	1	86	8	0	1	1
COVENTRY	404	37	24	0	368	35	1	0	0
206	276	30	16	0	248	27	1	0	0
207	128	7	8	0	120	8	0	0	0
CRANSTON	824	85	53	1	741	73	1	3	6
134	64	10	5	1	59	5	0	0	0
135	72	11	7	0	64	8	0	0	0
136	44	7	6	0	37	7	0	0	0
137	102	11	5	0	93	7	0	1	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	65	3	4	0	62	2	0	1	0
139	26	1	1	0	25	0	0	0	1
140	66	4	5	0	61	4	0	0	1
141	59	10	5	0	49	9	0	0	1
142	12	3	1	0	11	1	0	0	0
143	40	1	0	0	37	3	0	0	0
144	24	0	0	0	22	2	0	0	0
145	96	5	7	0	90	6	0	0	0
146	37	1	2	0	33	4	0	0	0
147	80	12	5	0	67	11	0	1	1
148	36	5	0	0	31	4	0	0	1
UNKNOWN	1	1	0	0	0	0	1	0	0
CUMBERLAND	283	28	20	3	261	20	2	0	0
112	71	8	7	1	62	8	1	0	0
113	84	10	6	1	78	6	0	0	0
114	128	10	7	1	121	6	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	109	8	3	0	100	9	0	0	0
EAST PROVIDENCE	640	89	35	0	564	60	5	6	5
101	73	8	4	0	66	7	0	0	0
102	113	18	8	0	95	14	2	1	1
103	47	6	0	0	43	3	1	0	0
104	102	15	4	0	90	9	0	2	1
105	110	11	7	0	98	9	1	1	1
106	112	19	5	0	96	14	1	0	1
107	83	12	7	0	76	4	0	2	1
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	79	12	5	2	72	5	2	0	0
FOSTER-133	43	4	4	0	38	3	0	0	2
GLOCESTER-131	101	15	7	0	87	12	0	0	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	88	13	6	1	70	12	0	1	5
JAMESTOWN-413	63	4	6	0	60	2	0	0	1
JOHNSTON	276	32	22	0	253	20	1	0	2
122	54	7	7	0	53	1	0	0	0
123	76	7	8	0	65	10	0	0	1
124	102	11	5	0	93	7	1	0	1
125	44	7	2	0	42	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
LINCOLN	172	15	9	0	151	16	2	2	1
115	60	8	2	0	50	9	0	1	0
116	34	2	2	0	31	1	1	1	0
117	78	5	5	0	70	6	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	47	5	3	0	44	3	0	0	0
MIDDLETOWN	261	24	13	1	233	27	1	0	0
402	16	0	1	1	12	4	0	0	0
403	168	18	8	0	149	19	0	0	0
404	75	6	4	0	70	4	1	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
NARRAGANSETT-515	168	20	12	0	145	19	0	0	4
NEWPORT	433	103	22	5	368	53	7	2	3
405	109	44	7	2	83	20	5	1	0
406	67	12	1	1	63	4	0	0	0
407	58	10	1	0	54	4	0	0	0
408	53	16	2	0	43	9	1	0	0
409	53	7	3	1	47	3	1	0	2
410	36	2	3	0	30	5	0	1	0
411	28	4	2	1	26	1	0	0	1
412	29	8	3	0	22	7	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	13	0	2	0	13	0	0	0	0
NORTH KINGSTOWN	357	39	19	4	323	28	1	3	2
501	165	17	10	1	153	11	0	0	1
502	17	2	1	2	13	4	0	0	0
503	96	11	4	1	88	8	0	0	0
504	79	9	4	0	69	5	1	3	1
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	303	26	19	0	281	19	0	1	2
118	68	5	4	0	63	4	0	0	1
119	75	7	8	0	68	6	0	1	0
120	60	3	3	0	58	2	0	0	0
121	100	11	4	0	92	7	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	89	9	7	1	84	5	0	0	0
PAWTUCKET	1117	265	63	4	895	196	11	7	8
149	3	2	1	0	2	1	0	0	0
150	67	7	2	0	57	8	1	1	0
151	121	44	6	1	96	22	2	1	0
152	26	12	1	0	17	8	1	0	0
153	35	12	3	0	22	11	1	1	0
154	32	8	3	1	24	7	0	0	1
155	75	9	3	0	66	6	1	0	2
156	38	5	3	0	31	6	0	0	1
157	39	7	2	1	34	3	2	0	0
158	48	2	4	0	42	6	0	0	0
159	40	6	0	0	34	5	1	0	0
160	53	12	4	0	45	7	0	1	0
161 **	90	35	5	0	69	21	0	0	0
163	36	3	1	0	28	8	0	0	0
164 **	84	27	2	0	62	21	0	1	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)									
165	54	7	4	0	46	5	0	0	0
166	30	8	2	0	29	1	0	0	0
167	51	14	2	0	43	5	0	0	0
168	36	6	4	0	29	6	0	0	1
169	23	3	0	1	21	2	0	0	0
170	50	8	4	0	43	7	0	0	0
171	85	27	7	0	55	23	2	2	3
UNKNOWN	1	1	0	0	0	1	0	0	0
PORTSMOUTH-401	187	16	8	1	170	15	1	1	0
PROVIDENCE	2779	1086	241	1	1996	642	33	47	61
1	170	64	18	1	116	45	2	1	6
2	272	138	27	0	180	75	3	7	7
3	188	101	17	0	116	62	2	2	6
4	107	61	7	0	70	34	0	1	2
5	54	39	5	0	33	17	1	1	2
6	42	21	3	0	22	15	1	3	1
7	43	28	4	0	28	10	0	4	1
8	8	2	1	0	7	0	0	0	1
9	29	20	2	0	15	13	0	0	1
10	38	12	7	0	31	7	0	0	0
11	50	20	4	0	37	7	2	1	3
12	59	32	3	0	35	21	2	0	1
13	94	32	8	0	56	32	2	2	2
14	168	71	15	0	91	65	2	3	7
15	56	14	2	0	41	14	1	0	0
16	109	29	13	0	32	16	0	1	0
17	41	13	4	0	32	8	1	0	0
18	130	63	15	0	102	24	1	2	1
19	112	60	13	0	77	30	2	2	1
20	74	43	12	0	47	22	0	3	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	101	17	8	0	89	9	0	1	2
22	55	13	4	0	47	7	1	0	0
23	47	11	3	0	44	2	0	1	0
24	53	3	2	0	49	4	0	0	0
25	55	19	7	0	43	7	1	0	4
26	93	34	6	0	59	24	4	2	4
27	51	22	4	0	43	6	0	2	0
28	60	14	2	0	50	8	1	1	0
29	89	21	4	0	70	14	1	3	1
30	0	0	0	0	0	0	0	0	0
31	39	15	2	0	29	8	1	0	1
32	74	18	6	0	57	16	0	0	1
33	58	13	3	0	54	3	0	1	0
34	45	3	4	0	42	1	0	0	2
35	50	6	2	0	46	2	0	1	1
36	18	1	1	0	15	3	0	0	0
37	40	10	3	0	26	10	2	0	0
UNKNOWN	7	3	0	0	3	1	0	2	1
INNER CITY	1211	575	106	0	770	362	22	21	36
RICHMOND-506	61	5	2	2	51	7	0	1	2
SCITUATE-132	101	11	3	0	93	7	0	0	1
SMITHFIELD	195	13	7	0	180	9	1	1	4
126	92	9	3	0	81	6	1	1	3
127	103	4	4	0	99	3	0	0	1
SOUTH KINGSTOWN	266	33	15	0	245	18	0	1	2
512	106	19	4	0	98	7	0	0	1
513	141	12	10	0	128	11	0	1	1
514	19	2	1	0	19	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
TIVERTON	120	8	1	0	102	15	0	2	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	59	4	1	0	52	7	0	0	0
417	61	4	0	0	50	8	0	2	1
WARREN	157	13	4	0	136	19	1	0	1
305	67	9	2	0	57	9	0	0	1
306	90	4	2	0	79	10	1	0	0
WARWICK	1081	157	60	3	362	103	3	2	11
210	113	10	10	0	105	6	0	1	1
211	69	14	2	0	64	5	0	0	0
212	44	5	2	1	40	4	0	0	0
213	61	6	4	0	56	4	1	0	0
214	99	7	4	0	93	3	1	0	2
215	117	27	9	0	96	17	0	1	3
216	20	2	2	0	18	2	0	0	0
217	96	30	3	0	77	18	0	0	1
218	59	10	1	1	54	5	0	0	0
219	149	18	2	1	130	15	1	0	3
220	42	7	4	0	37	5	0	0	0
221	43	6	3	0	41	2	0	0	0
222	79	6	6	0	69	10	0	0	0
223	48	5	3	0	42	5	0	0	1
224	41	4	5	0	39	2	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
WESTERLY	312	40	15	2	243	41	3	0	25
508	172	25	6	1	133	25	1	0	13
509	121	13	8	1	97	12	2	0	10
510	18	2	1	0	12	4	0	0	2
UNKNOWN	1	0	0	0	1	0	0	0	0
WEST GREENWICH-208	55	8	5	1	47	5	0	3	0
WEST WARWICK	416	71	23	3	366	46	2	0	2
201	126	18	6	0	111	14	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	73	13	1	2	66	7	0	0	0
203	108	24	9	0	92	15	1	0	0
204	59	7	2	1	52	7	0	0	0
205	48	8	5	0	44	2	1	0	1
UNKNOWN	2	1	0	0	1	1	0	0	0
WOONSOCKET	662	175	47	3	584	71	1	1	5
172	24	11	3	0	19	5	0	0	0
173	46	6	4	1	44	1	0	0	1
174	80	33	8	0	71	9	0	0	0
175	42	2	5	1	40	2	0	0	0
176	62	20	5	1	54	6	0	0	2
177	27	3	3	0	27	0	0	0	0
178	52	14	1	0	42	8	0	0	2
179	69	15	3	0	61	8	0	0	0
180	23	8	1	0	21	2	0	0	0
181	61	27	2	0	48	11	1	1	0
182	37	9	4	0	33	4	0	0	0
183	27	8	0	0	25	2	0	0	0
184	74	16	6	0	65	9	0	0	0
185	38	3	2	0	34	4	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 18A - BIRTHS and BIRTHS OUT OF WEDLOCK, 1986
All Ages and Under Age 20 by City and Town of Residence

CITY OR TOWN	ALL BIRTHS		BIRTHS OUT OF WEDLOCK	
	TOTAL BIRTHS	UNDER AGE 20	TOTAL BIRTHS	UNDER AGE 20
STATE TOTAL	13324	1375	2640	936
BARRINGTON	202	6	11	(a)
BRISTOL	259	20	25	8
BURRILLVILLE	174	15	18	6
CENTRAL FALLS	331	52	106	37
CHARLESTOWN	96	5	11	(a)
COVENTRY	404	18	37	13
CRANSTON	824	53	85	37
CUMBERLAND	283	15	28	9
EAST GREENWICH	109	(a)	8	(a)
EAST PROVIDENCE	640	59	89	36
EXETER	79	6	12	(a)
FOSTER	43	0	(a)	0
GLOCESTER	101	9	15	7
HOPKINTON	88	7	13	4
JAMESTOWN	63	(a)	(a)	(a)
JOHNSTON	276	11	32	6
LINCOLN	172	7	15	5
LITTLE COMPTON	47	(a)	(a)	0
MIDDLETOWN	261	17	24	10
NARRAGANSETT	168	12	20	8
NEWPORT	433	52	103	32
NEW SHOREHAM	13	(a)	0	0
NORTH KINGSTON	357	22	39	12
NORTH PROVIDENCE	303	16	26	7
NORTH SMITHFIELD	89	8	9	7
PAWTUCKET	1117	142	265	96
PORTSMOUTH	187	9	16	7
PROVIDENCE	2779	458	1086	360
RICHMOND	61	(a)	(a)	(a)
SCITUATE	101	6	11	(a)
SMITHFIELD	195	12	13	11
SOUTH KINGSTOWN	266	14	33	12
TIVERTON	120	11	8	(a)
WARREN	157	17	13	10
WARWICK	1081	90	157	61
WESTERLY	312	30	40	14
WEST GREENWICH	55	(a)	8	(a)
WEST WARWICK	416	44	71	22
WOONSOCKET	662	117	175	74

(a) Number is greater than zero (0) but less than six (6).
* Totals may include births where age is unknown

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1986

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8299	7196	872	231	8180	54	57	8
SPONTANEOUS	797	607	63	127	687	51	57	2
INDUCED	7502	6589	809	104	7493	3	0	6

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1986

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8299	8180	54	57	8
JANUARY	790	779	3	8	0
FEBRUARY	721	709	4	6	2
MARCH	740	731	4	5	0
APRIL	683	672	5	5	1
MAY	707	698	7	2	0
JUNE	643	632	4	6	1
JULY	675	668	3	2	2
AUGUST	737	726	3	8	0
SEPTEMBER	611	600	8	3	0
OCTOBER	739	732	6	1	0
NOVEMBER	652	639	4	7	2
DECEMBER	601	594	3	4	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6448	1754	4570	733	540	162	5715	1214	4408
BARRINGTON	53	19	34	10	9	1	43	10	33
301	16	6	10	2	2	0	14	4	10
302	10	3	7	2	2	0	8	1	7
303	17	6	11	5	4	1	12	2	10
304	8	4	4	1	1	0	7	3	4
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
BRISTOL	107	28	77	16	12	3	91	16	74
307	31	5	26	3	2	1	28	3	25
308	32	9	23	2	2	0	30	7	23
309	41	14	26	11	8	2	30	6	24
UNKNOWN TRACT	3	0	2	0	0	0	3	0	2
BURRILLVILLE	58	22	35	10	8	2	48	14	33
129	27	10	17	3	2	1	24	8	16
130	31	12	18	7	6	1	24	6	17
CENTRAL FALLS	151	54	89	19	14	3	132	40	86
108	41	9	31	5	2	3	36	7	28
109	30	14	13	4	4	0	26	10	13
110	39	15	22	4	3	0	35	12	22
111	40	16	22	6	5	0	34	11	22
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
CHARLESTOWN	31	10	21	5	5	0	26	5	21
511	31	10	21	5	5	0	26	5	21
COVENTRY	143	40	101	18	15	3	125	25	98
206	92	19	72	10	7	3	82	12	69
207	51	21	29	8	8	0	43	13	29
CRANSTON	420	119	292	72	57	12	348	62	280
134	36	12	23	9	7	1	27	5	22
135	51	9	40	7	4	3	44	5	37
136	23	5	15	4	2	1	19	3	14
137	47	19	28	8	6	2	39	13	26

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
138	21	5	15	5	4	1	16	1	14
139	14	6	8	3	3	0	11	3	8
140	25	7	17	5	5	0	20	2	17
141	32	9	23	3	2	1	29	7	22
142	17	5	12	1	1	0	16	4	12
143	28	12	16	7	7	0	21	5	16
144	7	2	5	1	1	0	6	1	5
145	27	6	20	2	1	0	25	5	20
146	17	2	15	2	2	0	15	0	15
147	51	12	39	10	8	2	41	4	37
148	18	5	13	3	3	0	15	2	13
UNKNOWN TRACT	6	3	3	2	1	1	4	2	2
CUMBERLAND	124	33	89	10	8	2	114	25	87
112	34	7	26	1	0	1	33	7	25
113	43	14	29	5	4	1	38	10	28
114	47	12	34	4	4	0	43	8	34
UNKNOWN TRACT	0	0	0	0	0	0	0	0	0
EAST GREENWICH	63	17	46	3	3	0	60	14	46
209	63	17	46	3	3	0	60	14	46
EAST PROVIDENCE	327	89	227	45	36	5	282	53	222
101	44	14	29	4	3	0	40	11	29
102	57	15	39	5	4	1	52	11	38
103	29	7	20	4	4	0	25	3	20
104	45	16	28	8	6	1	37	10	27
105	62	17	43	12	8	2	50	9	41
106	57	14	42	9	8	1	48	6	41
107	29	6	22	3	3	0	26	3	22
UNKNOWN TRACT	4	0	4	0	0	0	4	0	4
EXETER	22	10	12	6	5	1	16	5	11
505	22	10	12	6	5	1	16	5	11

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
FOSTER	21	10	11	8	8	0	13	2	11
133	21	10	11	8	8	0	13	2	11
GLOCESTER	26	11	15	5	5	0	21	6	15
131	26	11	15	5	5	0	21	6	15
HOPKINTON	20	8	12	3	3	0	17	5	12
507	20	8	12	3	3	0	17	5	12
JAMESTOWN	30	6	24	1	0	1	29	6	23
413	30	6	24	1	0	1	29	6	23
JOHNSTON	139	36	103	19	17	2	120	19	101
122	23	8	15	4	4	0	19	4	15
123	43	9	34	5	5	0	38	4	34
124	50	13	37	8	6	2	42	7	35
125	20	6	14	2	2	0	18	4	14
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
LINCOLN	77	20	52	10	9	0	67	11	52
115	20	6	13	3	3	0	17	3	13
116	19	5	12	3	3	0	16	2	12
117	32	8	24	3	3	0	29	5	24
UNKNOWN TRACT	6	1	3	1	0	0	5	1	3
LITTLE COMPTON	7	4	3	0	0	0	7	4	3
414	7	4	3	0	0	0	7	4	3
MIDDLETOWN	86	25	61	1	1	0	85	24	61
402	3	2	1	0	0	0	3	2	1
403	48	14	34	1	1	0	47	13	34
404	32	8	24	0	0	0	32	8	24
UNKNOWN TRACT	3	1	2	0	0	0	3	1	2
NARRAGANSETT	114	21	92	12	8	4	102	13	88
515	114	21	92	12	8	4	102	13	88

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
NEWPORT	267	40	223	5	4	1	262	36	222
405	37	8	29	0	0	0	37	8	29
406	58	8	48	2	1	1	56	7	47
407	40	3	36	0	0	0	40	3	36
408	28	1	26	0	0	0	28	1	26
409	38	9	29	2	2	0	36	7	29
410	26	2	24	0	0	0	26	2	24
411	15	1	14	0	0	0	15	1	14
412	13	5	8	1	1	0	12	4	8
UNKNOWN TRACT	12	3	9	0	0	0	12	3	9
NEW SHOREHAM	10	2	8	0	0	0	10	2	8
415	10	2	8	0	0	0	10	2	8
NORTH KINGSTOWN	156	39	116	13	12	0	143	27	116
501	74	13	60	3	2	0	71	11	60
502	3	0	3	0	0	0	3	0	3
503	34	11	23	4	4	0	30	7	23
504	36	14	22	6	6	0	30	8	22
UNKNOWN TRACT	9	1	8	0	0	0	9	1	8
NORTH PROVIDENCE	178	51	126	28	25	3	150	26	123
118	46	14	32	8	6	2	38	8	30
119	37	10	26	4	4	0	33	6	26
120	36	9	27	5	5	0	31	4	27
121	57	18	39	11	10	1	46	8	38
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
NORTH SMITHFIELD	37	12	24	5	3	2	32	9	22
128	37	12	24	5	3	2	32	9	22
PAWTUCKET	536	162	363	45	31	11	491	131	352
149	7	2	5	0	0	0	7	2	5
150	25	11	14	2	2	0	23	9	14
151	47	14	33	2	1	1	45	13	32
152	10	3	7	0	0	0	10	3	7
153	26	8	17	2	1	1	24	7	16
154	21	5	16	0	0	0	21	5	16

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
155	21	8	13	1	1	0	20	7	13
156	16	4	12	1	1	0	15	3	12
157	18	3	15	1	0	1	17	3	14
158	23	7	15	4	4	0	19	3	15
159	16	7	9	1	1	0	15	6	9
160	23	8	14	0	0	0	23	8	14
161	54	16	36	7	2	4	47	14	32
163	25	6	16	3	2	0	22	4	16
164	50	17	31	6	4	2	44	13	29
165	32	9	23	4	4	0	28	5	23
166	13	5	8	2	2	0	11	3	8
167	29	9	20	1	1	0	28	8	20
168	18	7	11	5	4	1	13	3	10
169	11	2	9	1	1	0	10	1	9
170	12	2	9	1	0	0	11	2	9
171	33	7	26	1	0	1	32	7	25
UNKNOWN TRACT	6	2	4	0	0	0	6	2	4
PORTSMOUTH	70	17	52	3	3	0	67	14	52
401	70	17	52	3	3	0	67	14	52
PROVIDENCE	1784	460	1280	211	118	82	1573	342	1198
1	100	31	68	13	11	2	87	20	66
2	147	48	95	16	7	8	131	41	87
3	78	22	51	11	2	7	67	20	44
4	61	11	48	10	5	4	51	6	44
5	38	7	31	4	2	2	34	5	29
6	16	2	14	1	1	0	15	1	14
7	24	1	22	3	1	2	21	0	20
8	28	4	24	2	1	1	26	3	23
9	19	4	15	2	1	1	17	3	14
10	28	4	22	2	1	1	26	3	21

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
11	39	7	31	6	3	2	33	4	29
12	50	9	38	7	1	6	43	8	32
13	55	13	39	1	1	0	54	12	39
14	89	41	44	12	6	5	77	35	39
15	14	9	5	2	0	2	12	9	3
16	56	22	34	14	10	4	42	12	30
17	14	3	11	3	2	1	11	1	10
18	51	14	37	11	6	5	40	8	32
19	67	22	44	10	5	5	57	17	39
20	32	8	23	2	1	1	30	7	22
21	61	15	45	7	5	1	54	10	44
22	27	6	20	4	3	0	23	3	20
23	40	14	25	9	5	3	31	9	22
24	43	6	37	5	4	1	38	2	36
25	38	14	24	4	2	2	34	12	22
26	49	14	33	5	1	4	44	13	29
27	29	9	19	3	2	1	26	7	18
28	49	13	35	5	3	2	44	10	33
29	46	8	37	3	2	1	43	6	36
30	2	0	2	0	0	0	2	0	2
31	58	10	48	4	1	3	54	9	45
32	58	21	35	10	9	1	48	12	34
33	43	14	29	6	5	1	37	9	28
34	25	7	18	3	3	0	22	4	18
35	58	9	48	3	2	0	55	7	48
36	76	5	68	2	0	2	74	5	66
37	43	6	37	4	3	1	39	3	36
UNKNOWN TRACT	33	7	24	2	1	0	31	6	24
RICHMOND	18	6	12	3	3	0	15	3	12
506	18	6	12	3	3	0	15	3	12

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
SCITUATE	47	19	27	6	6	0	41	13	27
132	47	19	27	6	6	0	41	13	27
SMITHFIELD	113	38	74	13	12	1	100	26	73
126	57	16	41	5	4	1	52	12	40
127	56	22	33	8	8	0	48	14	33
SOUTH KINGSTOWN	156	36	118	21	19	1	135	17	117
512	34	13	20	11	11	0	23	2	20
513	53	17	35	8	6	1	45	11	34
514	61	6	55	2	2	0	59	4	55
UNKNOWN TRACT	8	0	8	0	0	0	8	0	8
TIVERTON	47	16	31	2	2	0	45	14	31
416	28	7	21	0	0	0	28	7	21
417	19	9	10	2	2	0	17	7	10
WARREN	57	20	35	9	8	0	48	12	35
305	23	9	14	2	2	0	21	7	14
306	34	11	21	7	6	0	27	5	21
WARWICK	453	90	358	36	26	7	417	64	351
210	51	12	39	6	5	1	45	7	38
211	34	3	31	3	1	2	31	2	29
212	17	1	16	1	0	1	16	1	15
213	19	8	11	4	3	1	15	5	10
214	42	6	35	4	4	1	38	2	35
215	53	11	41	4	3	0	49	8	41
216	6	1	5	0	0	0	6	1	5
217	30	8	22	2	2	0	28	6	22
218	16	3	13	2	1	1	14	2	12
219	56	12	43	4	3	0	52	9	43
220	27	5	21	1	1	0	26	4	21
221	30	6	24	1	0	1	29	6	23
222	28	6	21	3	2	0	25	4	21
223	23	4	19	1	1	0	22	3	19
224	16	4	12	0	0	0	16	4	12
UNKNOWN TRACT	5	0	5	0	0	0	5	0	5

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1986

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
	MOTHER			MOTHER			MOTHER		
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WESTERLY	73	14	57	2	2	0	71	12	57
508	40	5	34	2	2	0	38	3	34
509	21	7	14	0	0	0	21	7	14
510	10	2	7	0	0	0	10	2	7
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
WEST GREENWICH	6	1	5	0	0	0	6	1	5
208	6	1	5	0	0	0	6	1	5
WEST WARWICK	167	56	111	18	15	3	149	41	108
201	47	19	28	7	7	0	40	12	28
202	29	13	16	4	4	0	25	9	16
203	50	14	36	5	3	2	45	11	34
204	13	2	11	0	0	0	13	2	11
205	26	8	18	2	1	1	24	7	17
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
WOONSOCKET	254	93	154	40	28	12	214	65	142
172	13	5	8	1	1	0	12	4	8
173	28	12	14	5	3	2	23	9	12
174	31	13	17	7	7	0	24	6	17
175	15	6	7	1	1	0	14	5	7
176	17	6	10	2	0	2	15	6	8
177	10	5	5	2	2	0	8	3	5
178	17	4	12	3	2	1	14	2	11
179	19	8	11	3	2	1	16	6	10
180	7	5	2	2	2	0	5	3	2
181	14	5	9	1	0	1	13	5	8
182	17	6	11	3	1	2	14	5	9
183	12	6	6	0	0	0	12	6	6
184	33	9	24	8	5	3	25	4	21
185	18	3	15	2	2	0	16	1	15
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1976

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
TOTAL			7502	51	108	191	245	616	632	653	582	585	485	396	1527	880	449	95	7	0
MARITAL STATUS OF MOTHER																				
MARRIED			1623	0	1	0	1	15	32	49	77	96	99	111	490	330	202	55	5	0
UNMARRIED			5756	51	107	190	240	594	587	595	497	481	380	280	1003	476	238	35	2	0
UNKNOWN			123	0	0	1	4	7	13	9	8	8	6	5	34	14	9	5	0	0
PREVIOUS DELIVERIES TO MOTHER																				
NONE			3172	48	101	168	215	459	405	356	290	257	216	125	363	118	45	6	0	0
ONE			1717	2	6	21	26	108	150	186	157	160	131	116	395	150	70	9	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	1	958	1	2	14	16	74	97	113	91	92	74	67	221	66	27	3	0	0
0	1	0	83	0	0	0	1	9	9	11	8	10	2	7	15	7	4	0	0	0
1	0	0	676	1	4	7	9	25	44	62	58	58	55	42	159	107	39	6	0	0
TWO			1242	0	1	0	4	31	44	64	90	98	61	91	360	231	138	28	1	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	2	199	0	0	0	1	7	6	15	16	26	9	14	60	33	12	0	0	0
0	1	1	45	0	0	0	0	6	4	3	4	5	6	3	5	8	1	0	0	0
0	2	0	6	0	0	0	0	0	0	2	0	1	1	0	0	1	1	0	0	0
1	0	1	399	0	1	0	1	11	21	25	35	30	25	35	125	57	32	1	0	0
1	1	0	77	0	0	0	1	3	3	3	12	6	6	4	16	14	4	3	0	0
2	0	0	516	0	0	0	1	4	10	16	23	30	14	35	152	115	88	24	1	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1986

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
T-REE			634	0	0	0	0	4	15	23	22	43	46	34	195	145	89	16	2	0
PREVIOUS DELIVERIES WERE																				
•L.B.	S.F.D.	I.F.D.																		
0	0	3	45	0	0	0	0	1	4	2	2	9	3	2	13	7	2	0	0	0
0	1	2	6	0	0	0	0	0	0	0	0	0	2	0	3	1	0	0	0	0
0	2	1	4	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0
0	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1	0	2	105	0	0	0	0	2	3	6	6	11	10	7	35	20	4	1	0	0
1	1	1	56	0	0	0	0	1	3	3	1	2	7	4	25	6	4	0	0	0
1	2	0	9	0	0	0	0	0	0	0	1	0	1	1	2	1	3	0	0	0
2	0	1	217	0	0	0	0	0	3	5	7	13	17	14	62	53	34	5	1	0
2	1	0	74	0	0	0	0	0	2	3	2	5	3	1	20	15	21	2	0	0
3	0	0	117	0	0	0	0	0	0	1	3	3	3	5	31	42	20	8	1	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1986

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FOUR			349	0	0	0	0	1	5	14	13	15	14	19	114	97	47	8	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	4	9	0	0	0	0	0	0	0	2	0	0	1	4	2	0	0	0	0
0	1	3	3	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	0
0	2	2	3	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0
0	4	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	0	3	31	0	0	0	0	0	0	1	1	3	4	5	9	6	1	0	1	0
1	1	2	13	0	0	0	0	0	1	0	0	0	0	1	5	6	0	0	0	0
1	2	1	8	0	0	0	0	0	0	0	0	0	3	0	2	2	1	0	0	0
1	3	0	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
2	0	2	88	0	0	0	0	0	2	2	2	4	2	6	37	21	11	1	0	0
2	1	1	57	0	0	0	0	0	0	3	3	2	1	2	17	17	9	3	0	0
2	2	0	13	0	0	0	0	0	0	0	0	0	0	1	2	6	3	1	0	0
3	0	1	61	0	0	0	0	0	0	2	2	5	3	1	18	16	12	1	1	0
3	1	0	25	0	0	0	0	0	1	1	1	0	0	1	8	12	1	0	0	0
4	0	0	34	0	0	0	0	0	0	3	2	1	1	1	8	8	8	2	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1986

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			174	0	0	0	0	1	3	3	4	6	7	5	52	49	31	13	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	5	4	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0
0	4	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	0	4	7	0	0	0	0	0	0	0	0	1	0	0	3	1	2	0	0	0
1	1	3	7	0	0	0	0	1	0	0	1	0	0	1	3	0	1	0	0	0
1	2	2	4	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0	0	0
1	3	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
2	0	3	27	0	0	0	0	0	1	0	0	2	3	2	8	6	3	2	0	0
2	1	2	15	0	0	0	0	0	0	1	0	0	0	0	6	6	2	0	0	0
2	2	1	9	0	0	0	0	0	0	0	0	0	0	1	2	4	2	0	0	0
2	3	0	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0
3	0	2	29	0	0	0	0	0	0	2	2	1	0	0	9	8	6	1	0	0
3	1	1	16	0	0	0	0	0	1	0	0	0	2	0	3	5	3	2	0	0
3	2	0	7	0	0	0	0	0	0	0	0	0	0	0	3	3	1	0	0	0
4	0	1	19	0	0	0	0	0	0	0	0	0	1	0	4	5	4	5	0	0
4	1	0	14	0	0	0	0	0	0	0	1	1	0	0	2	3	6	1	0	0
5	0	0	11	0	0	0	0	0	0	0	0	1	0	0	4	4	1	1	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1986

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
SIX			69	0	0	0	0	0	0	0	1	1	3	1	23	20	15	5	0	0
PREVIOUS DELIVERIES WERE •																				
L.B.	S.F.D.	I.F.D.																		
1	0	5	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	2	3	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	4	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
2	0	4	12	0	0	0	0	0	0	0	0	0	1	0	6	4	0	1	0	0
2	1	3	5	0	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0
2	2	2	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
3	0	3	5	0	0	0	0	0	0	0	0	0	0	0	4	1	0	0	0	0
3	1	2	12	0	0	0	0	0	0	0	0	0	0	0	3	4	5	0	0	0
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
3	3	0	5	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	0	0
4	0	2	5	0	0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	0
4	1	1	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
5	0	1	5	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	0	0
5	1	0	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
6	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0	0
SEVEN •			64	0	0	0	0	1	0	0	2	0	1	3	8	31	11	5	2	0
UNKNOWN			81	1	0	2	0	11	10	7	3	5	6	2	17	9	3	5	0	0

• L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1986

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	108	100.0	18	20	38	19	9	1	0	3
FIRST DELIVERY	23	21.3	9	4	9	0	1	0	0	0
SECOND DELIVERY	33	30.6	4	5	12	8	4	0	0	0
NO PREVIOUS FETAL DEATHS	25		4	3	7	7	4	0	0	0
ONE PREVIOUS FETAL DEATH	8		0	2	5	1	0	0	0	0
THIRD DELIVERY	18	16.7	0	4	8	5	1	0	0	0
NO PREVIOUS FETAL DEATHS	7		0	1	4	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	7		0	2	2	3	0	0	0	0
TWO PREVIOUS FETAL DEATHS	4		0	1	2	1	0	0	0	0
FOURTH DELIVERY	7	6.5	0	2	4	0	0	1	0	0
NO PREVIOUS FETAL DEATHS	2		0	0	1	0	0	1	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	4		0	2	2	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	3	2.8	0	1	0	2	0	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	1	0	2	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	3	2.8	0	1	0	1	1	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERY	2	1.9	0	1	1	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	1	1	0	0	0	0	0
UNKNOWN BIRTH ORDER	19	17.6	5	2	4	3	2	0	0	3

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1986

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	797	100.0	72	160	244	210	91	12	1	7
FIRST DELIVERY	171	21.5	30	43	58	27	10	0	1	2
SECOND DELIVERY	207	26.0	16	50	62	63	16	0	0	0
NO PREVIOUS FETAL DEATHS	158		11	32	51	50	14	0	0	0
ONE PREVIOUS FETAL DEATH	49		5	18	11	13	2	0	0	0
THIRD DELIVERY	137	17.2	3	24	48	37	21	4	0	0
NO PREVIOUS FETAL DEATHS	52		0	5	20	16	9	2	0	0
ONE PREVIOUS FETAL DEATH	67		2	15	20	17	11	2	0	0
TWO PREVIOUS FETAL DEATHS	18		1	4	8	4	1	0	0	0
FOURTH DELIVERY	57	7.2	2	6	18	16	11	4	0	0
NO PREVIOUS FETAL DEATHS	23		1	2	7	6	5	2	0	0
ONE PREVIOUS FETAL DEATH	16		0	0	6	6	2	2	0	0
TWO PREVIOUS FETAL DEATHS	13		1	3	3	3	3	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	1	2	1	1	0	0	0
FIFTH DELIVERY	36	4.5	2	6	10	10	7	1	0	0
NO PREVIOUS FETAL DEATHS	11		1	2	1	5	1	1	0	0
ONE PREVIOUS FETAL DEATH	4		0	0	2	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	10		0	0	3	4	3	0	0	0
THREE+ PREVIOUS FETAL DEATHS	11		1	4	4	0	2	0	0	0
SIXTH DELIVERY	16	2.0	0	1	3	5	6	1	0	0
NO PREVIOUS FETAL DEATHS	4		0	1	1	1	0	1	0	0
ONE PREVIOUS FETAL DEATH	6		0	0	1	2	3	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	0	1	2	2	0	0	0
SEVENTH DELIVERY	6	0.8	0	1	1	2	2	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	1	1	2	1	0	0	0
EIGHTH OR MORE DELIVERY	14	1.8	0	2	1	7	3	1	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	0	1	1	1	0	0
ONE PREVIOUS FETAL DEATH	4		0	0	0	3	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	6		0	2	1	2	1	0	0	0
UNKNOWN BIRTH ORDER	153	19.2	19	27	43	43	15	1	0	5

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1986

FETAL WEIGHT IN GRAMS	TOTAL NUMBER	TOTAL PER CENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	108	100.0	18	20	38	14	8	1	0	3
1,000 OR LESS	33	30.6	7	6	12	6	2	0	0	0
1,001 - 1,500	9	8.3	1	2	3	1	1	1	0	0
1,501 - 2,000	3	2.8	0	2	0	1	0	0	0	0
2,001 - 2,500	8	7.4	0	2	4	1	1	0	0	0
LOW WEIGHT TOTAL	53	49.1	8	12	19	9	4	1	0	0
2,501 - 3,000	5	4.6	0	3	0	1	1	0	0	0
3,001 - 3,500	6	5.6	1	1	1	2	1	0	0	0
3,501 - 4,000	2	1.9	0	0	1	1	0	0	0	0
4,001 - 4,500	0	0.0	0	0	0	0	0	0	0	0
4,501 - 5,000	0	0.0	0	0	0	0	0	0	0	0
5,001 OR MORE	2	1.9	0	0	1	1	0	0	0	0
NOT STATED	40	37.0	9	4	16	5	3	0	0	3

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1986

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8299	100.0	8180	98.6	54	0.7	57	0.7	8	0.1
CONGENITAL ANOMALIES (740-759)	11	0.1	1	0.0	6	11.1	4	7.0	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8288	99.9	8179	100.0	48	88.9	53	93.0	8	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	5	0.1	2	0.0	1	1.9	2	3.5	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	622	7.5	616	7.5	4	7.4	0	0.0	2	25.0
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (762)	48	0.6	22	0.3	15	27.8	11	19.3	0	0.0
COMPLICATIONS OF LABOR AND DELIVERY (763)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (765)	3	0.0	1	0.0	2	3.7	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND ASPHYXIA (768)	12	0.1	2	0.0	1	1.9	9	15.8	0	0.0
OTHER RESPIRATORY CONDITIONS (770)	1	0.0	0	0.0	1	1.9	0	0.0	0	0.0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	13	0.2	2	0.0	8	14.8	3	5.3	0	0.0
HAEMOLYTIC DISEASE DUE TO ISOIMMUNIZATION (773)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7581	91.3	7534	92.1	16	29.6	25	43.9	6	75.0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9712*	125	16	8	11	42	59	198	233	432	458	761	1041	1268	1422	1342	2294
WHITE MALE	4631	59	7	2	4	30	42	132	145	245	278	439	572	732	700	565	677
WHITE FEMALE	4780	46	7	4	3	11	12	41	67	157	163	291	429	511	699	755	1584
NON-WHITE MALE	165	13	1	2	2	1	3	14	15	18	10	20	20	12	12	11	11
NON-WHITE FEMALE	131	7	1	0	1	0	2	11	6	10	7	11	20	13	11	10	21
UNKNOWN MALE	3	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
CERTAIN OTHER INTESTINAL INFECTIONS (007,009)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS(010-018)																	
TOTAL	5	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
MENINGOCOCCAL INFECTION(036)																	
TOTAL	4	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
WHITE FEMALE	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA(038)																	
TOTAL	106	1	0	1	0	0	0	1	0	3	2	6	11	13	13	18	37
WHITE MALE	47	0	0	1	0	0	0	1	0	3	1	4	5	10	5	6	11
WHITE FEMALE	56	1	0	0	0	0	0	0	0	0	0	1	5	3	8	12	26
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
VIRAL HEPATITIS(070)																	
TOTAL	5	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	2
WHITE MALE	4	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	39	8	1	0	0	0	0	3	3	3	1	1	5	6	4	1	3
WHITE MALE	17	1	0	0	0	0	0	2	2	1	1	0	4	4	1	1	0
WHITE FEMALE	16	3	0	0	0	0	0	0	1	2	0	1	1	2	3	0	3
NON-WHITE MALE	5	4	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2353	0	4	0	1	1	4	34	60	166	177	305	362	352	363	246	278
WHITE MALE	1183	0	3	0	1	0	3	19	24	84	83	159	193	205	191	111	107
WHITE FEMALE	1109	0	1	0	0	0	1	13	31	72	88	140	157	145	165	131	165
NON-WHITE MALE	32	0	0	0	0	1	0	0	3	4	4	3	7	1	4	2	3
NON-WHITE FEMALE	28	0	0	0	0	0	0	2	2	6	2	3	5	1	3	1	3
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	55	0	0	0	0	0	1	0	1	6	6	8	8	6	9	4	6
WHITE MALE	32	0	0	0	0	0	1	0	0	4	5	4	6	4	5	1	2
WHITE FEMALE	21	0	0	0	0	0	0	0	1	0	1	4	2	2	4	3	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	629	0	0	0	0	0	0	3	9	26	36	70	87	104	105	77	112
WHITE MALE	315	0	0	0	0	0	0	2	6	20	18	46	48	54	54	32	35
WHITE FEMALE	297	0	0	0	0	0	0	1	2	5	17	23	36	49	48	42	74
NON-WHITE MALE	11	0	0	0	0	0	0	0	1	0	1	0	3	0	2	2	2
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1956

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	616	0	0	0	0	0	0	2	11	58	63	84	123	96	98	51	35
WHITE MALE	404	0	0	0	0	0	0	0	6	39	42	57	77	68	61	31	23
WHITE FEMALE	195	0	0	0	0	0	0	2	4	12	17	26	40	27	36	20	11
NON-WHITE MALE	10	0	0	0	0	0	0	0	0	2	2	1	3	1	1	0	0
NON-WHITE FEMALE	7	0	0	0	0	0	0	0	1	0	2	0	3	0	0	0	1
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	233	0	0	0	0	0	0	5	10	27	26	44	33	22	21	24	21
WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WHITE FEMALE	227	0	0	0	0	0	0	4	9	26	25	42	33	22	21	24	21
NON-WHITE FEMALE	5	0	0	0	0	0	0	1	1	1	0	2	0	0	0	0	0
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	270	0	0	0	0	0	1	5	5	13	14	30	40	50	38	30	44
WHITE MALE	142	0	0	0	0	0	0	2	0	0	3	10	20	34	25	20	28
WHITE FEMALE	122	0	0	0	0	0	1	2	5	12	10	19	19	16	12	10	16
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	98	0	0	0	0	0	0	0	2	3	5	12	14	8	23	16	15
WHITE MALE	61	0	0	0	0	0	0	0	1	1	1	7	10	6	12	13	10
WHITE FEMALE	35	0	0	0	0	0	0	0	1	2	4	5	3	2	10	3	5
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	259	0	2	0	1	0	1	11	13	27	16	31	36	37	33	24	27
WHITE MALE	135	0	1	0	1	0	1	10	7	13	8	20	20	22	18	7	7
WHITE FEMALE	118	0	1	0	0	0	0	1	5	12	8	10	16	15	15	17	18
NON-WHITE MALE	4	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
LEUKEMIA(204-208)																	
TOTAL	72	0	1	0	0	1	0	4	4	7	4	7	8	11	10	7	8
WHITE MALE	34	0	1	0	0	0	0	2	2	3	2	3	3	7	6	4	1
WHITE FEMALE	34	0	0	0	0	0	0	2	1	3	2	4	4	4	4	3	7
NON-WHITE MALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	121	0	1	0	0	0	1	4	5	4	7	19	13	18	26	13	10
WHITE MALE	59	0	1	0	0	0	1	3	2	4	3	12	9	10	10	3	1
WHITE FEMALE	60	0	0	0	0	0	0	1	3	0	4	7	4	8	15	9	9
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	19	1	0	0	0	1	1	1	0	0	1	2	0	1	2	3	6
WHITE MALE	9	1	0	0	0	1	1	1	0	0	0	1	0	1	1	0	2
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	4
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
DIABETES MELLITUS(250)																	
TOTAL	171	0	0	0	0	0	0	1	3	2	12	17	21	32	27	26	30
WHITE MALE	63	0	0	0	0	0	0	0	3	0	10	5	10	13	6	8	8
WHITE FEMALE	101	0	0	0	0	0	0	1	0	2	2	9	8	18	21	18	22
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	16	0	0	0	0	0	0	0	0	0	0	1	4	1	1	2	7
WHITE MALE	7	0	0	0	0	0	0	0	0	0	0	0	3	0	0	2	2
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	5
ANEMIAS(280-285)																	
TOTAL	21	1	0	0	0	0	0	0	0	0	1	1	1	2	3	5	7
WHITE MALE	9	1	0	0	0	0	0	0	0	0	1	1	1	1	1	2	1
WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	6
MENINGITIS(320-322)																	
TOTAL	8	1	0	0	1	0	1	0	0	0	1	0	0	2	0	0	2
WHITE MALE	3	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
WHITE FEMALE	4	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2
NON-WHITE MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4654	0	0	1	1	2	2	16	63	153	173	306	453	635	738	739	1402
WHITE MALE	2120	0	0	0	1	1	1	14	47	100	126	194	268	368	350	289	361
WHITE FEMALE	2436	0	0	0	0	1	1	0	11	41	39	93	167	251	375	437	1020
NON-WHITE MALE	62	0	0	1	0	0	0	1	3	9	5	14	8	5	5	7	4
NON-WHITE FEMALE	64	0	0	0	0	0	0	1	2	2	3	5	10	11	8	6	16
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3805	0	0	1	1	1	1	16	58	134	151	263	385	540	586	560	1088
WHITE MALE	1783	0	0	0	1	1	1	14	45	93	116	167	231	321	289	230	274
WHITE FEMALE	1922	0	0	0	0	0	0	0	9	30	29	79	137	206	288	340	804
NON-WHITE MALE	51	0	0	1	0	0	0	1	2	9	4	14	7	4	2	6	1
NON-WHITE FEMALE	48	0	0	0	0	0	0	1	2	1	2	3	10	9	7	4	9
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	19	0	0	0	0	0	0	0	0	1	1	0	6	4	3	3	1
WHITE MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0
WHITE FEMALE	15	0	0	0	0	0	0	0	0	1	0	0	6	2	2	3	1
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	83	0	0	0	0	0	0	1	3	12	2	5	5	10	10	12	23
WHITE MALE	28	0	0	0	0	0	0	1	2	6	2	2	2	1	4	2	6
WHITE FEMALE	47	0	0	0	0	0	0	0	0	3	0	2	3	8	5	9	17
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	1	0	0	1	0	1	1	1	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	5	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	1
WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3065	0	0	0	0	0	0	6	43	95	121	223	322	422	486	483	864
WHITE MALE	1452	0	0	0	0	0	0	6	36	69	92	144	200	251	243	191	220
WHITE FEMALE	1541	0	0	0	0	0	0	0	5	20	24	65	108	161	236	287	635
NON-WHITE MALE	35	0	0	0	0	0	0	0	1	4	3	12	6	4	2	3	0
NON-WHITE FEMALE	36	0	0	0	0	0	0	0	1	1	2	2	8	6	5	2	9
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1455	0	0	0	0	0	0	3	21	56	70	120	184	243	266	222	270
WHITE MALE	747	0	0	0	0	0	0	3	17	37	51	52	112	143	139	85	78
WHITE FEMALE	672	0	0	0	0	0	0	0	3	14	15	32	68	94	123	134	189
NON-WHITE MALE	17	0	0	0	0	0	0	0	0	3	2	5	2	3	1	1	0
NON-WHITE FEMALE	18	0	0	0	0	0	0	0	1	1	2	1	2	3	3	2	3
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	9	0	0	0	0	0	0	0	0	1	0	0	1	1	2	0	4
WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4
ANGINA PECTORIS(413)																	
TOTAL	10	0	0	0	0	0	0	0	0	0	0	0	3	1	3	1	2
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0	2
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1591	0	0	0	0	0	0	3	22	38	51	103	134	177	215	260	588
WHITE MALE	698	0	0	0	0	0	0	3	19	31	41	62	86	107	102	105	142
WHITE FEMALE	857	0	0	0	0	0	0	0	2	6	9	33	38	66	110	153	440
NON-WHITE MALE	18	0	0	0	0	0	0	0	1	1	1	7	4	1	1	2	0
NON-WHITE FEMALE	18	0	0	0	0	0	0	0	0	0	0	1	6	3	2	0	6
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	64	0	0	0	0	0	0	1	1	0	4	3	3	10	12	13	17
WHITE MALE	32	0	0	0	0	0	0	1	1	0	3	3	2	5	5	6	3
WHITE FEMALE	31	0	0	0	0	0	0	0	0	0	1	0	1	2	7	6	14
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	568	0	0	1	1	1	1	8	11	25	23	32	48	93	75	67	182
WHITE MALE	265	0	0	0	1	1	1	6	6	17	18	18	27	58	36	31	45
WHITE FEMALE	284	0	0	0	0	0	0	0	4	6	4	12	18	33	38	33	136
NON-WHITE MALE	12	0	0	1	0	0	0	1	1	2	1	2	1	0	0	2	1
NON-WHITE FEMALE	7	0	0	0	0	0	0	1	0	0	0	0	2	2	1	1	0
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	26	0	0	0	0	0	0	0	0	0	1	3	1	2	4	5	10
WHITE MALE	8	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	3
WHITE FEMALE	17	0	0	0	0	0	0	0	0	0	0	3	1	1	2	4	6
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1956

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	637	0	0	0	0	0	1	0	4	16	15	28	43	66	101	124	234
WHITE MALE	234	0	0	0	0	0	0	0	2	6	5	18	23	32	41	47	60
WHITE FEMALE	381	0	0	0	0	0	1	0	1	9	8	9	19	31	56	80	165
NON-WHITE MALE	7	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0	2
NON-WHITE FEMALE	14	0	0	0	0	0	0	0	0	1	1	1	0	2	1	2	6
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
TOTAL	102	0	0	0	0	0	0	0	1	10	6	11	12	10	13	15	24
WHITE MALE	40	0	0	0	0	0	0	0	0	4	2	5	5	4	3	5	6
WHITE FEMALE	58	0	0	0	0	0	0	0	0	5	3	6	7	6	4	10	17
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	103	0	0	0	0	0	0	0	0	0	1	4	4	16	25	14	39
WHITE MALE	36	0	0	0	0	0	0	0	0	0	0	2	1	9	12	5	7
WHITE FEMALE	64	0	0	0	0	0	0	0	0	0	0	2	3	6	13	9	31
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
CEREBRAL EMBOLISM (434.1)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	429	0	0	0	0	0	1	0	3	6	8	13	27	38	62	100	171
WHITE MALE	157	0	0	0	0	0	0	0	2	2	3	11	17	19	13	37	47
WHITE FEMALE	257	0	0	0	0	0	1	0	1	4	5	1	9	17	41	61	117
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
NON-WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	6

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ATHEROSCLEROSIS(440)																	
TOTAL	98	0	0	0	0	0	0	0	0	1	3	3	8	7	25	16	35
WHITE MALE	35	0	0	0	0	0	0	0	0	0	3	3	5	2	6	5	11
WHITE FEMALE	60	0	0	0	0	0	0	0	0	1	0	0	3	5	18	10	23
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	118	0	0	0	0	1	0	0	1	2	3	9	16	20	22	4	35
WHITE MALE	60	0	0	0	0	0	0	0	0	1	1	6	9	12	12	6	13
WHITE FEMALE	56	0	0	0	0	1	0	0	1	1	2	2	7	8	9	3	22
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	4	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	257	2	0	0	1	0	0	2	0	2	5	8	13	17	29	49	129
WHITE MALE	121	0	0	0	0	0	0	1	0	0	4	4	9	9	16	30	48
WHITE FEMALE	129	0	0	0	1	0	0	0	0	2	1	4	4	8	12	18	79
NON-WHITE MALE	6	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
PNEUMONIA(480-486)																	
TOTAL	250	2	0	0	1	0	0	2	0	2	5	8	13	16	28	48	125
WHITE MALE	120	0	0	0	0	0	0	1	0	0	4	4	9	9	16	30	47
WHITE FEMALE	123	0	0	0	1	0	0	0	0	2	1	4	4	7	11	17	76
NON-WHITE MALE	6	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INFLUENZA(487)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	354	1	0	0	1	0	0	1	1	11	9	23	54	64	60	50	73
WHITE MALE	207	1	0	0	0	0	0	0	0	7	4	20	25	39	37	33	41
WHITE FEMALE	137	0	0	0	0	0	0	0	0	4	4	9	28	23	22	16	31
NON-WHITE MALE	8	0	0	0	1	0	0	1	1	0	1	0	1	2	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	14	1	0	0	1	0	0	0	0	0	0	0	1	1	2	4	4
WHITE MALE	7	1	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
NON-WHITE MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
EMPHYSEMA(492)																	
TOTAL	43	0	0	0	0	0	0	0	0	1	1	7	7	7	6	8	6
WHITE MALE	27	0	0	0	0	0	0	0	0	1	1	4	4	5	4	6	2
WHITE FEMALE	16	0	0	0	0	0	0	0	0	0	0	3	3	2	2	2	4
ASTHMA(493)																	
TOTAL	9	0	0	0	0	0	0	1	1	1	0	1	2	1	1	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
WHITE FEMALE	5	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	1
NON-WHITE MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	288	0	0	0	0	0	0	0	0	9	8	21	44	55	51	38	62
WHITE MALE	171	0	0	0	0	0	0	0	0	6	3	16	20	32	30	26	38
WHITE FEMALE	110	0	0	0	0	0	0	0	0	3	4	5	23	21	20	11	23
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	1	0	1	2	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	28	0	0	0	0	0	0	0	1	0	0	2	1	1	12	4	7
WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	3	0	1
WHITE FEMALE	21	0	0	0	0	0	0	0	0	0	0	1	1	0	9	4	6
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
APPENDICITIS(540-543)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	31	1	0	0	1	0	1	0	0	0	1	1	2	1	6	6	11
WHITE MALE	9	0	0	0	0	0	1	0	0	0	0	0	0	0	5	2	1
WHITE FEMALE	21	1	0	0	1	0	0	0	0	0	1	1	2	1	0	4	10
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	104	0	0	0	0	0	0	0	7	16	13	5	21	20	10	4	5
WHITE MALE	53	0	0	0	0	0	0	0	5	9	9	3	7	10	7	2	1
WHITE FEMALE	48	0	0	0	0	0	0	0	2	5	4	5	13	10	3	2	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	17	0	0	0	0	0	0	0	1	0	0	0	1	1	1	4	9
WHITE MALE	8	0	0	0	0	0	0	0	1	0	0	0	0	0	0	4	3
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	5
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	100	2	0	0	1	0	0	2	2	4	4	5	5	9	16	19	31
WHITE MALE	44	1	0	0	0	0	0	1	1	1	1	4	1	5	11	8	10
WHITE FEMALE	53	1	0	0	0	0	0	1	1	3	3	1	4	3	5	10	21
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	96	2	0	0	1	0	0	2	2	4	3	5	4	9	15	19	30
WHITE MALE	43	1	0	0	0	0	0	1	1	1	1	4	1	5	10	8	10
WHITE FEMALE	50	1	0	0	0	0	0	1	1	3	2	1	3	3	5	10	20
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INFECTIONS OF KIDNEY(590)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	5
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	4
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM(630-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES(740-759)																	
TOTAL	51	30	1	1	0	3	1	2	2	1	1	0	1	4	2	2	0
WHITE MALE	23	14	0	0	0	1	1	0	0	1	1	0	1	2	1	1	0
WHITE FEMALE	22	11	1	1	0	2	0	1	2	0	0	0	0	2	1	1	0
NON-WHITE MALE	3	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	52	51	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	27	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	19	18	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	18	17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	6	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1986

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	34	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	18	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	40	10	0	0	0	1	2	4	4	4	2	0	4	1	4	2	2
WHITE MALE	21	3	0	0	0	1	2	2	2	1	2	0	2	1	2	2	1
WHITE FEMALE	13	4	0	0	0	0	0	1	0	3	0	0	2	0	2	0	1
NON-WHITE MALE	5	2	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	797	6	3	1	1	3	5	26	26	29	34	49	60	83	107	143	220
WHITE MALE	353	5	1	0	0	2	2	16	20	10	17	27	30	47	51	56	68
WHITE FEMALE	419	1	2	1	1	1	2	3	5	14	17	20	27	33	56	86	150
NON-WHITE MALE	12	0	0	0	0	0	0	4	0	3	0	0	2	2	0	0	1
NON-WHITE FEMALE	12	0	0	0	0	0	1	3	1	1	0	2	1	1	0	1	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	285	2	5	4	3	22	21	52	34	23	12	13	17	16	21	15	25
WHITE MALE	184	2	3	1	2	17	16	37	25	17	8	13	11	9	9	7	7
WHITE FEMALE	88	0	1	2	0	5	3	12	5	5	4	0	6	7	12	8	18
NON-WHITE MALE	9	0	1	1	0	0	1	2	3	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	138	1	1	2	1	17	17	30	23	13	7	4	7	5	6	3	1
WHITE MALE	96	1	0	0	0	13	14	21	16	9	5	4	6	1	3	2	1
WHITE FEMALE	34	0	0	1	0	4	3	7	5	3	2	0	1	4	3	1	0
NON-WHITE MALE	6	0	1	1	0	0	0	1	2	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1[illegible]

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	147	1	4	2	2	5	4	22	11	10	5	9	10	11	15	12	24
WHITE MALE	88	1	3	1	2	4	2	16	9	8	3	9	5	5	6	5	6
WHITE FEMALE	54	0	1	1	0	1	0	5	0	2	2	0	5	6	9	7	18
NON-WHITE MALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
SUICIDE(E950-E959)																	
TOTAL	100	0	0	0	0	8	12	33	16	12	7	4	3	3	1	1	0
WHITE MALE	78	0	0	0	0	7	11	27	9	8	7	2	2	3	1	1	0
WHITE FEMALE	18	0	0	0	0	1	0	4	6	4	0	2	1	0	0	0	0
NON-WHITE MALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	41	3	0	0	0	1	7	16	7	2	1	2	0	0	0	1	0
WHITE MALE	21	1	0	0	0	0	2	8	5	2	1	1	0	0	0	0	0
WHITE FEMALE	14	2	0	0	0	1	4	4	1	0	0	1	0	0	0	1	0
NON-WHITE MALE	4	0	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	7	0	0	0	0	0	2	2	2	0	1	0	0	0	0	0	0
WHITE MALE	5	0	0	0	0	0	2	2	0	0	1	0	0	0	0	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1986

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9712	879	845	880	777	796	718	838	753	743	838	751	864
BARRINGTON	117	12	7	7	8	16	11	6	12	12	9	8	9
BRISTOL	211	20	15	18	14	16	13	27	23	15	13	16	15
BURRILLVILLE	145	15	13	9	13	15	12	9	11	7	19	13	9
CENTRAL FALLS	238	23	24	32	16	24	19	22	19	12	17	15	15
CHARLESTOWN	44	1	5	5	3	3	6	5	4	4	2	2	4
COVENTRY	221	13	23	16	19	23	18	14	15	21	19	19	21
CRANSTON	778	81	65	67	79	58	57	65	56	61	61	61	67
CUMBERLAND	239	24	24	24	21	13	25	34	13	13	21	14	13
EAST GREENWICH	112	8	10	11	14	10	6	5	6	8	10	16	8
EAST PROVIDENCE	615	56	49	61	42	50	60	53	56	38	56	47	47
EXETER	24	2	2	3	2	1	2	3	1	0	1	3	4
FOSTER	30	1	3	1	3	2	5	4	4	3	0	2	2
GLOCESTER	52	6	4	5	5	3	4	5	4	1	6	3	6
HOPKINTON	60	1	11	6	5	4	3	6	6	5	5	2	6
JAMESTOWN	40	4	3	6	1	4	3	4	4	3	3	2	3
JOHNSTON	224	19	16	19	28	19	14	16	17	23	15	19	19
LINCOLN	189	22	20	15	12	12	10	13	13	17	18	14	23
LITTLE COMPTON	42	6	4	1	2	3	1	5	3	8	2	2	5
MIDDLETOWN	113	6	5	13	12	11	4	10	9	9	9	15	10
NARRAGANSETT	95	9	8	8	4	6	8	9	9	9	6	9	10
NEWPORT	273	20	30	23	14	21	18	22	20	26	34	20	25
NEW SHOREHAM	12	1	1	0	1	0	1	3	1	2	1	1	0
NORTH KINGSTOWN	186	25	14	19	11	15	21	16	10	16	16	7	16
NORTH PROVIDENC	332	33	27	35	23	32	16	27	20	26	29	26	38
NORTH SMITHFIEL	97	6	4	9	11	9	6	9	9	5	4	13	12
PAWTUCKET	844	71	85	76	69	51	59	71	66	74	83	63	76
PORTSMOUTH	103	3	4	8	6	8	9	16	7	6	10	15	11
PROVIDENCE	1707	153	142	141	137	140	120	137	136	135	171	145	150
RICHMOND	22	4	3	1	2	2	0	2	0	2	0	2	4
SCITUATE	80	7	5	9	11	9	7	6	7	2	3	12	2
SMITHFIELD	136	15	10	12	13	10	10	10	8	8	16	10	14
SOUTH KINGSTOWN	152	8	17	13	9	22	8	11	16	11	14	14	9
TIVERTON	127	20	11	13	11	12	3	11	8	9	10	11	8
WARREN	123	9	10	11	10	13	8	14	11	14	6	6	11
WARWICK	886	79	78	78	74	62	59	71	77	66	61	69	112
WESTERLY	229	23	19	22	12	22	16	21	12	21	20	21	20
WEST GREENWICH	21	5	0	0	2	1	4	3	0	0	3	2	1
WEST WARWICK	241	23	27	23	15	20	20	19	20	16	20	21	17
WOONSOCKET	552	45	44	60	43	54	52	54	40	35	45	41	39

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1986

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (0-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	125	87	48	23	16	38
MENINGOCOCCAL INFECTION(036)	2	0	0	0	0	2
SEPTICEMIA(038)	1	1	0	0	1	0
VIRAL DISEASES(045-079)	1	1	0	0	1	0
REMAINDER OF INFECTIOUS & PARASITIC DIS (REMAINDER OF 001-139)	7	7	6	1	0	0
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE (210-239)	1	0	0	0	0	1
DISEASES OF BLOOD AND BLOOD FORMING ORGANS (280-289)	1	1	0	0	1	0
MENINGITIS(320-322)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM & SENSE ORGANS (323-389)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	4	0	0	0	0	4
PNEUMONIA AND INFLUENZA(480-487)	2	0	0	0	0	2
PNEUMONIA(480-486)	2	0	0	0	0	2
HERNIA OF ABD. CAVITY & INTEST. OBSTRUCT. (550-553,560)	1	1	1	0	0	0
REMAINDER OF DIS. OF DIGESTIVE SYS. (520-534,536-543,562-579)	1	1	0	0	1	0
CONGENITAL ANOMALIES(740-759)	30	19	7	7	5	11
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	1	1	0	1	0	0
OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743)	2	0	0	0	0	2
CONGENITAL ANOMALIES OF HEART(745-746)	7	3	0	2	1	4
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)	3	2	0	0	2	1
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	1	0	0	0	0	1
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	5	4	2	1	1	1
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	2	2	0	1	1	0
ALL OTHER AND UNSPECIFIED CONG. ANOMALIES (744,757,759)	7	5	3	2	0	2
CERTAIN CONDITIONS ORIG. IN THE PERINATAL PERIOD (760-779)	51	46	29	12	5	5
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	2	1	1	0	0	1
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	5	5	5	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	2	2	1	1	0	0
NEWBORN AFFECTED B Y OTH. COMPLICAT. OF LABOR & DELIVERY (763)	2	1	1	0	0	1
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	6	6	5	1	0	0
BIRTH TRAUMA(767)	2	2	1	1	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	1	1	0	0	1	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	1	1	0	0	1	0
RESPIRATORY DISTRESS SYNDROME(769)	14	14	7	7	0	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	8	7	4	1	2	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	3	3	3	0	0	0
NEONATAL HEMORRHAGE(772)	2	2	0	1	1	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	4	2	1	0	1	2
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	10	5	3	2	0	5
SUDDEN INFANT DEATH SYNDROME(798.0)	3	0	0	0	0	3
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-797,798.1-799)	7	5	3	2	0	2
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	2	1	1	0	0	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)	2	1	1	0	0	1
HOMICIDE(E960-E969)	3	1	1	0	0	2
OTHER HOMICIDE(E960-E966,E968-E969)	3	1	1	0	0	2
ALL OTHER CAUSES(RESIDUAL)	6	3	0	1	2	3

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1986

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
		AGE OF DECEDENT IN YEARS															
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	285**	2	5	4	3	22	21	52	34	23	12	13	17	16	21	15	25
MALE	194	2	4	2	3	17	17	39	28	18	8	13	11	9	9	7	7
FEMALE	91	0	1	2	0	5	4	13	6	5	4	0	6	7	12	8	18
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	138	1	1	2	1	17	17	30	23	13	7	4	7	5	6	3	1
MALE	103	1	1	1	1	13	14	22	18	10	5	4	6	1	3	2	1
FEMALE	35	0	0	1	0	4	3	8	5	3	2	0	1	4	3	1	0
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	147	1	4	2	2	5	4	22	11	10	5	9	10	11	15	12	24
MALE	91	1	3	1	2	4	3	17	10	8	3	9	5	8	6	5	6
FEMALE	56	0	1	1	0	1	1	5	1	2	2	0	5	3	9	7	18
00 HOME																	
TOTAL	65	0	3	1	0	3	2	6	5	3	1	5	6	7	7	4	12
MALE	42	0	2	0	0	3	2	5	5	2	0	5	3	5	2	3	5
FEMALE	23	0	1	1	0	0	0	1	0	1	1	0	3	2	5	1	7
30-39 INDUSTRIAL																	
TOTAL	6	0	0	0	0	0	0	2	0	1	1	2	0	0	0	0	0
MALE	6	0	0	0	0	0	0	2	0	1	1	2	0	0	0	0	0
30 MANUFACTURING																	
TOTAL	4	0	0	0	0	0	0	2	0	1	0	1	0	0	0	0	0
MALE	4	0	0	0	0	0	0	2	0	1	0	1	0	0	0	0	0
31 CONSTRUCTION																	
TOTAL	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
MALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
40-49 PLACE OF RECREATION																	
TOTAL	4	0	1	0	0	1	0	2	0	0	0	0	0	0	0	0	0
MALE	3	0	1	0	0	0	0	2	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
41 BOATING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1986

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
AGE OF DECEDENT IN YEARS																	
46 SKIING																	
TOTAL	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
49 OTHERS AND UNKNOWN																	
TOTAL	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	3	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
60 PUBLIC BUILDING																	
TOTAL	3	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0
MALE	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	20	0	0	0	0	0	0	0	1	0	0	1	3	1	2	4	8
MALE	6	0	0	0	0	0	0	0	1	0	0	1	1	0	1	1	1
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	2	1	1	3	7
80-88 OTHER SPECIFIED PLACE																	
TOTAL	7	0	0	1	1	0	0	2	0	2	0	0	1	0	0	0	0
MALE	6	0	0	1	1	0	0	1	0	2	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
80 OPEN SEA																	
TOTAL	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
MALE	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
MALE	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
88 OTHER																	
TOTAL	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
90 UNKNOWN																	
TOTAL	29	0	0	0	0	0	1	8	4	1	1	0	0	1	6	4	3
MALE	15	0	0	0	0	0	0	6	4	0	0	0	0	1	3	1	0
FEMALE	14	0	0	0	0	0	1	2	0	1	1	0	0	0	3	3	3

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.
** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9712	87	125	2353	588	232	16	55	171	3805	1455	19
BARRINGTON	117	1	1	31	5	3	1	1	2	45	17	0
301	39	0	0	13	4	1	0	0	0	17	8	0
302	24	0	0	3	0	1	0	0	1	11	3	0
303	25	0	0	7	1	0	1	0	0	9	4	0
304	29	1	1	8	0	1	0	1	1	8	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	211	0	0	42	7	2	0	3	5	101	37	0
307	38	0	0	11	3	0	0	1	1	18	9	0
308	45	0	0	5	1	0	0	1	1	25	7	0
309	128	0	0	26	3	2	0	1	3	58	21	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	145	1	3	30	12	3	1	1	1	66	22	0
129	83	1	1	21	10	2	1	0	1	40	19	0
130	62	0	2	9	2	1	0	1	0	26	3	0
CENTRAL FALLS	238	4	5	52	10	4	0	2	4	92	37	1
108	78	1	1	18	3	2	0	0	0	36	14	0
109	69	1	2	17	4	2	0	0	4	24	10	1
110	48	0	0	13	2	0	0	1	0	14	4	0
111	42	1	1	4	1	0	0	1	0	18	9	0
UNKNOWN	1	1	1	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	44	0	0	12	2	3	0	1	0	15	6	0
COVENTRY	221	1	2	63	21	11	0	0	6	73	38	0
206	159	1	1	45	17	7	0	0	6	51	26	0
207	62	0	1	18	4	4	0	0	0	22	12	0
CRANSTON	778	4	6	202	48	23	1	4	20	294	102	0
134	48	0	0	11	3	1	0	0	2	20	9	0
135	50	1	1	15	5	3	0	0	1	17	5	0
136	25	0	0	1	1	0	0	0	0	7	2	0
137	72	1	1	14	5	1	0	1	1	33	10	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON(CONT.)												
138	58	0	0	19	4	0	1	0	0	19	4	0
139	55	0	1	13	2	2	0	0	1	17	6	0
140	77	0	1	22	3	2	0	1	7	27	9	0
141	63	1	1	14	4	1	0	1	1	23	11	0
142	28	0	0	10	6	0	0	0	1	9	3	0
143	40	0	0	11	1	2	0	0	1	13	4	0
144	48	0	0	15	2	5	0	0	1	16	5	0
145	60	0	0	16	3	3	0	0	2	27	13	0
146	27	0	0	8	2	0	0	0	0	11	2	0
147	81	1	1	21	5	1	0	0	1	38	13	0
148	43	0	0	10	2	1	0	0	1	16	6	0
UNKNOWN	3	0	0	2	0	1	0	1	0	1	0	0
CUMBERLAND	239	4	4	65	20	8	0	0	6	102	43	0
112	46	2	2	14	3	3	0	0	2	21	7	0
113	77	1	1	17	5	3	0	0	4	33	11	0
114	116	1	1	34	12	2	0	0	0	48	25	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	112	1	1	27	3	4	0	0	0	50	22	1
EAST PROVIDENCE	615	3	6	162	42	14	4	4	6	231	77	1
101	85	0	0	27	8	3	0	0	1	30	12	0
102	85	0	0	16	3	1	2	1	2	40	9	0
103	59	0	0	15	7	1	0	0	0	17	3	0
104	86	0	0	22	5	1	0	0	0	35	12	0
105	144	1	1	34	8	2	0	2	0	62	21	1
106	75	1	2	19	6	1	1	0	2	28	8	0
107	80	1	3	29	5	5	1	1	1	19	12	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	24	1	1	3	0	0	0	0	0	7	3	0
FOSTER-133	30	1	1	5	2	0	0	0	0	16	3	0
GLOCESTER-131	52	0	0	11	0	3	0	0	1	18	6	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	60	0	0	15	6	1	0	0	0	23	11	0
JAMESTOWN-413	40	0	0	11	2	1	0	0	0	13	5	0
JOHNSTON	224	3	3	57	17	6	1	2	3	91	35	1
122	33	1	1	6	3	1	0	0	0	14	6	0
123	38	0	0	11	5	1	0	1	0	14	4	0
124	98	2	2	26	5	4	1	1	3	37	17	1
125	55	0	0	14	4	0	0	0	0	26	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	189	1	1	51	16	6	0	0	3	78	26	2
115	68	0	0	16	6	1	0	0	0	34	10	0
116	36	1	1	9	2	2	0	0	0	15	5	0
117	84	0	0	26	8	3	0	0	3	29	11	2
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	42	0	0	10	2	1	0	0	0	17	8	0
MIDDLETOWN	113	1	3	26	9	4	0	1	1	44	14	0
402	2	0	0	0	0	0	0	0	0	1	1	0
403	56	0	2	14	6	1	0	1	1	24	6	0
404	55	1	1	12	3	3	0	0	0	19	7	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	95	2	3	17	6	4	0	0	4	45	17	0
NEWPORT	273	7	7	69	15	4	1	3	3	107	43	1
405	37	1	1	9	0	0	0	0	1	16	7	1
406	60	2	2	15	3	2	0	1	1	27	14	0
407	39	0	0	9	1	0	0	0	0	14	7	0
408	40	0	0	10	1	0	1	1	0	19	2	0
409	53	3	3	18	5	2	0	1	1	12	5	0
410	22	0	0	4	3	0	0	0	0	5	2	0
411	16	0	0	1	0	0	0	0	0	12	4	0
412	6	1	1	3	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	12	2	2	2	1	1	0	0	1	3	2	0
NORTH KINGSTOWN	186	2	4	49	13	5	0	3	2	66	30	0
501	85	0	1	25	8	3	0	1	1	35	16	0
502	9	0	0	2	0	1	0	0	0	3	1	0
503	61	1	1	13	4	1	0	0	1	19	9	0
504	31	1	2	9	1	0	0	2	0	9	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	332	2	2	90	29	5	0	0	5	130	34	2
118	58	0	0	24	10	1	0	0	0	17	4	0
119	49	0	0	12	5	0	0	0	0	17	5	0
120	90	0	0	26	5	2	0	0	2	37	8	1
121	135	2	2	28	9	2	0	0	3	59	17	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	97	1	1	24	3	2	0	1	2	32	16	0
PAWTUCKET	844	7	11	204	53	16	1	9	19	343	137	3
149	25	0	0	4	1	0	0	0	2	13	4	1
150	39	0	0	11	2	0	0	2	1	13	6	0
151	44	1	1	16	4	2	0	0	0	16	7	0
152	66	0	2	10	2	0	1	0	1	37	12	0
153	33	0	1	6	2	0	0	1	0	18	9	0
154	11	0	0	3	1	0	0	0	0	2	0	0
155	38	0	0	9	4	0	0	1	0	16	3	0
156	23	0	0	7	2	0	0	0	0	11	3	0
157	41	1	1	10	2	0	0	0	0	20	9	1
158	41	0	0	9	2	2	0	0	2	11	6	0
159	29	0	0	9	4	0	0	0	1	10	6	0
160	24	1	1	7	2	0	0	0	0	8	5	0
161 **	50	0	1	12	3	1	0	0	1	18	6	0
163	31	0	0	9	2	1	0	1	3	12	2	0
164 **	68	0	0	13	4	1	0	0	4	30	18	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	40	0	0	19	7	3	0	0	0	10	5	1
166	29	0	0	3	1	0	0	1	0	12	6	0
167	47	1	1	3	2	0	0	1	1	12	5	0
168	44	1	1	12	3	1	0	0	1	17	10	0
169	18	1	1	4	1	1	0	0	0	5	1	0
170	57	0	0	12	2	2	0	1	0	31	9	0
171	45	1	1	10	0	2	0	1	2	20	5	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
PORTSMOUTH-401	103	0	0	23	2	3	0	3	0	39	15	0
PROVIDENCE	1707	19	30	372	87	36	2	5	38	635	207	1
1	71	1	1	10	3	0	0	0	1	26	9	0
2	81	1	3	16	4	4	0	0	2	22	5	0
3	55	2	2	9	3	1	0	0	3	19	6	0
4	21	1	2	3	0	0	0	0	0	6	1	0
5	18	1	1	4	1	1	0	0	1	7	1	0
6	13	1	1	5	1	0	0	0	0	4	1	0
7	43	0	0	4	0	1	0	1	1	16	2	0
8	79	0	0	16	5	2	0	0	1	26	6	0
9	53	0	0	16	4	1	0	0	2	13	5	0
10	47	0	1	8	2	0	0	0	1	17	6	0
11	26	0	0	7	4	0	0	0	0	9	3	0
12	32	0	0	3	1	1	0	0	0	18	7	0
13	37	3	4	6	1	1	0	0	1	16	4	0
14	37	0	0	7	2	1	0	0	1	16	1	0
15	23	0	1	6	1	0	0	1	0	11	6	0
16	61	0	0	21	8	2	0	0	0	23	6	0
17	27	0	0	7	0	0	0	0	1	15	7	0
18	47	2	2	9	3	1	0	0	1	14	5	0
19	70	1	1	14	4	0	0	0	2	25	10	0
20	52	1	1	4	0	0	0	0	1	23	7	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	92	0	0	21	5	2	0	0	1	39	16	1
22	30	0	0	9	2	0	1	0	0	10	4	0
23	59	2	2	15	4	1	0	0	2	19	7	0
24	59	0	1	11	3	2	0	0	0	21	12	0
25	19	0	0	4	1	1	0	0	1	7	2	0
26	50	1	3	11	3	0	0	0	1	21	8	0
27	30	0	0	12	4	2	0	1	1	8	5	0
28	65	0	0	22	6	4	1	1	1	19	9	0
29	73	0	2	19	2	1	0	0	2	25	7	0
30	16	0	0	4	1	0	0	0	0	6	1	0
31	39	0	0	9	1	2	0	0	1	14	4	0
32	26	0	0	7	2	0	0	0	1	8	3	0
33	111	0	0	18	3	0	0	1	4	50	12	0
34	31	0	0	11	1	1	0	0	1	14	7	0
35	49	0	0	9	0	0	0	0	2	22	5	0
36	26	0	0	7	1	3	0	0	0	8	1	0
37	35	1	1	8	1	1	0	0	1	17	6	0
UNKNOWN	4	1	1	0	0	0	0	0	0	1	0	0
INNER CITY	595	11	16	118	29	11	0	1	16	225	67	0
RICHMOND-506	22	0	0	4	1	0	0	0	0	8	6	0
SCITUATE-132	80	0	0	16	2	2	0	0	0	38	13	0
SMITHFIELD	136	1	1	32	5	2	0	1	0	52	19	0
126	67	1	1	15	2	0	0	0	0	25	10	0
127	69	0	0	17	3	2	0	1	0	27	9	0
SOUTH KINGSTOWN	152	5	5	32	11	2	0	0	2	57	19	0
512	91	0	0	17	4	0	0	0	2	38	15	0
513	60	5	5	14	6	2	0	0	0	19	4	0
514	1	0	0	1	1	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	127	1	1	39	10	7	1	1	7	45	24	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	70	0	0	21	6	2	0	1	3	24	16	0
417	57	1	1	18	4	5	1	0	4	21	8	0
WARREN	123	2	2	24	5	3	0	1	2	45	21	0
305	36	1	1	5	1	2	0	0	1	13	5	0
306	87	1	1	19	4	1	0	1	1	32	16	0
WARWICK	886	5	9	234	52	24	1	3	15	324	142	4
210	87	0	1	26	8	2	0	0	1	29	19	0
211	57	0	1	16	3	1	0	1	0	22	8	1
212	51	0	0	15	2	1	0	1	1	16	6	0
213	61	0	0	15	2	2	0	0	0	21	10	0
214	105	2	2	26	6	3	0	0	2	38	15	0
215	46	0	0	15	3	3	0	0	1	19	8	0
216	9	0	0	3	1	0	0	0	0	2	0	0
217	63	0	0	15	3	2	0	0	1	25	7	1
218	43	1	1	14	4	1	0	0	0	17	7	0
219	102	1	2	31	8	3	0	1	1	30	14	1
220	39	0	1	7	1	0	0	0	0	17	9	0
221	65	0	0	15	5	3	0	0	2	26	11	1
222	87	0	0	14	2	2	0	0	2	38	17	0
223	53	1	1	14	1	1	0	0	3	21	9	0
224	17	0	0	8	3	0	1	0	1	2	2	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
WESTERLY	229	0	1	46	12	5	0	1	2	102	48	1
508	135	0	1	28	9	3	0	1	1	58	30	1
509	66	0	0	11	3	0	0	0	1	31	12	0
510	28	0	0	7	0	2	0	0	0	13	6	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	21	0	0	8	3	0	0	0	0	8	5	0
WEST WARWICK	241	1	2	59	14	6	2	1	4	105	48	1
201	60	1	1	10	3	1	0	0	2	30	12	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	50	0	0	11	2	0	1	0	0	20	12	0
203	56	0	0	17	4	3	1	0	0	25	11	1
204	24	0	0	8	2	1	0	1	1	11	7	0
205	51	0	1	13	3	1	0	0	1	19	6	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	552	4	7	134	40	8	0	4	7	245	97	0
172	38	0	0	9	6	1	0	0	0	16	5	0
173	36	0	0	7	2	1	0	0	1	18	6	0
174	29	0	0	9	3	2	0	0	0	9	5	0
175	38	0	0	12	3	1	0	1	1	19	6	0
176	31	1	1	9	3	0	0	0	0	10	3	0
177	32	0	0	7	1	0	0	0	0	15	11	0
178	32	0	1	8	3	0	0	0	1	12	5	0
179	60	1	3	14	4	2	0	1	0	25	11	0
180	59	0	0	7	2	0	0	0	2	29	11	0
181	32	0	0	7	3	0	0	0	2	14	8	0
182	19	0	0	6	1	0	0	0	0	8	4	0
183	22	0	0	5	2	0	0	1	0	9	4	0
184	84	2	2	27	6	1	0	1	0	37	14	0
185	40	0	0	7	1	0	0	0	0	24	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	637	98	257	354	104	51	52	285	138	100	41	7
BARRINGTON	5	2	1	5	0	0	0	4	3	5	0	1
301	1	0	1	2	0	0	0	0	0	1	0	0
302	2	0	0	0	0	0	0	1	1	1	0	0
303	2	2	0	0	0	0	0	1	1	1	0	0
304	0	0	0	3	0	0	0	2	1	2	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	13	1	6	10	1	0	0	6	3	1	0	0
307	3	0	3	0	0	0	0	0	0	0	0	0
308	2	0	0	1	0	0	0	2	0	0	0	0
309	8	1	3	9	1	0	0	4	3	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	12	1	4	5	1	3	0	7	4	0	0	0
129	10	0	2	4	0	0	0	1	0	0	0	0
130	2	1	2	1	1	3	0	6	4	0	0	0
CENTRAL FALLS	13	5	3	8	4	2	3	7	3	5	1	0
108	3	1	2	3	1	0	1	3	3	2	0	0
109	4	2	1	3	1	0	1	1	0	1	1	0
110	2	1	0	2	0	1	0	3	0	2	0	0
111	4	1	0	0	2	1	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	1	0	0	0	0	0
CHARLESTOWN-511	3	0	1	1	2	0	0	2	0	0	0	0
COVENTRY	16	2	3	9	0	1	0	9	5	4	2	0
206	11	1	2	7	0	1	0	6	3	1	1	0
207	5	1	1	2	0	0	0	3	2	3	1	0
CRANSTON	47	5	19	24	7	5	4	17	8	14	1	0
134	6	0	1	2	1	0	0	0	0	1	0	0
135	3	0	3	1	0	0	1	1	1	2	0	0
136	3	0	2	0	0	2	0	1	1	1	1	0
137	2	0	1	2	1	0	1	2	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON(CONT.)												
138	5	0	2	2	2	0	0	0	0	1	0	0
139	4	0	1	0	1	0	0	4	3	1	0	0
140	2	2	0	3	0	0	1	1	1	0	0	0
141	5	0	0	5	1	1	1	2	0	0	0	0
142	1	0	2	0	0	2	0	0	0	0	0	0
143	1	0	1	3	0	0	0	1	1	3	0	0
144	3	1	1	2	0	0	0	0	0	0	0	0
145	1	0	0	1	0	0	0	1	0	2	0	0
146	1	0	0	2	0	0	0	1	0	3	0	0
147	4	1	1	1	1	0	0	3	0	0	0	0
148	6	1	4	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	10	2	7	3	3	3	0	3	1	1	0	1
112	2	0	1	0	0	2	0	1	1	0	0	1
113	3	0	1	1	1	0	0	1	0	0	0	0
114	5	2	5	2	2	1	0	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	5	2	1	3	1	0	1	2	0	0	0	0
EAST PROVIDENCE	41	8	18	19	4	3	1	14	5	2	2	1
101	5	1	2	4	1	0	0	0	0	1	0	0
102	6	0	3	3	0	0	0	3	1	0	0	0
103	7	3	1	2	1	0	0	2	1	0	0	0
104	7	0	3	1	0	0	0	2	1	0	1	0
105	7	1	5	5	0	2	0	2	0	1	1	0
106	2	2	1	2	0	0	0	4	2	0	0	0
107	6	1	3	2	2	1	1	1	0	0	0	1
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	3	0	2	2	0	0	1	1	1	0	0	0
FOSTER-133	2	0	0	1	0	0	0	2	2	0	0	0
GLOCESTER-131	6	0	3	1	0	0	0	4	1	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	9	0	1	2	0	0	0	1	1	1	1	0
JAMESTOWN-413	4	0	1	1	0	0	0	1	1	0	0	0
JOHNSTON	11	3	7	4	0	1	1	7	4	0	2	1
122	3	0	2	1	0	1	0	0	0	0	1	0
123	2	0	1	0	0	0	0	2	1	0	0	1
124	5	1	3	1	0	0	1	3	2	0	1	0
125	1	2	1	2	0	0	0	2	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	14	2	7	9	1	1	1	2	1	1	0	0
115	6	0	2	3	0	0	0	1	0	0	0	0
116	1	0	1	2	0	1	1	1	1	1	0	0
117	7	2	3	4	1	0	0	0	0	0	0	0
UNKNOWN	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	5	3	1	1	0	0	0	1	1	0	0	0
MIDDLETOWN	10	2	4	4	1	3	0	6	4	1	0	0
402	0	0	0	0	0	0	0	1	0	0	0	0
403	3	0	2	4	1	0	0	4	4	0	0	0
404	7	2	2	0	0	3	0	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	5	0	1	3	3	0	3	3	1	1	0	0
NEWPORT	34	4	2	5	4	1	5	8	2	0	1	0
405	4	1	0	0	1	0	1	1	0	0	0	0
406	4	0	0	0	0	1	1	2	1	0	1	0
407	9	1	0	0	0	0	0	0	0	0	0	0
408	7	0	0	1	1	0	0	0	0	0	0	0
409	5	1	2	1	2	0	2	2	1	0	0	0
410	4	0	0	3	0	0	0	3	0	0	0	0
411	1	1	0	0	0	0	0	0	0	0	0	0
412	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	0	0	0	0	0	0	2	0	0	1	0	1
NORTH KINGSTOWN	13	5	5	10	2	3	0	7	5	1	0	0
501	5	2	2	2	1	1	0	2	1	0	0	0
502	0	1	0	2	0	0	0	0	0	0	0	0
503	4	2	3	6	1	0	0	2	2	0	0	0
504	4	0	0	0	0	2	0	3	2	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	26	4	9	7	2	2	0	6	2	4	1	0
118	4	0	2	1	1	0	0	0	0	2	0	0
119	5	0	1	2	0	0	0	2	1	1	1	0
120	6	0	4	2	0	0	0	1	0	1	0	0
121	11	4	2	2	1	2	0	3	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	14	0	3	6	1	0	1	6	5	1	0	0
PAWTUCKET	39	11	23	34	8	3	4	18	8	3	4	0
149	1	1	0	2	0	0	0	0	0	0	0	0
150	1	0	1	2	1	0	0	2	1	0	0	0
151	2	0	0	3	0	0	1	1	0	1	0	0
152	4	0	1	2	0	1	0	1	0	0	1	0
153	1	1	0	1	1	0	0	0	0	1	0	0
154	0	0	0	2	0	0	0	2	1	0	0	0
155	1	0	0	0	1	0	0	0	0	0	1	0
156	1	0	1	0	2	0	0	0	0	0	0	0
157	3	0	1	3	0	1	0	1	0	0	0	0
158	2	1	1	1	1	0	0	0	0	0	0	0
159	2	1	2	2	0	0	0	0	0	0	0	0
160	0	0	3	1	0	0	0	2	2	0	1	0
161 **	5	1	1	2	0	0	1	0	0	0	0	0
163	0	1	2	1	0	0	0	0	0	0	0	0
164 **	2	0	5	1	0	1	0	3	1	0	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	1	2	1	1	0	0	0	0	0	0	0	0
166	6	2	1	0	0	0	0	0	0	0	0	0
167	2	0	2	3	0	0	0	3	2	0	0	0
168	2	0	0	1	0	0	0	1	0	1	0	0
169	2	0	1	1	0	0	1	1	1	0	0	0
170	1	0	0	4	1	0	0	0	0	0	0	0
171	0	1	0	1	1	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	13	0	0	4	3	0	0	6	4	0	0	0
PROVIDENCE	100	19	55	76	23	11	11	50	22	16	21	2
1	5	1	4	2	0	1	0	3	2	0	0	0
2	2	3	2	1	1	2	0	4	3	3	2	0
3	3	0	2	2	0	1	1	3	1	1	2	0
4	2	0	1	2	0	0	0	0	0	1	1	0
5	0	1	0	1	0	0	2	0	0	0	0	0
6	0	0	0	0	0	0	1	1	0	0	1	0
7	3	1	2	2	1	0	0	0	0	0	4	0
8	7	1	4	8	4	0	0	0	0	1	0	0
9	5	0	1	3	1	0	0	1	1	0	2	0
10	3	1	2	3	2	0	0	0	0	0	1	0
11	0	0	1	2	1	0	0	1	1	0	1	0
12	0	1	1	1	0	0	0	2	0	0	0	0
13	1	0	2	2	1	0	3	1	1	0	0	0
14	2	0	0	5	0	0	0	0	0	1	1	0
15	1	1	1	0	0	1	0	0	0	0	0	0
16	4	2	1	2	0	0	0	2	1	0	0	0
17	2	0	1	0	0	0	0	0	0	0	0	0
18	0	0	3	4	0	0	1	2	1	0	0	0
19	5	1	2	4	1	0	1	7	5	0	0	1
20	6	2	2	2	0	0	0	3	2	0	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	4	0	2	3	1	0	0	3	0	0	1	1
22	3	0	0	2	2	0	0	0	0	2	0	0
23	3	0	2	0	1	1	1	2	0	0	0	0
24	5	2	2	1	2	1	0	1	1	0	0	0
25	0	0	1	2	0	0	0	1	1	0	0	0
26	2	0	2	2	0	0	0	1	0	1	2	0
27	1	0	0	0	1	0	0	1	0	0	0	0
28	5	0	2	4	0	0	0	2	0	3	0	0
29	3	1	1	5	2	2	0	2	0	0	0	0
30	3	0	0	1	0	0	0	0	0	0	0	0
31	4	0	3	2	0	0	0	2	0	0	0	0
32	0	0	0	1	0	1	0	1	1	1	0	0
33	11	0	6	2	0	0	0	1	1	0	0	0
34	0	0	0	0	1	1	0	0	0	0	0	0
35	3	0	0	4	0	0	0	1	0	1	0	0
36	2	1	1	0	1	0	0	1	0	1	0	0
37	0	0	1	1	0	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	2	0
INNER CITY	30	5	21	34	7	1	9	21	10	4	15	1
RICHMOND-506	2	0	0	0	1	0	0	5	4	0	0	0
SCITUATE-132	5	0	6	2	1	0	0	3	3	1	0	0
SMITHFIELD	4	1	3	3	2	0	1	8	6	1	1	0
126	2	0	3	1	1	0	1	3	3	1	1	0
127	2	1	0	2	1	0	0	5	3	0	0	0
SOUTH KINGSTOWN	11	2	5	5	2	1	3	3	1	3	0	0
512	7	0	3	4	2	0	0	2	1	1	0	0
513	4	2	2	1	0	1	3	1	0	2	0	0
514	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	10	0	1	4	2	0	1	4	2	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	9	0	0	2	2	0	0	1	1	0	0	0
417	1	0	1	2	0	0	1	3	1	0	0	0
WARREN	8	1	3	5	2	2	1	1	0	1	0	0
305	4	0	1	0	1	1	1	0	0	0	0	0
306	4	1	2	5	1	1	0	1	0	1	0	0
WARWICK	56	7	25	40	5	4	3	34	13	13	0	0
210	6	0	3	2	1	0	0	4	2	1	0	0
211	3	1	0	5	0	0	1	2	0	0	0	0
212	5	1	2	0	0	0	0	1	0	1	0	0
213	6	0	1	3	0	0	0	3	0	0	0	0
214	5	1	3	8	0	0	1	5	2	3	0	0
215	2	0	2	2	0	0	0	2	0	0	0	0
216	0	1	2	0	0	0	0	0	0	0	0	0
217	1	1	2	4	0	0	0	1	1	1	0	0
218	3	1	0	0	0	1	0	1	0	0	0	0
219	7	0	5	6	0	1	0	6	3	1	0	0
220	4	0	0	2	0	2	0	2	1	0	0	0
221	4	0	1	3	0	0	0	3	0	0	0	0
222	7	1	2	4	1	0	0	3	3	2	0	0
223	2	0	2	1	3	0	1	1	1	2	0	0
224	1	0	0	0	0	0	0	0	0	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	23	2	3	6	5	0	0	9	5	5	0	0
508	16	2	2	3	2	0	0	4	2	2	0	0
509	6	0	1	2	1	0	0	5	3	2	0	0
510	1	0	0	1	2	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	2	0	1	0	0	0	0	0	0	0	0	0
WEST WARWICK	13	1	10	9	1	1	1	4	3	1	4	0
201	3	0	3	0	0	0	1	1	1	0	2	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1986

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	4	0	2	3	1	0	0	3	2	0	0	0
203	2	1	3	3	0	0	0	0	0	1	0	0
204	1	0	0	0	0	0	0	0	0	0	0	0
205	3	0	2	3	0	1	0	0	0	0	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	30	3	13	23	12	1	4	14	4	12	0	0
172	1	0	0	2	0	0	0	5	0	2	0	0
173	0	0	2	1	2	0	0	1	0	0	0	0
174	4	0	0	1	0	0	0	1	0	0	0	0
175	2	0	0	2	0	0	0	0	0	2	0	0
176	1	1	0	1	1	0	1	1	0	1	0	0
177	5	1	0	1	0	0	0	1	0	0	0	0
178	1	0	3	2	1	0	0	1	1	0	0	0
179	5	0	0	3	2	1	1	2	1	2	0	0
180	5	1	1	4	4	0	0	0	0	0	0	0
181	1	0	2	0	0	0	0	0	0	0	0	0
182	0	0	0	0	0	0	0	0	0	2	0	0
183	1	0	2	2	2	0	0	0	0	0	0	0
184	3	0	3	4	0	0	2	2	2	1	0	0
185	1	0	0	0	0	0	0	0	0	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1986

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	285	2	5	7	43	86	48	69	25
MOTOR VEHICLE ACCIDENTS(810-825)	138	1	1	3	34	53	24	21	1
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	43	1	0	0	13	20	9	0	0
COLLISION WITH PEDESTRIAN(814)	34	0	1	2	5	9	8	8	1
OTHER COLLISION ACCIDENTS(810,811, 813,815)	38	0	0	0	12	14	4	8	0
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	19	0	0	1	3	10	3	2	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	3	0	0	0	1	0	0	2	0
MOTOR VEHICLE NON-TRAFFIC ACCIDENTS (820-825)	1	0	0	0	0	0	0	1	0
WATER TRANSPORT ACCIDENTS(830-838)	4	0	0	1	0	1	1	1	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	3	0	0	0	0	0	3	0	0
POISONING(850-869)	26	0	0	0	3	19	2	2	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	20	0	0	0	2	17	0	1	0
BY OTHER SOLIDS, LIQUIDS, GASES, AN VAPORS(860-869	6	0	0	0	1	2	2	1	0
FALLS(880-888)	52	0	0	0	0	1	8	23	20
FIRES AND FLAMES(890-899)	12	0	1	1	2	3	2	3	0
DROWNING AND SUBMERSION(910)	8	0	2	1	0	4	0	1	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	19	0	0	0	1	0	1	13	4
ELECTRIC CURRENT(925)	1	0	0	0	1	0	0	0	0
ALL OTHER (RESIDUAL)	22	1	1	1	2	5	7	5	0

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1986
(Rhode Island Residents: Rate per 100,000 Population, Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD,1975)	1986 Number	1986 Rate	1985 Rate	Per Cent Change
	BOTH SEXES				
	TOTAL	9712	10.0	10.0	---
1.	Diseases of the Heart(390-398,402,404-429)	3805	390.3	380.5	+ 2.6
2.	Malignant Neoplasms(140-208)	2353	241.3	244.3	- 1.2
3.	Cerebrovascular Diseases(430-438)	637	65.3	66.6	- 2.0
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	354	36.3	36.5	- 0.5
5.	Accidents and Adverse Effects(E810-E949)	285	29.2	27.3	+ 7.0
6.	Pneumonia and Influenza(480-487)	257	26.4	27.2	- 2.9
7.	Diabetes Mellitus(250)	171	17.5	22.8	-23.2
8.	Septicemia(038)	106	10.9	9.4	+16.0
9.	Chronic liver disease and cirrhosis(571)	104	10.7	11.3	- 5.3
10.	Suicide(E950-E959)	100	10.3	9.9	+ 4.0
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	100	10.3	12.0	-14.2
	All Other Causes	1440	147.7	151.9	- 2.8
	MALE				
	TOTAL	4799	10.3	10.4	- 1.0
1.	Diseases of the Heart(390-398,402,404-429)	1835	395.0	395.6	- 0.2
2.	Malignant Neoplasms(140-208)	1215	261.6	263.6	- 0.8
3.	Cerebrovascular Diseases(430-438)	241	51.9	47.5	+ 9.3
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	215	46.3	47.9	- 3.3
5.	Accidents and Adverse Effects(E810-E949)	194	41.8	36.0	+16.1
6.	Pneumonia and Influenza(480-487)	127	27.3	26.0	+ 5.0
7.	Suicide(E950-E959)	81	17.4	14.7	+18.4
8.	Diabetes Mellitus(250)	68	14.6	21.0	-30.5
9.	Chronic Liver Disease and Cirrhosis(571)	54	11.6	14.5	-20.0
10.	Septicemia(038)	48	10.3	8.7	+18.4
	All Other Causes	721	155.2	158.9	- 2.3
	FEMALE				
	TOTAL	4913	9.6	9.5	+ 1.1
1.	Diseases of the Heart(390-398,402,404-429)	1970	385.9	366.7	+ 5.2
2.	Malignant Neoplasms(140-208)	1138	222.9	226.7	- 1.7
3.	Cerebrovascular Diseases(430-438)	396	77.6	84.0	- 7.6
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	139	27.2	26.0	+ 4.6
5.	Pneumonia and Influenza(480-487)	130	25.5	28.2	- 9.6
6.	Diabetes Mellitus(250)	103	20.2	24.5	-17.6
7.	Accidents and Adverse Effects(E810-E949)	91	17.8	19.3	- 7.8
8.	Atherosclerosis(440)	61	11.9	15.4	-22.7
9.	Septicemia(038)	58	11.4	10.1	+12.9
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	55	10.8	11.8	- 8.5
	All Other Causes	772	151.2	141.4	+ 6.9

Table 32 - Five Leading Causes of Death in Specific Age Groups: Rhode Island, 1986
(Rhode Island Residents; Rates per 100,000 Population For Specified Groups)

Age Group & Rank	Cause of Death(ICD,1975)	1986 Number	1986 Rate	1985 Rate	Per Cent Change
Under 5 Years	ALL CAUSES	141	241.6	207.1	+16.7
1.	Certain Conditions Originating in the Perinatal Period (760-779)	52	89.1	74.1	+20.2
2.	Congenital Anomalies(740-759)	31	53.1	53.5	- 0.7
3.	Accidents and Adverse Effects(E800-E949)	7	12.0	10.4	+15.4
4.	Malignant Neoplasms*(140-208)	4	6.9	**	**
5.	Meningococcal Infection(036)	3	5.1	**	**
5.	Acute Bronchitis and Bronchiolitis(466)	3	5.1	1.7	+ 2.0
5.	Sudden Infant Death Syndrome(798.0)	3	5.1	5.2	- 1.9
5.	Homicide(E960-E969)	3	5.1	5.2	- 1.9
	All Other Causes	35	60.0	58.7	+ 2.2
5-19 Years	ALL CAUSES	61	26.3	29.9	-12.0
1.	Accidents and Adverse Effects(E800-E949)	29	12.5	15.6	-19.9
2.	Suicide(E950-E959)	8	3.4	3.0	+13.3
3.	Congenital Anomalies (740-759)	4	1.7	1.6	+ 6.3
4.	Diseases of the Heart(390-398,402,404-429)	3	1.3	1.7	-23.5
5.	Malignant Neoplasms*(140-208)	2	0.9	4.3	-79.1
	All Other Causes	15	6.5	4.3	+51.2
20-44 Years	ALL CAUSES	490	142.0	127.3	+11.5
1.	Accidents and Adverse Effects(E800-E949)	107	31.0	27.4	+13.1
2.	Malignant Neoplasms*(140-208)	98	28.4	23.4	+21.4
3.	Diseases of the Heart(390-398,402,404-429)	75	21.7	16.6	+30.7
4.	Suicide(E950-E959)	61	17.7	15.2	+16.4
5.	Homicide and Legal Intervention(E960-E969)	30	8.7	7.9	+10.1
	All Other Causes	119	34.5	36.8	- 6.3

* For complete category title, see International Classification of Diseases, 1975 Revision

** There were no deaths from Malignant Neoplasms and Meningococcal Infection in this age group in 1986.

Table 32 - Five Leading Causes of Death in Specific Age Groups: Rhode Island, 1986
(Rhode Island Residents; Rates per 100,000 Population For Specified Groups)(cont'd)

Age Group & Rank	Cause of Death(ICD,1975)	1986 Number	1986 Rate	1985 Rate	Per Cent Change
45-64 Years	ALL CAUSES	1651	790.1	828.9	- 4.7
1.	Malignant Neoplasms*(140-208)	648	310.1	319.5	- 2.9
2.	Diseases of the Heart(390-398,402,404-429)	548	262.2	286.7	- 8.5
3.	Cerebrovascular Diseases(430-438)	59	28.2	27.9	+ 1.1
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	49	23.4	23.6	- 0.8
5.	Accidents and Adverse Effects(E800-E949)	48	23.0	12.0	+91.7
	All Other Causes	299	143.1	151.3	- 5.4
65 Years and Over	ALL CAUSES	7367	5638.6	5619.6	+ 0.3
1.	Diseases of the Heart(390-398,402,404-429)	3179	2433.2	2331.5	+ 4.4
2.	Malignant Neoplasms*(140-208)	1601	1225.4	1242.5	- 1.4
3.	Cerebrovascular Diseases(430-438)	573	438.6	440.1	- 0.3
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	301	230.4	231.2	- 0.3
5.	Pneumonia and Influenza(480-487)	237	181.4	184.2	- 1.5
	All Other Causes	1476	1129.7	1190.1	- 5.1

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1986

(RHODE ISLAND OCCURRENCES)

MARRIAGES ACCORDING TO RESIDENCE

CITY OR TOWN	PERSONS MARRIED	GROOM	BRIDE
TOTAL	16206	8103	8103
BARRINGTON	199	88	111
BRISTOL	273	129	144
BURRILLVILLE	173	86	87
CENTRAL FALLS	344	176	168
CHARLESTOWN	82	43	39
COVENTRY	417	213	204
CRANSTON	1050	507	543
CUMBERLAND	287	129	158
EAST GREENWICH	151	67	84
EAST PROVIDENCE	667	337	330
EXETER	66	35	31
FOSTER	40	23	17
GLOCESTER	102	42	60
HOPKINTON	99	48	51
JAMESTOWN	54	25	29
JOHNSTON	366	169	197
LINCOLN	235	112	123
LITTLE COMPTON	54	21	33
MIDDLETOWN	264	122	142
NARRAGANSETT	198	110	88
NEWPORT	508	252	256
NEW SHOREHAM	11	6	5
NORTH KINGSTOWN	363	174	189
NORTH PROVIDENCE	518	262	256
NORTH SMITHFIELD	122	59	63
PAWTUCKET	1184	570	614
PORTSMOUTH	195	93	102
PROVIDENCE	2202	1098	1104
RICHMOND	53	26	27
SCITUATE	128	67	61
SMITHFIELD	229	104	125
SOUTH KINGSTOWN	274	132	142
TIVERTON	132	64	68
WARREN	184	89	95
WARWICK	1308	617	691
WESTERLY	245	111	134
WEST GREENWICH	39	18	21
WEST WARWICK	541	264	277
WOONSOCKET	688	324	364
OTHER STATES OR FOREIGN PLACES	2161	1291	870

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1986

AGE OF BRIDE IN YEARS	TOTAL	AGE OF GROOM IN YEARS: UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	8103	250	2247	2449	1323	748	405	222	145	115	91	108	0
UNDER 20	710	172	407	103	17	5	4	1	1	0	0	0	0
20-24	2845	64	1459	993	235	66	20	5	1	2	0	0	0
25-29	2172	12	299	1023	538	199	79	19	1	2	0	0	0
30-34	1094	1	58	251	384	250	78	36	17	13	4	2	0
35-39	570	1	18	66	115	165	106	55	24	12	6	2	0
40-44	301	0	6	11	25	48	83	56	37	22	10	3	0
45-49	158	0	0	0	7	13	27	36	31	23	17	4	0
50-54	87	0	0	1	2	2	7	14	19	21	17	4	0
55-59	64	0	0	1	0	0	0	0	5	16	21	21	0
60-64	46	0	0	0	0	0	0	0	7	4	10	25	0
65 & OVER	56	0	0	0	0	0	1	0	2	0	6	47	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1986

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8103	5904	202	1997	0	8103	5732	209	2162	0
UNDER 20	710	707	0	3	0	250	250	0	0	0
20-24	2845	2701	2	142	0	2247	2181	0	66	0
25-29	2172	1715	17	440	0	2449	2129	1	319	0
30-34	1094	579	16	499	0	1323	826	7	490	0
35-39	570	133	21	416	0	748	241	11	496	0
40-44	301	29	13	259	0	405	60	17	328	0
45-49	158	18	15	125	0	222	22	10	190	0
50-54	87	6	22	59	0	145	11	22	112	0
55-59	64	9	27	28	0	115	3	31	81	0
60-64	46	5	27	14	0	91	5	36	50	0
OVER 64	56	2	42	12	0	108	4	74	30	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS

RHODE ISLAND, 1986 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS	NUMBER OF THIS MARRIAGE FOR GROOM				
MARRIAGE FOR BRIDE	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	8103	5732	2046	325	0
FIRST	5903	4914	907	82	0
SECOND	1892	748	972	172	0
THIRD OR MORE	308	70	167	71	0
UNKNOWN	0	0	0	0	0

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1986

PREVIOUS MARITAL	PREVIOUS MARITAL STATUS OF GROOM				
STATUS OF BRIDE	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8103	5732	209	2162	0
SINGLE	5903	4914	31	958	0
WIDOWED	202	32	90	80	0
DIVORCED	1998	785	88	1125	0
UNKNOWN	0	0	0	0	0

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1986

LAST GRADE COMPLETED BY BRIDE	TOTAL	LAST GRADE COMPLETED BY GROOM					
			HIGH SCHOOL		COLLEGE		
		8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	8103	265	927	3066	1640	2202	3
8 YEARS OR LESS	188	66	48	53	15	6	0
HIGH SCHOOL							
1 - 3 YEARS	869	75	317	390	64	23	0
4TH YEAR	3024	99	398	1675	513	338	1
COLLEGE							
1 - 3 YEARS	1994	21	136	643	651	542	1
4TH YEAR OR MORE	2023	4	27	304	396	1292	0
NOT STATED	5	0	1	1	1	1	1

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1986

AGE OF HUSBAND IN YEARS	TOTAL	AGE OF WIFE IN YEARS: UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3684	22	498	842	784	597	416	221	135	86	42	30	11
UNDER 20	4	1	2	1	0	0	0	0	0	0	0	0	0
20-24	255	19	198	31	4	2	1	0	0	0	0	0	0
25-29	753	2	232	421	73	18	5	1	0	0	0	0	1
30-34	773	0	47	287	350	75	8	4	1	0	0	0	1
35-39	667	0	12	67	273	262	45	2	3	0	1	0	2
40-44	479	0	5	23	53	172	185	28	8	3	0	0	2
45-49	295	0	0	6	18	35	131	83	16	3	2	0	1
50-54	182	0	1	3	8	18	27	60	57	7	1	0	0
55-59	133	0	0	1	1	9	9	30	30	43	7	3	0
60-64	66	0	0	1	1	1	3	7	14	18	18	1	2
65 & OVER	67	0	0	0	1	3	2	4	6	12	13	26	0
UNKNOWN	10	0	1	1	2	2	0	2	0	0	0	0	2

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1986

(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S MARRIAGES: FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3684	2901	663	101	11	8
FIRST	2894	2569	291	28	3	3
SECOND	660	298	310	48	4	0
THIRD	102	29	51	20	2	0
FOURTH OR MORE	21	5	11	3	2	0
UNKNOWN	7	0	0	2	0	5

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1986

(RHODE ISLAND OCCURRENCES)

AGE GROUP	HUSBAND				WIFE			
IN YEARS	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3684	2894	784	6	3684	2901	777	6
UNDER 20	4	4	0	0	22	22	0	0
20-24	255	252	3	0	498	486	12	0
25-29	753	716	37	0	842	761	81	0
30-34	773	665	107	1	784	630	154	0
35-39	667	503	163	1	597	399	197	1
40-44	479	306	170	3	416	285	129	2
45-49	295	188	107	0	221	139	79	3
50-54	182	111	70	1	135	77	58	0
55-59	133	83	50	0	86	60	26	0
60-64	66	34	32	0	42	22	20	0
OVER 64	67	24	43	0	30	10	20	0
UNKNOWN	10	8	2	0	11	10	1	0

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1986

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	784	777
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	676	657
DEATH ONLY:	36	49
COMBINATION OF DEATH AND DIVORCE:	12	9
UNKNOWN:	60	62

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1986

(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3486	3684	179	665	281	2214	345
NONE	0	1346	60	236	111	821	118
ONE	951	951	46	173	88	548	96
TWO	1678	839	43	149	48	526	73
THREE	663	221	12	34	12	139	24
FOUR	152	38	0	9	2	22	5
FIVE	30	6	0	0	2	4	0
SIX	12	2	0	0	0	2	0
NOT STATED	*	281	18	64	18	152	29

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1986

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3684	100.0	3684	100.0
8 YEARS OR LESS	287	7.8	184	5.0
HIGH SCHOOL				
1 - 3 YEARS	616	16.7	552	15.0
4 YEARS	1452	39.4	1681	45.6
COLLEGE				
1 - 3 YEARS	529	14.4	658	17.9
4 YEARS OR MORE	566	15.4	393	10.7
NOT STATED	234	6.4	216	5.9